































# MODULAR GREEN®

 <b>KABAZ</b> 276	 <b>INSTANT</b> 309	 <b>FLASHER</b> 334
 <b>GUTTER</b> 280	 <b>A(R)MOR</b> 312	 <b>VECTOR</b> 336
 <b>FALL</b> 284	 <b>JULIETTE</b> 318	 <b>LAB</b> 340
 <b>FILTER</b> 288	 <b>HYBRID</b> 324	 <b>AAA!</b> 341
 <b>WICKY</b> 290	 <b>UNA</b> 325	 <b>DOWNIE</b> 342
 <b>SKIFV</b> 294	 <b>DUELL</b> 326	 <b>HIT-ME</b> 343
 <b>SQUARE MOON</b> 302	 <b>FRED</b> 327	 <b>YURI</b> 344
 <b>GROUNDER</b> 304	 <b>BEAMER</b> 330	 <b>INTRO</b> 344
 <b>GRANNOS</b> 306	 <b>ARGUS</b> 331	 <b>LOTIS</b> 345
 <b>JULES</b> 308	 <b>BOXLITE</b> 332	 <b>FUSER</b> 346



EXTERIOR

### Kabaz wall



CC BY


### Kabaz floor




CC BY



11130122 khaki  
11130133 desert




lamp 1x TC-TSE E27 max. 23 W  
transfo/gear not required




10.8 0.5m 230V F IP 55 960°C

11130222 khaki  
11130233 desert



lamp 1x TC-TSE E27 max. 23 W  
transfo/gear not required

! cable (5m) included



10.8 0.5m 230V F IP 55 960°C



**Kabaz** Arrow plate



11130322 khaki  
11130333 desert

**Kabaz** Maroc plate



11130422 khaki  
11130433 desert

**Kabaz** Louvre plate



11130522 khaki  
11130533 desert

**Kabaz** Blind plate




11130622 khaki  
11130633 desert





starring: kabaz





### Gutter G9




11190232 black struc  
11190233 desert  
11190222 khaki

lamp 1x QT 14 G9 max. 40 W  
transfo/gear not required

! can be used with earthpin1 (11189002)

5.40 D 230V F ↓ IP 67 960°C

### Gutter PL




11190132 black struc  
11190133 desert  
11190122 khaki

lamp 1x TC-SEL 2G7 5 -7 W  
gear incorporated, electronic

! can be used with earthpin1 (11189002)

5.40 D 230V F ↓ IP 67 960°C



starring: gutter



starring: gutter  
architect: Ghibaudo architecture  
location: private residence, Le Rayol Canadel, France







284 EXTERIOR

Fall 1.4 G9

Fall 1.3 G9




11180132 black struc  
11180133 desert  
11180109 white struc  
11180122 khaki




lamp 1x QT 14 G9 max. 40 W  
transfo/gear not required

! can be used with earthpin2 (11189102)




11180232 black struc  
11180233 desert  
11180209 white struc  
11180222 khaki




lamp 1x QT 14 G9 max. 40 W  
transfo/gear not required

! can be used with earthpin2 (11189102)



Fall 1.3 PL 7W




11180332 black struc  
11180333 desert  
11180309 white struc  
11180322 khaki

lamp 1x TC-SEL 2G7 5 -7 W  
gear incorporated, electronic

! can be used with earthpin2 (11189102)

Fall 1.2 PL 11W



11180432 black struc  
11180433 desert  
11180409 white struc  
11180422 khaki

lamp 1x TC-SEL 2G7 11 W  
gear incorporated, electronic

! can be used with earthpin2 (11189102)

Fall 1.1 PL 2x11W




11180532 black struc  
11180533 desert  
11180509 white struc  
11180522 khaki

lamp 2x TC-SEL 2G7 11 W  
gear incorporated, electronic

! can be used with earthpin2 (11189102)

286 EXTERIOR





Filter 500 ice white LED

Filter 500 warm white LED



11270220 inox

lamp 3x high power LED 1W  
LED gear not incorporated  
aperture  $\varnothing$  75 h 65

11270930 conbox  
10739930 gear led driver (350mA 12W IP67)

0.80  $\varnothing$  0.1m

11270120 inox

lamp 3x high power LED 1W  
LED gear not incorporated  
aperture  $\varnothing$  75 h 65

11270930 conbox  
10739930 gear led driver (350mA 12W IP67)

0.80  $\varnothing$  0.1m




starring: filter




290 EXTERIOR


Wicky QT 12



Wicky G9



Wicky ice white LED



11160119 alu struc  
11160132 black struc  
11160133 desert  
11160122 khaki

lamp 1x QT-ax 12 Gy6.35 max. 50 W  
transfo not incorporated

! can be used with earthpin 350mm (11189802)

11160219 alu struc  
11160232 black struc  
11160233 desert  
11160222 khaki

lamp 1x QT 14 G9 max. 40 W  
transfo/gear not required


! can be used with earthpin 350mm (11189802)

11160619 alu struc  
11160632 black struc  
11160633 desert  
11160622 khaki


lamp 2x high power LED  
LED gear incorporated

! can be used with earthpin 350mm (11189802)

## Wicky warm white LED



11160532 black struc  
11160533 desert  
11160519 alu struc  
11160522 khaki



lamp 2x high power LED  
LED gear incorporated

! can be used with earthpin 350mm (11189802)

2.40 0.1m 230V F IP 67 960°C








starring: wicky  
architect: Ghibaudo architecture  
location: private residence, Le Rayol Canadel, France




294 EXTERIOR

Skifv high ice white LED



Skifv high warm white LED



Skifv low ice white LED



11210432 black struc  
11210433 desert  
11210422 khaki  
11210409 white struc

lamp 6x high power LED 1W  
gear incorporated, electronic

! can be used with earthpin 350mm (11189802)

2.80 0.1m D 230V F ↓ IP 44 ⊕ 960°C

11210632 black struc  
11210633 desert  
11210622 khaki  
11210609 white struc

lamp 6x high power LED 1W  
gear incorporated, electronic

! can be used with earthpin 350mm (11189802)

2.80 0.1m D 230V F ↓ IP 44 ⊕ 960°C

11210332 black struc  
11210333 desert  
11210322 khaki  
11210309 white struc

lamp 6x high power LED 1W  
gear incorporated, electronic


! can be used with earthpin 350mm (11189802)

2.60 0.1m D 230V ↕ IP 44 ⊕ 960°C

# Skifv low warm white LED



- 11210532 black struc
- 11210533 desert
- 11210522 khaki
- 11210509 white struc



lamp 6x high power LED 1W  
gear incorporated, electronic

! can be used with earthpin 350mm (11189802)



starring: skifv






starring: sklfv




### Skifv high 22W



### Skifv low 22W




11210232 black struc  
11210233 desert  
11210222 khaki  
11210209 white struc




lamp 1x T16-R 2Gx13 22 W  
gear incorporated, electronic

! can be used with earthpin 350mm (11189802)




11210132 black struc  
11210133 desert  
11210122 khaki  
11210109 white struc





lamp 1x T16-R 2Gx13 22 W  
gear incorporated, electronic

! can be used with earthpin 350mm (11189802)



298 EXTERIOR












starring: skify, thub metal  
architect: rotorgroup.be  
project: stand Interieur06, Kortrijk, Belgium




302 EXTERIOR

Square moon IP55 4x 24W



Square moon backlit IP55 4x 24W



Square moon mirror 2x 24W IP55 (lighting)



10633011 opal  
 10633013 red  
 10633014 yellow  
 10633016 blue  
 10633017 royal blue  
 10633005 silver

lamp 4x T16 G5 24 W  
 gear incorporated, electronic

10633111 opal  
 10633213 filter red  
 10633214 filter yellow  
 10633216 filter blue  
 10633217 filter royal blue

lamp 4x T16 G5 24 W  
 gear incorporated, electronic


10632444 alu struc

lamp 2x T16 G5 24 W  
 gear incorporated, electronic


square moon design by Luc Vincent

EXTERIOR 303


### Square moon mirror 2x 24W IP55 backlit (lighting)



10632644 alu struc



lamp 2x T16 G5 24 W  
gear incorporated, electronic




9.20 0.5m 230V F IP 55 960°C




304 EXTERIOR

Grounder CDM-TC 70W 40x40


Grounder CDM-TC 70W 50x50



11220105 alu




lamp 1x HIT-CE G8.5 70 W  
gear incorporated, electronic  
aperture l 405 w 405 h 138




7.50 0.5m 230V F ↓ IP67 960°C

11220305 alu



lamp 1x HIT-CE G8.5 70 W  
gear incorporated, electronic  
aperture l 505 w 505 h 138



9.60 0.5m 230V F ↓ IP67 960°C







### Grounder R7S 150W 40x40




11220205 alu



lamp 1x QT-DE R7s 150 W  
transfo/gear not required  
aperture l 405 w 405 h 138







### Grounder R7S 150W 50x50




11220405 alu



lamp 1x QT-DE R7s 150 W  
transfo/gear not required  
aperture l 505 w 505 h 138






### Grannos fix square 1x 20W







10790405 alu




lamp 1x QR-CBC 51 Gu 5.3 max. 20 W  
transfo not incorporated  
aperture l 110 w 110 h 150


10800130 conbox  
! optional colourfilter & louvre: see next page

0.83    ↓ IP 67  960 °C

### Grannos fix round 1x 20W







10790805 alu




lamp 1x QR-CBC 51 Gu 5.3 max. 20 W  
transfo not incorporated  
aperture ø 110 h 150

10800330 conbox  
! optional colourfilter & louvre: see next page

0.83    ↓ IP 67  960 °C

## Grannos colourfilter / louvre




- 10791713 colourfilter red
- 10791714 colourfilter yellow
- 10791715 colourfilter green
- 10791716 colourfilter blue

10791502 louvre


Luminance reducing louvre

## Grannos conbox


10800130 conbox fix square




10800330 conbox fix round



## Apostrophe TI



- 10740206 dark grey
- 10740233 desert
- 10740222 khaki



lamp 1x QR-CBC 51 Gu 5.3 max. 50 W  
transfo incorporated, electronic

! louvre + glass included



308 EXTERIOR


Jules foot



Jules pin



10730106 dark grey  
10730133 desert  
10730122 khaki




! louvre + glass included

lamp 1x QR-CBC 51 Gu 5.3 max. 50 W  
transfo not incorporated  
adjustability h 359° v -90°/+90°

0.75 0.5m 12V F IP43 960°C


10730206 dark grey  
10730233 desert  
10730222 khaki



! louvre + glass included  
! for fixation in soil only

lamp 1x QR-CBC 51 Gu 5.3 max. 50 W  
transfo not incorporated  
adjustability h 359° v -90°/+90°

1.10 0.5m 12V F IP43 960°C




starring: jules  
design: rotorgroup.be  
project: Igor, Ghent, Belgium









### Instant 1x E14



10710119 alu  
10710109 white struc




lamp 1x IT-3 30 E14 max. 25 W  
transfo/gear not required

0.30      

### Instant plus 1x E14









10710219 alu  
10710209 white struc




lamp 1x IT-3 30 E14 max. 25 W  
transfo/gear not required


! only for vertical mounting

0.40      

### Instant plus 2x E14









10710319 alu  
10710309 white struc



lamp 2x IT-3 30 E14 max. 25 W  
transfo/gear not required

! only for vertical mounting

0.50      


310 EXTERIOR



starring: instant  
architect: Feilden & Mawson  
project: 1 London Bridge, London, UK

### A(r)mor QT12

### A(r)mor double QT12



11170133 desert  
11170119 alu struc  
11170132 black struc  
11170122 khaki

lamp 1x QT-ax 12 Gy6.35 max. 50 W  
transfo incorporated, electronic

! can be used with earthpin 350mm (11189802)

11170533 desert  
11170519 alu struc  
11170532 black struc  
11170522 khaki


lamp 2x QT-ax 12 Gy6.35 max. 50 W  
transfo incorporated, electronic

! can be used with earthpin 350mm (11189802)








### A(r)mor G9



### A(r)mor double G9




11170233 desert  
11170219 alu struc  
11170232 black struc  
11170222 khaki






lamp 1x QT 14 G9 max. 40 W  
transfo/gear not required

! can be used with earthpin 350mm (11189802)




11170633 desert  
11170619 alu struc  
11170632 black struc  
11170622 khaki

lamp 2x QT 14 G9 max. 40 W  
transfo/gear not required

! can be used with earthpin 350mm (11189802)





starring: a(r)mor


314 EXTERIOR

**A(r)mor** ice white LED

**A(r)mor** double ice white LED




11170433 desert  
11170419 alu struc  
11170432 black struc  
11170422 khaki




lamp 3x high power LED 1W  
gear incorporated, electronic

! can be used with earthpin 350mm (11189802)



11170733 desert  
11170719 alu struc  
11170732 black struc  
11170722 khaki






lamp 6x high power LED 1W  
gear incorporated, electronic

! can be used with earthpin 350mm (11189802)




### A(r)mor warm white LED

### A(r)mor double warm white LED



11170833 desert  
11170819 alu struc  
11170832 black struc  
11170822 khaki

lamp 3x high power LED 1W  
gear incorporated, electronic

! can be used with earthpin 350mm (11189802)


2.80 0.1m F 230V IP 67 960°C

11170933 desert  
11170919 alu struc  
11170932 black struc  
11170922 khaki

lamp 6x high power LED 1W  
gear incorporated, electronic

! can be used with earthpin 350mm (11189802)

3.30 0.1m F 230V IP 67 960°C




starring: a(r)mor  
architect: Ghibaudo architecture  
location: private residence, Le Rayol Canadel, France



## A(r)mor CDM-Tm



- 11170333 desert
- 11170319 alu struc
- 11170332 black struc
- 11170322 khaki



lamp 1x CDM-Tm PGJ5 20 W  
gear incorporated, electronic

! can be used with earthpin 350mm (11189802)






starring: a(r)mor  
architect: coussée & goris  
project: private residence, Belgium






### Juliette Ministar



- 10730332 black struc
- 10730333 desert
- 10730322 khaki



lamp 4x QR-C 16 Gy6.35 max. 20 W  
 transfo not incorporated  
 adjustability h 360° v 120°




2.50 0.5m 12V F ↓ IP 43 III 960°C CE


starring: juliette




**Juliette** ice white LED




**Juliette** warm white LED









10730432 black struc  
10730433 desert  
10730422 khaki




max. 1160  
min. 800

 lamp 4x high power LED 1W  
gear not incorporated  
adjustability h 360° v 120°


! cable (3m) incorporated  
10739930 gear led driver (350mA 12W IP67)

     IP 43  960°C







10730832 black struc  
10730833 desert  
10730822 khaki




max. 1160  
min. 800

 lamp 4x high power LED 1W  
gear not incorporated  
adjustability h 360° v 120°

! cable (3m) incorporated  
10739930 gear led driver (350mA 12W IP67)


     IP 43  960°C

320 EXTERIOR




starring: juliette

Juliette foot Ministar




- 10730532 black struc
- 10730533 desert
- 10730522 khaki




lamp 4x QR-C 16 Gy6.35 max. 20 W  
transfo incorporated, electronic  
adjustability h 350° v 120°



### Juliette foot ice white LED



### Juliette foot warm white LED



10730632 black struc  
10730633 desert  
10730622 khaki

lamp 4x high power LED 1W  
gear incorporated, electronic  
adjustability h 350° v 120°

10730732 black struc  
10730733 desert  
10730722 khaki


lamp 4x high power LED 1W  
gear incorporated, electronic  
adjustability h 350° v 120°




### Hybrid maxi TI



### Hybrid TI



10650219 alu  
10650233 desert  
10650222 khaki




lamp 1x QT-ax 12 Gy6.35 max. 50 W  
transfo incorporated, electronic

! base flange & base optional. see next page  
! can be used with earthpin1 (11189002)



10650119 alu  
10650133 desert  
10650122 khaki




lamp 1x QT-ax 12 Gy6.35 max. 50 W  
transfo incorporated, electronic

! base flange & base optional. see next page  
! can be used with earthpin1 (11189002)




## Hybrid louvre



10650502 black

Luminance-reducing louvre for hybrid.  
Or for aesthetic use

## Hybrid / Una base



Hybrid  
10650319 alu  
10650322 khaki  
10650333 desert

Una  
10660306 dark grey


For an ultra-solid fixation to the floor.

! base cannot be used for Hybrid TI (10650119)

## Una TI



## Hybrid / Una base flange



Hybrid  
10650402 black

Una  
10660502 black

For an ultra-solid fixation to the floor.  
Or for aesthetic purposes.

10660206 dark grey  
10660233 desert  
10660222 khaki


lamp 1x QR-CBC 51 Gu 5.3 max. 50 W  
gear incorporated, electronic  
leading/trailing edge dimmable

! louvre, glass & mounting tube included  
! base flange & base optional


1.54 0.5m D 230V F ↓ IP43 960°C

326 EXTERIOR


Duell wall ext ice white LED



Duell wall ext warm white LED




11071232 black struc (gold interior)  
11071204 matt chrome (black interior)  
11071209 white struc (champagne interior)



lamp 4x high power LED 1 W  
LED gear incorporated

0.85 0.1m 230V F IP44 960°C

11071132 black struc (gold interior)  
11071104 matt chrome (black interior)  
11071109 white struc (champagne interior)



lamp 4x high power LED 1 W  
LED gear incorporated

0.85 0.1m 230V F IP44 960°C



### Fred high TI


### Fred high TCD



starring: fred  
project: private residence, Belgium



10970419 alu  
10970433 desert  
10970422 khaki




lamp 1x QT-ax 12 Gy6.35 max. 50 W  
transfo incorporated, electronic

! can be used with earthpin3 (11189202)

2.68 0.5m 230V F IP 54 960°C

10970519 alu  
10970533 desert  
10970522 khaki




lamp 1x TC-D G24d-1 max. 13 W  
gear incorporated, conventional


! can be used with earthpin3 (11189202)

1.91 0.5m 230V F IP 54 960°C

### Fred low TI



10970219 alu  
10970233 desert  
10970222 khaki



lamp 1x QT-ax 12 Gy6.35 max. 50 W  
transfo incorporated, electronic


! can be used with earthpin3 (11189202)

1.23 0.5m 230V F IP 54 960°C

### Fred low TCD



10970319 alu  
10970333 desert  
10970322 khaki




lamp 1x TC-D G24d-1 max. 13 W  
gear incorporated, conventional


! can be used with earthpin3 (11189202)

2.13 0.5m 230V F IP 54 960°C

Fred very low TI



10970119 alu  
10970133 desert  
10970122 khaki



lamp 1x QT-ax 12 Gy6.35 max. 50 W  
transfo incorporated, electronic

! can be used with earthpin3 (11189202)


1.10 0.5m D 230V F IP 54 960 °C

330 EXTERIOR


Beamer 1x MR16 TI



Beamer 2x MR16 TI



10720106 dark grey  
10720133 desert  
10720122 khaki




lamp 1x QR-CBC 51 Gu 5.3 max. 50 W  
transfo incorporated, electronic  
adjustability v -90°/+90°

! for fixation in soil only



10720206 dark grey  
10720233 desert  
10720222 khaki




lamp 2x QR-CBC 51 Gu 5.3 max. 50 W  
transfo incorporated, electronic  
adjustability v -90°/+90°


! for fixation in soil only



## Argus exterior



10750119 alu



lamp 1x QR-CBC 51 Gu 5.3 max. 20 W  
transfo not incorporated  
aperture  $\varnothing$  80 h 110


! louvre included

0.72 0.5m 12V F IP 65 III 960°C


332 EXTERIOR



Boxlite halogen



- 10780419 alu
- 10780412 black
- 10780433 desert
- 10780422 khaki



lamp 1x QT 32 E27 max. 75 W  
transfo/gear not required  
light output ratio :  
lor 82,13 dlor 41,06 ulor 41,06

2.00 0.5m DII 230V F 90° IP 43 960°C


starring: boxlite

## Boxlite CDM-TC 70W



CDM

- 10780319 alu
- 10780332 black
- 10780333 desert
- 10780322 khaki



lamp 1x HIT-CE G8.5 70 W  
gear incorporated, electronic  
light output ratio :  
lor 60,7 dlor 30,35 ulor 30,35

5.15 0.5m D 230V F IP43 960°C



starring: boxlite  
project: street lighting Delaerestraat, Roeselare, Belgium


334 EXTERIOR

Flasher





starring: flasher  
architect: Bureau Goddeeris  
project: De Blauwe Hoeve, Kortrijk, Belgium

10960112 black  
10960133 desert  
10960119 alu  
10960122 khaki



lamp 1x QPAR 16 Gz10 max 50 W  
1x TC-L 2G11 18 W  
gear incorporated, conventional  
light output ratio :  
lor 14,86 dlor 14,86 ulor 0


! only QPAR16 lamp dimmable








starring: flasher




336 EXTERIOR


Vector 1x MR16



Vector 2x MR16




10700119 alu  
10700133 desert  
10700122 khaki



lamp 1x QR-C 51 Gu 5.3 max. 50 W  
transfo not incorporated

0.40 0.5m 12V F IP44 III 960°C

10700219 alu  
10700233 desert  
10700222 khaki



lamp 2x QR-C 51 Gu 5.3 max. 50 W  
transfo not incorporated


0.50 0.5m 12V F IP44 III 960°C




starring: vector  
architect: Tomás Amat, Pablo Belda  
project: headquarters Pura López, Torrellano, Alicante, Spain



### Vector 1x MR16 orientable



10700319 alu  
10700333 desert  
10700322 khaki



lamp 1x QR-C 51 Gu 5.3 max. 50 W  
transfo not incorporated  
adjustability h 359° v 359°

0.45 0.5m 12V F IP 44 960°C




starring: vector  
project: Bonsoir Florian, Roeselare, Belgium

## Vector TI 1x MR16




10700419 alu  
10700433 desert  
10700422 khaki




lamp 1x QR-C 51 Gu 5.3 max. 35 W  
transfo incorporated, electronic  
adjustability v 359°




### Vector TI 2x MR16




### Vector up/down TI 2x MR16



10700519 alu  
10700533 desert  
10700522 khaki




lamp 2x QR-C 51 Gu 5.3 max. 35 W  
transfo incorporated, electronic  
adjustability v 359°



lamp 2x QR-C 51 Gu 5.3 max. 35 W  
transfo incorporated, electronic  
adjustability v 359°

1.10 0.5m D 230V F IP 44 960°C


10700819 alu  
10700833 desert  
10700822 khaki



lamp 2x QR-C 51 Gu 5.3 max. 35 W  
transfo incorporated, electronic  
adjustability v 359°

1.20 0.5m D 230V F IP 44 960°C


Lab 2



10680220 inox 316L




lamp 1x QT-ax 12 Gy6.35 max. 50 W  
transfo not incorporated




0.55 0.5m 12V F IP 54 960°C


## Lab TT



## Aaah!




10680320 inox 316L



lamp 1x QT-ax 12 Gy6.35 max. 50 W  
transfo incorporated, electronic  
adjustability v -30°/+30°

0.75 0.5m → IP 54 960°C

10690120 inox 316L



lamp 1x IT-3 30 E14 25 W  
transfo/gear not required

0.25 0.5m → IP 54 960°C


342 EXTERIOR

Downie low 26W



0000

10860119 alu



lamp 2x TC-DEL G24q-3 26 W  
gear incorporated, electronic  
light output ratio :  
lor 38,81 dlor 38,81 ulor 0




starring: downie



## Hit-me



10940119 alu  
10940133 desert  
10940122 khaki



lamp 1x T16 G5 21 W  
gear incorporated, electronic  
light output ratio :  
lor 68,61 dlor 68,61 ulor 0  
aperture Hit it!

! ground-tube for fixation in soil included


4.15 0.5m 230V F ↓ IP 55 960°C



starring: hit-me

344 EXTERIOR

Yuri QT12 35W



DRYLIGHT SYSTEM  
IP67


11230205 alu interior  
11230241 champ interior  
11230209 matt white interior

Ø128  
100

lamp 1x QT-ax 12 Gy6.35 max. 35 W  
transfo not incorporated  
aperture ø 114 h 100

0.27 0.5m 12V IP 67 960 °C

Yuri G9 40W



DRYLIGHT SYSTEM  
IP67

11230105 alu interior  
11230141 champ interior  
11230109 matt white interior

Ø128  
100

lamp 1x QT 14 G9 max. 40 W  
transfo/gear not required  
aperture ø 114 h 100

0.27 0.5m 230V IP 67 960 °C

Intro



10290105 alu  
10290102 black  
10290101 white


Ø90  
75

lamp 1x QR-CBC 51 Gu 5.3 max. 50 W  
transfo not incorporated  
aperture ø 80 h 90



! for use in humid conditions  
(only with dry built-in conditions!)

0.11 0.5m 12V IP 44 960 °C


### Lotis IPX5 Ministar



### Lotis IPX5 ES50



10880828 alu struc  
10880808 black struc  
10880826 dark chrome  
10880838 white struc




lamp 1x QR-C 16 Gy6.35 35 W  
transfo not incorporated  
aperture ø 76 h 135

! for use in humid conditions  
(only with dry built-in conditions!)

0.25 12V F IP 55 960°C

10880928 alu struc  
10880908 black struc  
10880926 dark chrome  
10880938 white struc



lamp 1x QPAR 16 Gz10 max. 35 W  
transfo not required  
aperture ø 76 h 135

! for use in humid conditions  
(only with dry built-in conditions!)

0.25 230V F IP 55 960°C

346 EXTERIOR

**Fuser** single 2x 21W

**Fuser** double 4x 21W



11100811 opal

lamp 2x T16 G5 21 W  
gear incorporated, electronic  
light output ratio :  
lor 85,43 dlor 43,93 ulor 41,5

! contains Fuser single kit and 1x Fuser alone 2x 21W  
! black wire available in box  
! polar diagram P5

5.49 0.5m 230V F 960°C IP 54

11100911 opal

lamp 4x T16 G5 21 W  
gear incorporated, electronic  
light output ratio :  
lor 86,85 dlor 43,42 ulor 43,43


! contains Fuser double kit and 2x Fuser alone 2x 21W  
! black wire available in box  
! polar diagram P6

10.8 0.5m 230V F 960°C IP 54







### Fuser alone 2x 21W



### Fuser components





11101011 opal



lamp 2x T16 G5 21 W  
gear incorporated, electronic  
light output ratio :  
lor 85,43 dlor 43,93 ulor 41,5


! contains Fuser single kit and 1x Fuser alone 2x 21W  
! black wire available in box  
! polar diagram P5

starring: fuser suspension (special)  
architect: Antonio Pinto  
project: European Hospital St Michel, Brussels, Belgium

### Earthpin 350 mm


11189802 black



! can be used with Wicky, Skifv and A(r)mor

### Earthpin 1

11189002 black




includes earthpin 350 mm + base plate

! can be used with Gutter and Hybrid

### Earthpin 2

11189102 black




includes earthpin 350 mm + base plate

! can be used with Fall

### Earthpin 3

11189202 black



includes earthpin 350 mm + base plate

! can be used with Fred