

Michael Anastassiades, Edward Barber & Jay Osgerby, Ronan & Erwan Bouroullec, Achille Castiglioni, Pier Giacomo Castiglioni, Antonio Citterio, Paul Cocksedge, Rodolfo Dordoni, Ron Gilad, Johanna Grawunder, Konstantin Grcic, Joris Laarman, Piero Lissoni, Jasper Morrison, Paolo Rizzatto, Nicoletta Rossi & Guido Bianchi, Gino Sarfatti, Tobia Scarpa, Philippe Starck, Patricia Urquiola, Marcel Wanders

THE HOME COLLECTION

FLOS



THE HOME COLLECTION

FLOS



Patricia Urquiola

CHASEN, SERENA, TATOU



Jasper Morrison


GLO-BALL, SMITHFIELD, SUPERLOON



Tobia Scarpa

ARIETTE, BIAGIO, FANTASMA,  
FOGLIO

Courtesy of Tobia Scarpa



Antonio Citterio

CLESSIDRA, KELVIN LED,  
KELVIN EDGE, ON THE ROCKS

Courtesy of Antonio Citterio



Ronan & Erwan Bouroullec

AIM, PIANI

Photo by Philippe Jarrigeon






Nicoletta Rossi and Guido Bianchi

IPNOS


Photo by Maki Ochoa



Rodolfo Dordoni

POCHETTE, RAY

Courtesy of Rodolfo Dordoni



Achille Castiglioni

AOY, FRISBI, FUCSIA, LAMPADINA, MONI,  
PARENTESI, STYLOS, TARAXACUM 88

Photo by Maria Muñoz



Philippe Starck

ARCHIMOON, BIBLIOTHEQUE NATIONALE, BON JOUR,  
BON JOUR VERSAILLES, CHAPO, D'E-LIGHT, GUNS, HIDE, KTRIBE,  
MISS K, MISSI SISSI, ROMEO, ROSY ANGELIS, SUPERARCHIMOON



Photo by Luciano Ferri

Achille & Pier Giacomo Castiglioni

ARCO, GATTO, LUMINATOR, SNOOPY,  
SPLÜGEN BRÄU, TACCIA, TARAXACUM,  
TOIO, VISCONTEA



Johanna Grawunder

WAN

Courtesy Designer's Gallery Köln



Konstantin Grcic

MAY DAY, OK



Piero Lissoni

BUTTON, CAMOUFLAGE, CLARA, CLIMBER,  
LONG AND TIGHT LIGHT, MY WAY, REAL MATTER


Photo by Giovanni Gastel



Marcel Wanders

CAN CAN, CHRYSALIS,  
SKYGARDEN, ZEPPELIN


Courtesy of Marcel Wanders



Gino Sarfatti

2097

Flos Archive



Paolo Rizzatto

265

Photo by Santi Caleca



Paul Cocksedge

SHADE

Courtesy of Paul Cocksedge



Edward Barber & Jay Osgerby

TAB

Courtesy of E. Barber & J. Osgerby

Photo by Monica Castiglioni



Ron Gilad

2620, GOLDMAN, LIGHTSPRING



Joris Laarman

NEBULA

Courtesy of Joris Laarman Lab



Michael Anastassiades

CAPTAIN FLINT, COPYCAT, EXTRA  
IC LIGHTS, STRING LIGHTS

Photo by Frank Huisbörner

## «WOULD YOU LIKE TO TALK»

Interview to Piero Gandini by Fabrice Paineau

Would you like to talk about my background? (...) — I come from quite a funny, let's just say unusual, family. My mother, with her aristocratic background and an innate sense of elegance, shared nonetheless with my father quite a modern vision of life. She ran a furniture store, filled with ill-assorted objects, including objects by famous designers. As children, my twin sister and I would hide among Le Corbusier designs for instance. You can say I was literally immersed in design! My father, for his part, came from a far humbler background and was a self-made man, quite a charismatic individual, and what's more creative, naturally, full of an enthusiasm I seem to have inherited. Fortunately or unfortunately.

Would you like to talk about my adolescence (...) — As you would expect, like many others, my relationship with my father was sometimes strained. I was a bit of a lousy student coupled with an eternal adolescent, until I turned 25. I was a problem for some time: I would go pub-crawling; I would skive off school months on end, up to 7 months – my record! Of course, I would sign the notes explaining my absence instead of my father. And later, I don't know how I managed but I skipped the army to end up loafing in university, studying philosophy and history, classes I only very seldom attended. To put it briefly, let's just say I enjoyed myself, like some teenagers who are bent on enjoying life.

Would you like to talk about how I became responsible? (...) — I tried to sign a truce with my father to be able to go abroad for a while. Life elsewhere, to temper my spirits. At the time we had a subsidiary in New York and I could picture myself among the skyscrapers. My father had another nice surprise in store for me: I joined a firm we owned in Northeast Germany, in a remote village. I didn't speak a word of German. That may have marked the beginning of my redemption and the end of my wild nights! Every morning, I had an 8am meeting at the factory: obviously a certain sense of discipline took hold. I only returned in 1987 when my father suggested it, but I already had in mind to broach the brand differently. I therefore asked my father to give me the use of an empty warehouse next to our offices in Brescia.

Would you like to talk about my memories, Castiglioni, Scarpa, Starck?

(...) — They would all show up in that warehouse, it was great. To me, they were like tennis champions: can you imagine having a meeting simultaneously with Federer, Nadal, Djokovic...! Castiglioni was a colourful character who would laugh and even shout sometimes. I remember one day he had found one of the mock-ups awful, he wouldn't stop screaming, gesticulating like a madman on the chair on wheels on which he was seated, practically slaloming in the large office. With Scarpa, things were different: he was strictness incarnate, even inflexible but he did give a lot in his own way. He was capable of focusing intensely. He taught me all the shades of colours. He was both a mentor and a poet. Starck, for his part showed up one day with a beautiful woman, announcing that he loved Flos: just like that, true to himself. A very energetic man who came to show us his Arà lamp, named after his daughter. He wanted an original packaging like always in his generous and democratic approach of design. The relationship Flos has with Philippe Starck is unique. In his own way he has found the link with the origins of the brand, when Achille Castiglioni and his brother created one of the most beautiful lamps in the world with a car headlight and a cable. In a sense, Starck's collaboration with Flos contributes to refuting the elitism in design which can smother ethics. His Miss Sissi lamp, simple, direct and affordable sums up this adventure. It's above all a human experience we share.

Would you like to talk about the strategy I have adopted (...) — I have always been someone who listened to his guts: a kind of aggressive and creative individual and my hobbyhorse has always been the avant-garde. It's a disease that runs in the family. I don't know if I'm creating for a niche of enthusiasts, but all the products have imposed themselves thanks to the heart of those who have designed them. Admittedly, they were some tough times. In 1996, when I became CEO, I wanted to give Flos an international scope. So I had to restructure, sit down every morning at my desk to try to grasp the chances of a new future. I had to make drastic choices I don't regret, and which today give the company financial reliability. At the time, we still owned Arteluce which my father had taken over in the 70s, a great adventure begun in the 30s when the collections by great designers such as Gino Sarfatti belonged in the catalogue. I then decided in 1998 to concentrate the two companies' activities under Flos, the innovative potential of Arteluce and Flos feeding and enriching one another. When I discussed this project with Starck and Castiglioni, I thought it might be touchy, but they assured me of their support. The next collaborations with new designers such as Jasper Morrison, Konstantin Grcic, Marc Newson, etc., unfolded naturally in this new state of affairs.

Would you like to talk about my convictions (...) — Each time a project is launched, we feel we are about to make the best lamp in the world, that's it. It's Flos's philosophy. With the competitive capacity to reach our goal because I want the idea to prevail, to find its own path. That's the power of design, the passion instilled in a product, the complete chain of logistical and artistic commitment, from the know-how of the prototypist to the finished object. Everything can be deceptive too when you are facing issues: there lies also the spice of the trade. A seemingly simple product can take up to two years to be conceived and a project that seems complicated may only take eight months! The point being to control the investment capacity.

Would you like to talk about the object itself (...) — There is a language of objects and what is fascinating is that its lexicon evolves. How can the play with lights interact today? We have gone straight into the digital era and our work will undergo the same revolutions as the one of computers, and I am not only referring to the arrival of LED. We have the same issues as a company shifting from the era of hardware to the one of software. Those last five years have been the stage of great changes. We have an obligation to contribute creatively. My greatest hope is for the relation between lamps and individuals to evolve yet again. A lamp today is a quiet object. Its limit is the electric cable. For logistical and aesthetical purposes it must always be more or less close to a wall, behind a bed... But its autonomy is bound to evolve, likewise the « cable » has become « fibre », a question of speed, of communication. The very basis of this digital revolution indicates infinite possibilities. An experience was led in a hospital in the United States on the technological equipment used to improve patient care in bedrooms. The problem of the cumbersomeness of this material seems to have been solved by an application which activates directly all this system, and without using cables. The future of objects must undergo the same evolution: the lamp of the future holds in a sense the same relation an iPad has to a computer, to put things in a nutshell.

Would you like to talk about the future and the past (...) — We have archives at our disposal in order not to forget. Originally, the idea came from my mother. Before that, we didn't bother with the past. One day she came and suggested that we should restore order by setting up archives, an insane logistical project which I couldn't imagine facing because of the many expenses it would generate. As a result she took it on singlehandedly and undertook the huge enterprise, with over 50 years of existence examined from all angles, more than 30.000 pictures archived. The past uncovered. It enabled us for instance to showcase original pieces by Gino Sarfatti at the Milan Triennale for huge retrospective exhibition that we sponsored, and to re-edit a few of his models. They were replicated, in their original version, but fitted with a LED light to give them a new future.

Would you like to talk about light (...) — Which light? I recently travelled to Asia. There is always a mystical aspect to that area. I remember a dying fire I saw there in which the ashes were still glowing red. It's the most beautiful of lights.

Would you like to talk about light again! (...) — I know there are lights that remain to be tamed. I love for instance Ingo Maurer's work. As an individual, he is incredible, pure, tough, uncompromising and so enchanting. I'd also love to work with artists in the league of Jenny Holzer. I remember this fantastic moment, on a beach: she was projecting words in light on the waves. Those sentences she is famous for that disappeared as soon as the waves broke and the foam formed. A true dream.

«*In a dream you saw a way to survive and you were full of joy*» — Jenny Holzer

## « VOGLIAMO PARLARE DI »

Conversazione con Piero Gandini di Fabrice Paineau

Vogliamo parlare delle mie origini? (...) — Vengo da una famiglia piuttosto divertente. Fuori dagli schemi, diciamo. Mia madre, con le sue origini aristocratiche e un innato senso dell'eleganza, nonostante tutto condivideva con mio padre una visione del tutto moderna della vita. Gestiva un negozio di arredamento, pieno degli oggetti più disparati, tra cui pezzi di famosi designer. Da bambini, io e la mia sorella gemella giocavamo a nascondino tra i Le Corbusier, ad esempio. Si può dire che fossi letteralmente sommerso dal design! Mio padre, invece, veniva da una famiglia molto più umile e si era fatto da solo. Un uomo piuttosto carismatico e per di più creativo, in modo naturale, pieno di un entusiasmo che io sembro avere ereditato. Per fortuna o per sfortuna.

Vogliamo parlare della mia adolescenza? (...) — Come in molte altre famiglie, il rapporto con mio padre a volte era teso. Ero un pessimo studente e per di più ho mantenuto uno spirito da eterno adolescente fino ai 25 anni. Per un certo periodo sono stato problematico: andavo in giro per i pub, saltavo la scuola per mesi di seguito (ho raggiunto un record di 7 mesi!). Ovviamente falsificavo la firma di mio padre sulle giustificazioni. Più tardi, non so come, riuscii a evitare il servizio militare e finii a oziare all'università, alla facoltà di storia e filosofia, dove frequentavo i corsi molto di rado. In poche parole, diciamo che mi sono divertito come molti degli adolescenti che vogliono godersi la vita.

Vogliamo parlare di come sono diventato responsabile? (...) — Provai a raggiungere a una tregua con mio padre per poter andare all'estero per un po' di tempo. Volevo andarmene lontano per temprare lo spirito. All'epoca avevamo una filiale a New York e io già mi immaginavo tra i grattacieli. Ma mio padre aveva un'altra bella sorpresa in serbo per me: mi mandò a lavorare in un'azienda di nostra proprietà nel nordest della Germania, in un paesino sperduto. Non conoscevo una sola parola di tedesco. Questo probabilmente ha segnato l'inizio della mia redenzione e la fine delle mie notti brave! Alle 8 di ogni mattina avevo una riunione in stabilimento: per forza di cose dovetti maturare un certo senso della disciplina. Tornai solo nel 1987

quando lo suggerì mio padre. Ma avevo già in mente un approccio diverso al marchio, quindi gli chiesi di lasciarmi utilizzare un magazzino vuoto vicino ai nostri uffici di Brescia.

Vogliamo parlare dei miei ricordi, Castiglioni, Scarpa, Starck? (...) — Venivano tutti a trovarmi in quel magazzino, era grandioso. Per me erano come teste di serie del tennis: immaginate di incontrare contemporaneamente Federer, Nadal, Djokovic...! Castiglioni era un personaggio pittresco che rideva sempre e a volte addirittura urlava. Ricordo che un giorno non smetteva di gridare perché uno dei modelli gli sembrava orrendo, gesticolava come un pazzo seduto su una sedia a rotelle, facendo praticamente lo slalom per tutto il grande ufficio. Con Scarpa le cose erano diverse: era la severità fatta persona, addirittura inflessibile, ma molto generoso a suo modo. Era in grado di concentrarsi al massimo. Mi ha insegnato tutte le sfumature del colore. Era allo stesso tempo un mentore e un poeta. Starck, dal canto suo, arrivò un giorno accompagnato da una donna bellissima, dichiarando di amare la Flos: così, semplicemente, fedele a se stesso. Un uomo pieno di energia, che era venuto a mostrarci la sua lampada Arà, che prendeva il nome da sua figlia. Voleva un packaging originale, come sempre nel suo approccio generoso e democratico al design. Il rapporto che Flos ha con Philippe Starck è unico. A modo suo, ha trovato un modo di legarsi alle origini del marchio, quando Achille Castiglioni e suo fratello creavano una delle più belle lampade al mondo con il fanale di un'automobile e un cavo. In un certo senso, la collaborazione di Starck con Flos concorre a confutare quell'elitarismo nel design che arriva a soffocare l'etica. La sua lampada Miss Sissi, semplice, diretta e accessibile, riassume questa avventura. Quella che condividiamo è soprattutto un'esperienza umana.

Vogliamo parlare della strategia che ho adottato? (...) — Sono sempre stato uno che segue l'istinto, una sorta di aggressivo e creativo. Il mio chiodo fisso è sempre stato l'avanguardia. È una sorta di tara genetica. Non so se i destinatari dei miei progetti siano una nicchia di grandi appassionati, fatto sta che tutti i prodotti si sono imposti grazie al cuore di chi li ha immaginati. Bisogna riconoscere che ci sono stati momenti duri. Nel 1996, quando sono diventato Amministratore Delegato, volevo dare a Flos un respiro internazionale. Quindi dovevo ristrutturare, sedermi ogni giorno alla mia scrivania e provare a cogliere le occasioni di un nuovo futuro. Ho dovuto prendere decisioni drastiche di cui non mi pento e che oggi hanno dato affidabilità finanziaria alla società. All'epoca eravamo ancora proprietari di Arteluce, rilevata da mio padre negli anni settanta, una grande avventura iniziata negli anni trenta, con un catalogo che conteneva collezioni di grandi designer come Gino Sarfatti. Nel 1998 decisi quindi di concentrare le attività delle due società sotto il nome di Flos: il potenziale innovativo di Arteluce e Flos le avrebbe alimentate e arricchite mutualmente. Quando discorsi di questo progetto con Starck e Castiglioni pensavo che avrebbe potuto essere un argomento delicato, ma i due mi assicurarono il loro supporto. Le successive collaborazioni con nuovi designer come Jasper Morrison, Konstantin Grcic, Marc Newson, ecc. si svilupparono in modo naturale in questo nuovo stato di cose.

Vogliamo parlare delle mie convinzioni? (...) — Ogni volta che lanciamo un nuovo progetto, ci sentiamo come se stessimo per creare la migliore lampada al mondo, ecco. È la filosofia di Flos. Con la capacità competitiva necessaria per raggiungere il nostro obiettivo, perché voglio che l'idea abbia la meglio, trovi la sua strada. Questo è il potere del design, la passione che si trasmette a un prodotto, la catena che unisce impegno logistico e artistico, dal know-how dei prototipisti all'oggetto finito. Quando ci si trova dinanzi a dei problemi tutto può diventare ingannevole: ma il bello è anche questo. Un prodotto apparentemente semplice può richiedere fino a due anni prima di essere elaborato e un progetto che sembra complicato può vedere la luce in soli otto mesi! Il punto è saper controllare la capacità di investimento.

Vogliamo parlare dell'oggetto in sé? (...) — Esiste un linguaggio degli oggetti e ciò che affascina è il fatto che il suo lessico si evolva. Come interagisce oggi il gioco di luci? Siamo approdati dritti dritti nell'era digitale e il nostro lavoro subirà una rivoluzione paragonabile a quella dei computer, e non mi riferisco solo all'arrivo del LED. Abbiamo gli stessi problemi di una società che passa dall'era dell'hardware a quella del software. Questi ultimi cinque anni sono stati teatro di grandi cambiamenti. Noi abbiamo l'obbligo di contribuire dal punto di vista creativo. La mia più grande speranza è che il rapporto tra lampade e individui si evolva di nuovo. Oggi la lampada è un oggetto semplice. Il suo limite è il cavo elettrico. Per scopi logistici ed estetici, deve essere sempre più o meno vicina a una parete, dietro un letto... Ma la sua autonomia è destinata a evolversi, così come il "cavo" è diventato "fibra": è una questione di velocità, di comunicazione. Le fondamenta stesse di questa rivoluzione digitale suggeriscono infinite possibilità. Lo si è visto in un ospedale degli Stati Uniti, con i dispositivi tecnologici utilizzati per migliorare l'assistenza ai pazienti nelle stanze. Il problema dell'ingombro dei materiali pare sia stato risolto grazie a un'applicazione che attiva direttamente tutto questo sistema, e senza uso di cavi. Il futuro degli oggetti deve evolversi nello stesso modo: la lampada del futuro, in un certo senso, sta alla lampada del presente come un iPad sta a un computer, per dirla in poche parole.

Vogliamo parlare del futuro e del passato? (...) — Abbiamo a disposizione degli archivi, per serbare memoria. In origine, l'idea è venuta a mia madre. Prima, non ci preoccupavamo del passato. Un giorno è arrivata e mi ha suggerito di rimettere tutto in ordine allestendo degli archivi: un progetto logistico folle che io non pensavo di poter affrontare date le molte spese che avrebbe comportato. Così si è presa carico lei, praticamente da sola, di un lavoro immenso, esaminando oltre 50 anni di storia da tutte le angolazioni, archiviando oltre 30.000 immagini. Abbiamo riscoperto il passato. Questo ci ha consentito, ad esempio, di esporre lampade originali di Gino Sarfatti alla Triennale di Milano per una grande mostra retrospettiva di cui siamo stati sponsor. E di rieditare alcuni di questi modelli, riproducendone la versione originale, ma dotandoli di una luce LED per dare loro un nuovo futuro.

Vogliamo parlare di luce? (...) — Quale luce? Di recente sono stato in Asia. Si tratta di un luogo che ha sempre un alone mistico. Ricordo di aver visto un fuoco che si stava spegnendo, le cui braci erano ancora di un colore rosso vivo. Quella è la luce più bella di tutte.

Vogliamo parlare di nuovo di...luce!? (...) — So che ci sono luci che ancora non sono state domate. Ad esempio, adoro il lavoro personale di Ingo Maurer: lui stesso è un personaggio incredibile, puro, forte, intransigente e così magico. Mi piacerebbe anche lavorare con artisti del calibro di Jenny Holzer. Ricordo un momento fantastico, su una spiaggia: stava proiettando delle parole luminose sulle onde. Erano frasi che l'hanno resa famosa, che scomparivano non appena le onde si infrangevano formando la schiuma. Un vero sogno.

« *In un sogno hai visto un modo per sopravvivere e la gioia ti ha pervaso* ».  
— Jenny Holzer

# TABLE LAMPS

Collezione di lampade da tavolo



Aoy

P. 116



Archimoon

P. 114



Biagio

P. 108



Bon jour

P. 60



Bon jour unplugged

P. 64



Bon jour Versailles

P. 56



Bon jour Versailles  
small

P. 56



Chapo

P. 115



Copycat

P. 73



D'E-light

P. 92



Extra T

P. 52



Gatto

P. 82



Mini Glo-Ball T

P. 104



Glo-Ball Basic

P. 104



Glo-Ball T

P. 104



Goldman

P. 86



Guns - Bedside Gun

P. 106



Guns - Table Gun

P. 106



IC T1 High

P. 69



IC T1 Low

P. 69



IC T2  
P. 69



Minikelvin Led  
P. 98



Kelvin Edge  
P. 100



Kelvin Led  
P. 99



KTribe T  
P. 94

## FLOOR LAMPS

Collezione di lampade da terra



Lampadina  
P. 74



May Day  
P. 76



Miss K  
P. 118



Miss Sissi  
P. 110



Piani  
P. 87



Arco  
P. 130



Bibliotheque  
Nationale  
P. 148



Captain Flint  
P. 135



Chrysalis  
P. 145



Fantasma  
P. 144



Ray T  
P. 90



Romeo Moon T  
P. 95



Romeo Soft T  
P. 95



Serena  
P. 54



Snoopy  
P. 88



Glo-Ball F  
P. 142



Guns - Lounge Gun  
P. 136



IC F  
P. 126



Ipnos  
P. 146



Kelvin Led F  
P. 155



Spun Light T  
P. 112



Tab T  
P. 84



Taccia  
P. 78



Taccia small  
P. 78



Tatou T  
P. 97



Ktribe F  
P. 150



Luminator  
P. 165



Ray F  
P. 138



Romeo Moon F  
P. 158



Romeo Soft F  
P. 158



Rosy Angelis  
P. 157



Shade  
P. 162



Spun Light F  
P. 154



Stylos  
P. 134



Superarchimoon  
P. 160



Superloon

P. 123



Tab F

P. 140



Tatou F

P. 128



Toio

P. 152



Ray S

P. 188



Romeo Babe S

P. 194



Romeo Louis II

P. 203



Romeo Moon S

P. 195



Romeo Soft S

P. 202

## SUSPENSION LAMPS

Collezione di lampade a sospensione



Skygarden

P. 190



Smithfield S

P. 218



Splügen Bräu

P. 184



String Lights Cone

P. 169



String Lights Sphere

P. 169



2097

P. 214



2620

P. 211



Aim small

P. 206



Aim

P. 206



Can Can

P. 220



Taraxacum

P. 196



Taraxacum 88 S

P. 176



Tatou S

P. 181



Wan S

P. 221



Viscontea

P. 198



Chasen

P. 204



Frisbi

P. 192



Fucsia

P. 186



Mini Glo-Ball S

P. 212



Glo-Ball S

P. 212



Zeppelin

P. 222



IC S

P. 174



Ktribe S

P. 225



Nebula

P. 200



Ok

P. 182



Parentesi

P. 216

## WALL & CEILING LAMPS

Collezione di lampade da parete e soffitto



Pochette

P. 262

Real Matter

P. 230

Romeo Babe W

P. 269

Skygarden Recessed

P. 259

Smithfield C

P. 239



265

P. 243

Ariette

P. 255

Mini Button

P. 270

Button

P. 271

Camouflage

P. 236

Taraxacum 88 C/W

P. 252

Tight Light

P. 266

Wan C/W

P. 246

Abajourd'hui

P. 274

Soft Spun

P. 276



Clara

P. 250

Clessidra

P. 260

Climber

P. 234

Foglio

P. 272

Mini Glo-Ball C/W

P. 244



Glo-Ball C

P. 244

Glo-Ball W

P. 244

Hide

P. 256

IC C/W

P. 240

Ktribe W

P. 268



Lightspring

P. 258

Long Light

P. 266

Moni

P. 264

My Way

P. 232

Ontherocks

P. 249

## INDEX BY FAMILY

Indice prodotti per famiglia



INDEX



P. 82      P. 144      P. 196      P. 198      P. 222



P. 222      P. 274      P. 276      P. 176      P. 252



P. 97      P. 128      P. 181      P. 218      P. 239



P. 98      P. 99      P. 100      P. 155      P. 221



P. 246

«Reputation is a bit like a table: one or two marks  
and everyone notices: a whole host of scratches  
and it all blends in» — *Alain de Boton*

## TABLE LAMPS

NEW

**EXTRAT, SERENA,  
BON JOUR VERSAILLES,  
BON JOUR,  
BON JOUR UNPLUGGED,  
TACCIA SMALL**

NEW

## EXTRAT



Michael Anastassiades, 2015

Technical info p.289

EXTRAT

1 COB LED 2700K 1590lm CRI83 16W | 282mm h 350mm ø diff. 220mm

TABLE

NEW

## SERENA



Patricia Urquiola, 2015

1 LED 2700K 1100lm CRI90 13W | 268mm h 634mm

Technical info p.309

TABLE

NEW

## BON JOUR VERSAILLES



Philippe Starck, 2017

VERSAILLES: EDGE LIGHTING 2700K 900lm CRI90 13W ø base 175mm ø diff. 316mm h 423mm  
VERSAILLES SMALL: EDGE LIGHTING 2700K 250lm CRI90 2,5W ø base 115mm ø diff. 131,5mm h 272mm  
BON JOUR VERSAILLES  
Technical info p.283-284



TABLE

Erede della lampada "Bon Jour", nata dalla collaborazione tra Flos e Starck, e del candeliere "Versailles" creato da Baccarat, la collezione Bon Jour Versailles - composta da due modelli, disponibili in cristallo o polimetilmethacrilato - rivela linee senza tempo, di ineffabile leggerezza ed empirica modernità, che evocano la memoria collettiva del passato, del presente e del futuro.

The heir to an earlier "Bon Jour" lamps collaboration between Flos and Starck and to the "Versailles" candle-holder created by Baccarat, the Bon Jour Versailles collection, with two models available in crystal or polymethylmethacrylate, reveals timeless lines with unfailing lightness and empirical modernity that evoke our collective memory of the past, of the present and the future.





LE  
CRISTAL  
EST :



- L'INTELLIGENCE DE LA NATURE
- UN MYSTÈRE
- ISSU DU HASARD ET DE LA NÉCESSITÉ
- INVENTÉ PAR LA NATURE IL Y A PEUT-être MOINS 100,000 ANS
- NÉ DANS LE FEU
- UN LIQUIDE
- TRANSPARENT
- TRES FRAGILE
- CHAUD
- MOULABLE PAR GRAVITÉ
- POLISSABLE
- ANTOCRATIQUE
- SOUVENT IMPARFAIT
- INALTERABLE
- EMPIRIQUE
- RARE
- NOBLE
- MAGIQUE

LE  
POLYMÉTACRYLATE DE MÉTHYLE  
EST :



- L'INTELLIGENCE DE L'HOMME
- UNE INVENTION
- ISSU DE LA RECHERCHE CHIMIQUE
- DÉCOUVERT PAR FITZIG ET PAUL EN 1877
- NÉ DANS LA CHALEUR
- UN POLYMERÉ
- TRANSPARENT
- TRES SOLIDE
- ABORDABLE
- INJECTABLE
- POLISSABLE
- DEMOCRATIQUE
- TOUJOURS PARFAIT
- INDESTRUCTIBLE
- THÉORIQUE
- INFINI
- NOBLE
- MAGIQUE

PH.S

(2)

Baccarat

FLOS

NEW

## BON JOUR



Philippe Starck, 2015

Technical info p.282-283

BON JOUR

EDGE LIGHTING 2700K 900lm CRI90 13W Ø base 212mm Ø diff. 213mm h 410mm

TABLE




In alto: La rivoluzionaria tecnologia Edge Lighting si unisce al concetto di "dematerializzazione" intrinseco nel prodotto. Essa sfrutta al massimo le potenzialità del LED e con uno spessore minimo garantisce una luce perfettamente uniforme, un elevato comfort visivo, massima performance ed efficienza.  
A destra: L'esclusivo design minimale del dimmer integrato, garantisce il massimo controllo sull'intensità luminosa con un click.

Top: The revolutionary Edge Lighting technology is combined with the "dematerialisation" concept intrinsic in the product. This makes full use of the LED's potentialities and with a minimum thickness guarantees a perfectly uniform light, a high visual comfort, maximum performance and efficiency.  
Right: The exclusive minimalist design of the integrated dimmer guarantees maximum control of the light intensity with one click.



NEW



3H CHARGING TIME



6-24H BATTERY LIFE



ACCESSORIZE IT!

La funzione "portable/cordless" è garantita dalla ricarica con l'alimentatore incluso e dall'interfaccia MicroUSB-C di nuova generazione, per un'autonomia di 6/24 ore, a seconda dell'intensità luminosa di utilizzo.

The "portable/cordless" function is guaranteed by the recharge with the adaptor included and by the latest-generation MicroUSB-C interface, for 6/24 hours lighting life, depending on the light emission intensity.

Sensore ottico posizionato sulla base che garantisce la funzione dimmer 4-step.

Optical switch sensor on the base that provide 4-step dimming function.



## BON JOUR UNPLUGGED



Philippe Starck, 2015


EDGE LIGHTING 2700K 250lm CRI90 2.5W ø base 91mm ø diff. 103mm h 270mm

Technical info p.283

TABLE



## IC T



Michael Anastassiades, 2014



70



71

## COPYCAT



Michael Anastassiades, 2015



## LAMPADINA

Achille Castiglioni, 1972

## MAY DAY



In alto: K. Grcic con May Day.  
La lampada riceve il prestigioso  
Compasso d'Oro nel 2001.  
A sinistra: Lampada adatta a  
molteplici usi e collocazioni: può  
essere posizionata su un tavolo,  
collocata a terra o sospesa, grazie  
alla pratica maniglia che assolve  
anche la funzione di avvolgicavo.

Top: K. Grcic with May Day, the  
lamp that received the coveted  
Compasso d'Oro award in 2001.  
Left: It is a lamp suited to multiple  
uses and settings. With its practical  
handle that also acts as a cable  
winder, it can be placed on a table,  
on the floor or suspended.




Konstantin Grcic, 2000



Photo by Zoé Ghertner

NEW

## TACCIA AND TACCIA SMALL



I fratelli Achille e Pier Giacomo Castiglioni avevano ideato l'iconico riflettore a coppa in materia plastica trasparente. L'idea fu abbandonata per le deformazioni generate su di esso dal calore della sorgente luminosa a incandescenza. Il prototipo fu quindi sviluppato e prodotto da Flos nel 1962 con la celebre ed imponente coppa in vetro soffiato. Grazie all'uso di una innovativa sorgente luminosa a LED è oggi possibile editare Taccia in una nuova versione con diffusore in plastica trasparente, esattamente fedele all'idea originale.

In the Castiglioni brothers' original design, the iconic bowl reflector was made of transparent plastic. This idea was discarded though because the heat emitted by the incandescent light source deformed the plastic material. The prototype was then developed and produced by Flos in 1962, with its famous big blown glass bowl. Thanks to the use of a cutting-edge LED light source is now possible to edit a new version of Taccia with a transparent plastic diffuser that is accurately faithful to the original concept.



Courtesy of Fondazione Achille Castiglioni




Achille & Pier Giacomo Castiglioni, 1962

TACCIA: 1 COB LED 2700K 2068lm CRI93 28W ø diff. 495mm h 645mm  
TACCIA SMALL: 1 COB LED 2700K 1290lm CRI92 16W ø diff. 373mm h 485mm

Technical info p.314

TABLE

## GATTO



Achille and Pier Giacomo Castiglioni, 1960

GATTO: 1 x MAX 46W E27 HSGSA or 1 LED 8W E27 740lm 2700K ø base 140mm h 580mm  
GATTO PICCOLO: 1 x MAX 60W E14 HSGS ø base 105mm h 310mm

GATTO

Technical info p.290-291



Edward Barber & Jay Osgerby, 2011

**GOLDMAN**<https://www.lustrograd.com/vendors/flos/>

4.2 LED 8W 4200lm tot. 2700K CRI85 + CHARGER USB 5VDC 1.5A h 400mm l diff. 255mm



Ron Gilad, 2013

**PIANI**

PIANI

Technical info p.304



R. &amp; E. Bouroullec, 2011

## SNOOPY

Achille and Pier Giacomo Castiglioni, 1967

Photo by Zoé Ghertner

1 x MAX 105W E27 HS/GS or 1 LED 8W E27 740lm 2700K | 394mm h 369mm

SNOOPY

Technical info p.311

TABLE

## RAY T



Rodolfo Dordoni, 2007

Technical info p.306

RAY T

1 x MAX105W E27 HSGS or 1 LED 8W E27 740lm 2700K ø diff. 360mm h 670mm

## D'E-LIGHT



Made for  
iPod iPhone iPad

"Made for iPod," "Made for iPhone," and "Made for iPad" mean that an electronic accessory has been designed to connect specifically to iPod, iPhone, or iPad, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod, iPhone, or iPad may affect wireless performance. iPad, iPhone and iPod are trademarks of Apple Inc., registered in the U.S. and other countries.



Philippe Starck, 2011

## KTRIBE T



Technical info p.299-300

KTRIBE T

1x70/150W E27 HS/GS or 1 LED 21W E27 2452lm 3000K ø diff. 315/395mm h 560/690mm

Philippe Starck, 2007

## ROMEO SOFT & MOON T



Philippe Starck, 1998

Technical info p.308-309

ROMEO SOFT & MOON T

1x MAX 150W E27 HS/GS or 1 LED 8W E27 740lm 2700K ø diff. 340mm h 665/670mm

## TATOUT



Patricia Urquiola, 2012

Photo by Zoë Ghertner

## MINIKELVIN LED



Antonio Citterio, 2011

## KELVIN LED



Antonio Citterio assistant Toan Nguyen, 2009



## KELVIN EDGE



Antonio Citterio, 2015

EDGE LIGHTING 2700/3200K 300lm CRI90 7W | base 150mm | head 85x85mm | arm 414mm

KELVIN EDGE

Technical info p.297

TABLE




La superficie della testa è caratterizzata dalla presenza del sensore Soft Touch che permette di selezionare sia l'intensità luminosa desiderata che la temperatura colore, a seconda delle esigenze, con un solo gesto naturale ed intuitivo.

La nuova Kelvin Edge include l'esclusiva tecnologia Edge Lighting, una rivoluzione nell'innovazione LED, che unisce le migliori performance in efficienza, intensità di luce e ampiezza di emissione, ad una perfetta omogeneità e al massimo comfort visivo.

On the surface of the head there is a Soft Touch sensor with which it is possible to select both the desired intensity and the colour temperature, depending on the requirements, with a single, natural and intuitive action.

The new Kelvin Edge includes the exclusive Edge Lighting technology, a revolution in LED innovation, which combines the best efficiency, light intensity and emission magnitude performances with perfect homogeneousness and maximum visual comfort.



THERE IS NO MORE DOUBLE SHADOW.  
ALL NICE AND CLEAN

## GLO-BALL T & BASIC



Jasper Morrison, 1998/2009




## BEDSIDE & TABLE GUN



il 20% del fatturato proveniente dalla vendita della Collezione Guns viene devoluto all'Associazione Fratelli dell'Uomo. Riconosciuta dal Ministro degli Esteri Italiano, è stata lanciata in Italia nel 1969 e fa parte del Gruppo Frères des hommes. L'organizzazione supporta progetti ed iniziative, principalmente in America Latina e Africa, legate alla distribuzione di cibo, la protezione dell'ambiente e tutela dei beni comuni, l'economia responsabile, la sanità pubblica, le migrazioni e il co-sviluppo. Per maggiori dettagli visitate [www.fratellidelluomo.org](http://www.fratellidelluomo.org)

20% of the gross sales from the Gun Collection donated to the Fratelli dell'Uomo Association. Acknowledged by the Italian Foreign Minister, was launched in Italy in 1969 and it is part of Frères des hommes Group. The organization supports projects and initiatives, mainly in Latin America and Africa, related to access to food, environment and common goods protection, responsible economy, community health, migrations and co-development. For more details, please see [www.fratellidelluomo.org](http://www.fratellidelluomo.org)

Philippe Starck, 2005



Lavorazione artigianale del corpo della lampada Biagio, un unico blocco di marmo bianco Statuario di Carrara.

The body of the Biagio lamp is hand crafted from a single block of white Carrara statuary marble.

Photo by Zoë Gherther



## BIAGIO



Tobia Scarpa, 1968

1 x 70W E27 HSGS or 1 LED 8W E27 740lm 2700K ø 385 mm h 345mm

BIAGIO

Technical info p.282

TABLE

## MISS SISSI



Lampada Miss Sissi per  
l'Hotel Paramount, New York, 1991.

Miss Sissi lamp for the Paramount  
Hotel, New York, 1991.



Philippe Starck, 1991

## SPUN LIGHT T



Sebastian Wrong, 2003



1 x MAX 105/205W E27 HSGS or 1 LED 8W E27 740lm 2700K or 1 x 26W Gx24q-3  
ø diff. 390/450mm h 575/680mm

Technical info p.312

SPUN LIGHT T

## ARCHIMOON



Philippe Starck, 1998/2004

## CHAPO



Philippe Starck, 2014



Allestimento di A. Castiglioni per la vetrina del negozio Flos di Corso Monforte, Milano, Natale 1975.

A. Castiglioni's window dressing for the Flos store in Corso Monforte, Milan, Christmas 1975.

## AOY



Achille Castiglioni, 1975

1 LED 8W E27 525lm 2700K + 1x70W E27 HSGS or 1 LED 8W E27 740lm 2700K ø 300mm h 600mm AOY

Technical info p.281

Philippe Starck, 2003

## MISS K



«You can't put your feet on the ground  
until you've touched the sky» — *Paul Auster*

## FLOOR LAMPS

## SUPERLOON



Jasper Morrison, 2015




La superficie luminosa, perfettamente omogenea e d'ispirazione "lunare", è frutto della rivoluzionaria tecnologia Edge Lighting, che unisce massime performance, efficienza e comfort visivo. Il prodotto include la funzione Dim-to-Warm: scendendo di intensità, la luce passa da un tonalità di bianco più fredda ad uno spettro più caldo, come nelle affezionate lampade a filamento.

The light surface, perfectly homogeneous and "moon-inspired", is the result of the revolutionary Edge Lighting technology, which combines maximum performance, efficiency and visual comfort. The product includes the Dim-to-Warm function: as the intensity decreases the light goes from a colder blue tone to a warmer spectrum, like in the well-loved filament lamps.

Nello stelo è incluso il sensore Soft Touch che reinventa l'interazione con il prodotto. Esso garantisce un controllo fluido e preciso del flusso luminoso con un semplice e naturale tocco della mano.

The stem includes the Soft Touch sensor, which reinvents interaction with the product. This guarantees a fluid and precise control of the light flow with a simple and natural touch of the hand.





Michael Anastassiades, 2014



Il corpo illuminante è formato da quattro elementi identici intrecciati tra loro a formare una calotta unita, ispirati alle classiche armature giapponesi antiche. Il nome Tatou deriva dal francese e significa armadillo.

The luminaire is made up of four identical intertwined elements which form a unified dome, drawing its inspiration from ancient Japanese armour. The name Tatou is French for armadillo.



## TATOU F




Patricia Urquiola, 2012



Photo by Zoë Ghertner



Achille &amp; Pier Giacomo Castiglioni, 1962



Courtesy of Fondazione Achille Castiglioni - Photo by Studio Cassali



"Pensavamo a una lampada che proiettasse la luce sul tavolo: ce ne erano già ma bisognava girarci dietro. Perché lasciasse spazio attorno al tavolo la base doveva essere lontana almeno due metri. Così nacque l'idea dell'arco."

- A. Castiglioni, intervista per Ottagono, 1970

"We were thinking about a lamp that shines light onto a table. They already existed, but you had to walk round them. To leave enough space around the table, the base had to be at least two meters away. Which was how the idea for Arco came into being."

- A. Castiglioni interviewed for Ottagono, 1970



Achille Castiglioni, 1984

## STYLOS

## CAPTAIN FLINT



Michael Anastassiades, 2015

## LOUNGE GUN



il 20% del fatturato proveniente dalla vendita della Collezione Guns viene devoluto all'Associazione Fratelli dell'Uomo. Riconosciuta dal Ministro degli Esteri Italiano, è stata lanciata in Italia nel 1969 e fa parte del Gruppo Frères des hommes. L'organizzazione supporta progetti ed iniziative, principalmente in America Latina e Africa, legate alla distribuzione di cibo, la protezione dell'ambiente e tutela dei beni comuni, l'economia responsabile, la sanità pubblica, le migrazioni e il co-sviluppo. Per maggiori dettagli visitate [www.fratellidelluomo.org](http://fratellidelluomo.org).

20% of the gross sales from the Gun Collection donated to the Fratelli dell'Uomo Association. Acknowledged by the Italian Foreign Minister, was launched in Italy in 1969 and it is part of Frères des hommes Group. The organization supports projects and initiatives, mainly in Latin America and Africa, related to access to food, environment and common goods protection, responsible economy, community health, migrations and co-development. For more details, please see [www.fratellidelluomo.org](http://fratellidelluomo.org).



Philippe Starck, 2005

## RAY F



138



Rodolfo Dordoni, 2006

F1: 1 x MAX 105W E27 HS/GS or 1 LED 8W E27 740lm 2700K ø diff. 360mm h 1280mm

F2: 1 x MAX 205W E27 HS/GS or 1 LED 21W E27 2452lm 3000K ø diff. 430mm h 1710mm

RAY F

Technical info p.305



Edward Barber & Jay Osgerby, 2011



## GLO-BALL F



Jasper Morrison, 1998

1 x MAX 150/205W E27 HSGS or 1 LED 13W E27 1400lm 3000K  
ø diff. 330/450mm h 1350/1750/1850mm

Technical info p.292

GLO-BALL F

## FANTASMA



Tobia Scarpa, 1961

## CHRYsalis



Marcel Wanders, 2011

IPNOS

FLOOR

Technical info p.296

IPNOS

196 TOP LED 2700K 980lm CRI85 15W l base 350x350mm h 700mm



Photo by Zoë Ghertner


Nicoletta Rossi and Guido Bianchi, 2014



Philippe Starck, 2013

Come un vero e proprio prodotto hi-tech Bibliotheque Nationale è dotata di presa USB - posizionata sulla base - che permette la ricarica dei più comuni smartphone.


Like the hi-tech product it is, Bibliotheque Nationale is fitted with a USB port, placed on the base, for recharging the most common brands of smartphone.



## KTRIBE F



Philippe Starck, 2007



Technical info p.298

1 x 70/150/205W E27 HSGS or 1 LED 8/21W E27 740/2452lm 2700/3000K  
base 250/290/400mm h 1120/1620/1830mm

KTRIBE F




Photo by Zoé Ghertner

## TOIO

Sergio Gandini con la lampada Toio, un'icona di sempre. Con il suo speciale fanale d'auto importato dagli USA, assemblato con passanti di canna da pesca, e una base laccata in rosso, Toio ha la magia di un giocattolo -toy-, a cui deve il nome.

Sergio Gandini with the iconic Toio lamp. With its special car headlight imported from the USA and assembled with fishing rod running rings, mounted on a red lacquer base, Toio has the magic of a toy, which is how it got its name.



## SPUN LIGHT F



Sebastian Wrong, 2003

## KELVIN LED F



Antonio Citterio, 2011

## ROSY ANGELIS



Philippe Starck, 1994

## ROMEO MOON & SOFT F



Philippe Starck, 1998



## SUPERARCHIMOON



Philippe Starck, 2000

1 x MAX 205W E27 HSGS or 1 LED 21W E27 2452lm 3000K ø base 790mm h 2140mm

Technical info p.313

SUPERARCHIMOON



**SHADE**



Paul Cocksedge, 2014

## LUMINATOR



Achille & Pier Giacomo Castiglioni, 1954

1 LED BW E27 750lm 2700K | base 600mm h 1890mm

Technical info p.301

LUMINATOR

«At rest, however, in the middle of everything  
is the sun. For, in this most beautiful temple, who  
would place this lamp in another or better position  
than that from which it can light up the whole thing  
at the same time?» — *Nicolaus Copernicus*

## SUSPENSION LAMPS

## STRING LIGHT

SUSPENSION

Technical info p.312-313

STRING LIGHT

1 LED ARRAY 26W 2700K 1980lm CRI93 Ø diff. 190mm h diff. cone 160mm

Photo by Zoë Ghertner

Michael Anastassiades, 2014

"Quando viaggio in treno, osservo sempre quei cavi elettrici fuori dal finestrino. E' così bello e poetico il modo in cui collegano i tralicci gli uni agli altri e, al contempo, spezzano il paesaggio. Volevo tradurre tutto ciò in architettura d'interni"  
- M. Anastassiades

"When I sit on a train travelling, I always see these strings of electricity out of the window. It's so beautiful and poetic the way they connect the pylons but at the same time they divide the landscape. I wanted to translate this into interior architecture."  
- M. Anastassiades





172



173



174



Michael Anastassiades, 2014

1 x 60/205W E14/E27 HSGS or 1 LED 8/13W E14/E27 800/1400lm 3000K

Ø diff. 200/300mm h 470/702mm

IC S

Technical info p.295-296

SUSPENSION

## TARAXACUM 88 S



Photo by Zoë Gherther

Achille Castiglioni, 1988



A. Castiglioni esamina il primo prototipo di Taraxacum 88 nel suo Studio di Piazza Castello a Milano.

A. Castiglioni examines the first prototype of Taraxacum 88 in his Piazza Castello Studio in Milan.



## TATOUS



Patricia Urquiola, 2012


S1: 1 x MAX 70W E27 HSGS or 1 LED 8W E27 740lm 2700K Ø diff. 280mm h diff. 178mm  
S2: 1 x 205W E27 HSGS or 1 LED 21W E27 2452lm 3000K Ø diff. 500mm h diff. 319mm

TATOUS

Technical info p.315-316

SUSPENSION

OK



Konstantin Grcic, 2014

Photo by Zoë Ghertner



Achille & Pier Giacomo Castiglioni, 1961

## SPLÜGEN BRÄU

La lampada Splügen Bräu,  
disegnata dai fratelli Castiglioni  
per illuminare l'omonima birreria-  
ristorante di Milano.

The Splügen Bräu lamp designed  
by the Castiglioni brothers to light  
the restaurant and beer house of  
the same name in Milan.



Courtesy of Fondazione Achille Castiglioni - Photo by Studio Casali

## FUCSIA



Achille Castiglioni, 1996





Rodolfo Dordoni, 2007



"Nella mia casa precedente c'era un fantastico soffitto antico intonacato. L'ho chiamato il mio Giardino sul tetto [...] Mi piaceva così tanto che quando mi trasferii, non riuscii a separarmene. Dovevo trovare il modo di portarlo nella nuova casa." - M. Wanders

"In my previous home there was a fantastic antique plaster ceiling. I called it my garden on the roof [...] I liked it so much that when I moved I couldn't live without it and had to find a way to transfer it to my new home." - M. Wanders

## SKYGARDEN



Photo by Zoë Ghertner

Marcel Wanders, 2007



A. Castiglioni lavora illuminato dalla lampada Frisbi: un disco che appare sospeso a mezz'aria, acceso dalla luce riflessa da una piccola cupola cromata.

A. Castiglioni at work under the Frisbi lamp: a disk that seems to hang in mid-air, lit by the light reflected from a small chrome-plated dome.

## FRISBI



Achille Castiglioni, 1978

1 LED BW E27 740lm 2700K Ø diff. 600mm h 730mm

SUSPENSION  
Technical info p.290  
FRISBI

## ROMEO BABE S



Technical info p.306-307

ROMEO BABE S

1 x MAX 33W G9 HSGS or 1 LED 2,3W G9 200lm 3000K ø diff. 110mm h diff. 90mm

## ROMEO MOON S



Technical info p.308

ROMEO MOON S


1 x MAX 150W E27 HSGS or 1 LED 8W E27 740lm 2700K ø diff. 340/500mm h diff. 210/225mm

195

Philippe Starck, 1997

Taraxacum è tra le prime lampade realizzate in cocoon, un materiale plastico ottenuto spruzzando una resina, utilizzato in origine dall'Esercito Americano come materiale protettivo di imballaggio.

Taraxacum is one of the first lamps produced using cocoon, a plastic material obtained using a resin spray, originally used by the US Army as a protective material for packaging.



## TARAXACUM




Achille & Pier Giacomo Castiglioni, 1960

1 x MAX 100W E27 HS/GS or 1 LED 8W E27 740lm 2700K ø 680/870mm h 500/640mm

TARAXACUM

Technical info p.314-315

SUSPENSION



Achille & Pier Giacomo Castiglioni, 1960

Photo by Franco Cottl



Achille e Pier Giacomo Castiglioni  
con Marcel Breuer e la lampada  
Viscontea al negozio di Gavina a  
Milano, 1962.

Achille and Pier Giacomo Castiglioni  
with Marcel Breuer and the Viscontea  
lamp at the Gavina store in Milan,  
1962.



Joris Laarman, 2007

## ROMEO SOFT S



Technical info p.308

ROMEO SOFT S

1 x MAX 150W E27 HSGS or 1 LED 8W E27 740lm 2700K ø diff. 340/500mm h diff. 225/240mm

## ROMEO LOUIS II



Technical info p.307

ROMEO LOUIS II

1 x MAX 150W E27 HSGS or 1 LED 8W E27 740lm 2700K ø diff. 340/500mm h 210/225mm

## CHASEN

"Chasen si ispira ad un antico strumento orientale, la tradizionale frusta in bamboo per la cerimonia del tè, in cui i delicati filamenti assumono forme sempre diverse."

- P. Urquiola

"Chasen takes its inspiration from an ancient oriental instrument, the traditional bamboo whip used during the tea ceremony, whose delicate filaments continue to change shape." - P. Urquiola



Patricia Urquiola, 2007



## AIM & AIM SMALL



Erwan & Ronan Bouroullec, 2013/2014



"Con Aim abbiamo elaborato una nuova tipologia di lampada che si posiziona nello spazio in modo naturale - come farebbe una pianta - grazie ai lunghi cavi di sospensione che facilitano liberamente l'orientamento e l'altezza della luce." - R. & E. Bouroullec

"With Aim we devised a new type of lamp that stands in space in a natural way, like a plant, thanks to the long suspension wires that make it easy to direct the light and adjust its height." - R. & E. Bouroullec

2620



Ron Gilad, 2013

## GLO-BALL S



Jasper Morrison, 1998/2006

1 x MAX 20/150/205W G9/E27 HSGS or 1 LED 2,3/13/21W G9/E27 200/1400/2452lm 3000K  
or 1 x 42W Gx24q-4 Ø diff. 112/330/450mm h diff. 85/270/360mm

Technical info p.293

GLO-BALL S



214

Gino Sarfatti, 1958

2097



2097

30/50 LED 2,7W E14 150lm 2700K ø diff. 880/1000mm h diff. 720/880mm

Technical info p.280

SUSPENSION

## PARENTESI



Achille Castiglioni and Pio Manzú, 1971

## SMITHFIELD S



Photo by Zoë Ghertner

Jasper Morrison, 2009

1 x MAX 230W R7s or 108 LED 26W 2700K 2720lm CRI90  
ø diff. 600mm h diff. 215mm

Technical info p.311

SUSPENSION

SMITHFIELD S

## CAN CAN




Marcel Wanders, 2011

## WAN S



Johanna Grawunder, 2006

## ZEPPELIN



Marcel Wanders, 2005

1/3 x MAX 205/105W E27 HSGS or 1/3 LED 21W E27 2452lm 3000K  
ø diff. 1100/1800mm h 740/1350mm

ZEPPELIN



## KTRIBE S



Philippe Starck, 2005

1 x 33/150/205W G9/E27 HS/GS or 1 LED 2.3/21W G9/E27 200/2452lm 3000K  
or 1 x 32/42W Gx24q-3/4 ø 240/395/550mm h 187/300/445mm

KTRIBE S

Technical info p.299

«I cannot help mocking our unwavering certainties. It is, for example, great fun deliberately to confuse two and three dimensions, the plane and space, or to poke fun at gravity. Are you sure that a floor cannot also be a ceiling? Are you absolutely certain that you go up when you walk up a staircase?» — *Maurits Cornelis Escher*


## WALL & CEILING LAMPS

NEW

**REAL MATTER, MY WAY,  
CLIMBER, CAMOUFLAGE**

NEW

## REAL MATTER



Piero Lissoni, 2017

WALL & CEILING

Technical info p.306

REAL MATTER

LED 3W 180/200lm ≠ FIXT 74/82lm 2700/3000K CRI 80 | 115mm H 150mm D 15mm max

NEW

## MY WAY



Piero Lissoni, 2017



NEW

## CLIMBER




Piero Lissoni, 2017



NEW

## CAMOUFLAGE



Piero Lissoni, 2017

## SMITHFIELD C



Jasper Morrison, 2009

Una palla opalescente, che pare voglia scivolare via, apparentemente instabile. Come se si trattasse dello strumento del numero di un giocoliere che magicamente riesce a far stare in equilibrio sfera e bastone.

An apparently unstable opalescent ball that seems to want to slide away. As a juggler who magically balances a sphere on a stick.

## IC C/W



Michael Anastassiades, 2014

1 x 60/205W E14/E27 HSGS or 1 LED 8/13W E14/E27 800/1400lm 3000K  
ø diff. 200/300mm h 216/316mm d 280/381mm

IC C/W

Technical info p.295

WALL & CEILING

265




Paolo Rizzatto, 1973

## GLO-BALL C/W

La tecnica artigianale di soffiatura a bocca del vetro, con cui è realizzato il diffusore della lampada Glo-ball.

The diffuser of the Glo-ball lamp is hand blown glass.



Jasper Morrison, 1999/2009

1 x 20/60/70/150/205W G9/E14/E27 HSGS or 1 LED 2,3/8/13W G9/E14/E27 200/740/800/1400lm  
ø 112/190/330/450mm h 85/160/260/270/360mm

GLO-BALL C/W

Technical info p.291-292

WALL & CEILING



Johanna Grawunder, 2005

"Wan" in giapponese significa ciotola: il più semplice e primario dei contenitori diventa la sorgente di una luce ad alta tecnologia.

"Wan" is the Japanese word for bowl: the most simple and essential of containers becomes a source of high technology light.



## ONTHEROCKS



Antonio Citterio assistant Toan Nguyen, 2003

1 x MAX160W R7s HDG | 305mm h 95mm d 90mm

Technical info p.303

WALL & CEILING

ONTHEROCKS



Clara è concepita per offrire un'illuminazione diffusa e confortevole. La lampada può essere completata con un anello esterno, per ottenere un abbinamento perfetto con l'ambiente circostante.

Clara is designed to provide a comfortable and diffuse light. The lamp can be completed by an optional external ring, to perfectly match the taste of the environment.



Piero Lissoni, 2014


## TARAXACUM 88 C/W



Achille Castiglioni, 1988



## ARIETTE



Tobia Scarpa, 1973

4 x MAX 46W E27 HSGSA or 4 LED 8W E27 740lm 2700K | 800/1000/1300mm d 200mm

ARIETTE

Technical info p.282

WALL & CEILING

## HIDE



Philippe Starck, 2011





Ron Gilad, 2011

## LIGHTSPRING

## SKYGARDEN RECESSED



Marcel Wanders, 2009

## CLESSIDRA



Antonio Citterio, 2011

2 LED 3000K 812lm CRI80 10W ø 76mm h 242mm

CLESSIDRA

Technical info p.286

WALL & CEILING

## POCHETTE



Rodolfo Dordoni, 2003

1 x MAX 160W R7s HDG or 144 LED 18W 2700K 1650lm CRI90 - 36 LED 1,5W 2700K 180lm CRI90  
l 197mm h 145mm d 99mm

POCHETTE

Technical info p.305

WALL & CEILING



Achille Castiglioni, 1982

MONI

La luce di Moni disegna sul muro  
una corona di raggi e la trasforma  
in un sole.

The Moni lamp draws a crown of  
rays on the wall, transforming it  
into a sun.




Photo by Luciano Svegliato



## LONG LIGHT & TIGHT LIGHT



Piero Lissoni, 2011

## KTRIBE W



Philippe Starck, 2007

## ROMEO BABE W




Philippe Starck, 1996/2004



Piero Lissoni, 2005

## MINI BUTTON




Piero Lissoni, 2004

## BUTTON



Tobia Scarpa, 1966

Photo by Luciano Svegliado



## ABAJOULD'HUI




Flos Soft Architecture

## SOFT SPUN









Grazie all'innovativo materiale composito Under Cover della versione Soft, la lampada Spun Light si integra perfettamente all'architettura degli spazi affiorando dalla parete.

Making use of the Soft version of the innovative composite material Under Cover, the Spun Light integrates seamlessly with the architecture of spaces, rising out of the surface of the wall.







## TECHNICAL INFO


	<b>265</b> Paolo Rizzatto, 1973 p. 243 Fonte luminosa · Light source A+ → E 1 x MAX 46W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials acciaio · steel  Peso · Weight 6,0 Kg	Colori · Colors ○ A0300009 ● A0300030	Finiture · Finishes bianco · white nero · black	 IP 20
	<b>2097/30</b> Gino Sarfatti, 1958 p. 214 Fonte luminosa · Light source A+ → E 30 LED 2,7W E14 150lm 2700K [e]  Materiali · Materials acciaio · steel  Peso · Weight 5,1 Kg	Colori · Colors    A1400057 ○ A1400059	Finiture · Finishes cromo · chrome ottone · brass	 IP 20
	<b>2097/50</b> Gino Sarfatti, 1958 p. 214 Fonte luminosa · Light source A+ → E 50 LED 2,7W E14 150lm 2700K [e]  Materiali · Materials acciaio · steel  Peso · Weight 9,2 Kg	Colori · Colors    A1500057 ○ A1500059	Finiture · Finishes cromo · chrome ottone · brass	 IP 20
	<b>2620</b> Ron Gilad, 2013 p. 211 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 2620 CHIP LED 3000K 11760lm total CRI85 170W [i]  Materiali · Materials alluminio, PMMA, acciaio · aluminum, PMMA, steel  Peso · Weight 18 Kg	Colori · Colors ○ F0031009	Finiture · Finishes bianco · white	 IP 20
	<b>AIM SMALL</b> R. & E. Bouroullec, 2014 p. 206 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 1 Multichip LED 2700K 1020lm CRI90 12W [i]  Materiali · Materials alluminio, PC · aluminum, PC  Peso · Weight 1,9 Kg (1 Aim small)	Colori · Colors ○ F0095009 ● F0095030 ○ F0095026	Finiture · Finishes bianco · white nero · black marrone anodizzato · anodized brown	 IP 20
	<b>AIM SMALL CAVO SPINA/CABLE+PLUG</b> R. & E. Bouroullec, 2014 p. 206 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 1 Multichip LED 2700K 1020lm CRI90 12W [i] DIMMER  Materiali · Materials alluminio, PC · aluminum, PC  Peso · Weight 1,9 Kg	Colori · Colors ○ F0097009 ● F0097030 ○ F0097026	Finiture · Finishes bianco · white nero · black marrone anodizzato · anodized brown	 IP 20

	<b>AIM SMALL FIX</b> R. & E. Bouroullec, 2014 p. 206 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 1 Multichip LED 2700K 1020lm CRI90 12W [i]  Materiali · Materials alluminio, PC · aluminum, PC  Peso · Weight 1,9 Kg	Colori · Colors ○ F0098009 ● F0098030 ○ F0098026	Finiture · Finishes bianco · white nero · black marrone anodizzato · anodized brown
	<b>AIM</b> R. & E. Bouroullec, 2013 p. 206 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 1 Multichip LED 2700K 1250lm CRI90 16W [i]  Materiali · Materials alluminio, PC · aluminum, PC  Peso · Weight 3,2 Kg (1 AIM)	Colori · Colors ○ F0090009 ● F0090030 ○ F0090026	Finiture · Finishes bianco · white nero · black marrone anodizzato · anodized brown
	<b>AIM CAVO SPINA/CABLE+PLUG</b> R. & E. Bouroullec, 2013 p. 206 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 1 Multichip LED 2700K 1250lm CRI90 16W [i] DIMMER  Materiali · Materials alluminio, PC · aluminum, PC  Peso · Weight 3,2 Kg	Colori · Colors ○ F0092009 ● F0092030 ○ F0092026	Finiture · Finishes bianco · white nero · black marrone anodizzato · anodized brown
	<b>AOY</b> Achille Castiglioni, 1975 p. 116 Fonte luminosa · Light source A+ → E 1 LED 8W E27 525lm 2700K [e] + 1 x 70W E27 A+ → D HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials vetro · glass  Peso · Weight 12,1 Kg	Colori · Colors ○ F0200071	Finiture · Finishes opale · opal
	<b>ARCHIMOON K</b> Philippe Starck, 2004 p. 114 Fonte luminosa · Light source A+ → E 1 x MAX 33W G9 HSGS [e] o · or 1 LED 2,3W G9 200lm 3000K* [e]  Materiali · Materials PC, vetro, alluminio · PC, glass, aluminum  Peso · Weight 5,3 Kg	Colori · Colors ● F0369000	Finiture · Finishes alluminato argento · aluminized silver
	<b>ARCHIMOON SOFT</b> Philippe Starck, 1998 p. 114 Fonte luminosa · Light source A+ → E 1 x MAX 33W G9 HSGS [e] o · or 1 LED 2,3W G9 200lm 3000K* [e]  Materiali · Materials tessuto, vetro, alluminio · fabric, glass, aluminum  Peso · Weight 5,5 Kg	Colori · Colors ○ F0375000	Finiture · Finishes tessuto · fabric

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source



	<b>ARCO</b> Achille and Pier Giacomo Castiglioni, 1962 p. 130 Fonte luminosa · Light source 1 x 8W E27 560lm 2700K [e] Interruttore on/off - On/off switch  Materiali · Materials marmo, acciaio inox, alluminio · marble, stainless steel, aluminum  Peso · Weight 63,8 Kg	Colori · Colors     F0300000	Finiture · Finishes acciaio · steel
	<b>ARCO LED</b> Achille and Pier Giacomo Castiglioni, 1962 p. 130 Fonte luminosa · Light source 1 MULTICHIP LED 2700K 2068lm CRI93 28W [i] DIMMER  Materiali · Materials marmo, acciaio inox, alluminio · marble, stainless steel, aluminum  Peso · Weight 63,8 Kg	Colori · Colors     F0303000	Finiture · Finishes acciaio · steel
	<b>ARIETTE 1/2/3</b> Tobia Scarpa, 1973 p. 255 Fonte luminosa · Light source A+ → E 4 x MAX 46W E27 HSGSA [e] o · or 4 LED 8W E27 740lm 2700K [e]  Materiali · Materials tessuto · fabric  Peso · Weight 0,8 Kg (1) - 1 Kg (2) - 1,1 Kg (3)	Colori · Colors F0400009 ARIETTE1 F0500009 ARIETTE2 F0600009 ARIETTE3	Finiture · Finishes tessuto · fabric
	<b>BIAGIO</b> Tobia Scarpa, 1968 p. 108 Fonte luminosa · Light source A+ → E 1 x 70W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials marmo · marble  Peso · Weight 7,5 Kg	Colori · Colors ○ F0700000	Finiture · Finishes marmo · marble
	<b>BIBLIOTHEQUE NATIONALE</b> Philippe Starck, 2013 p. 148 Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 [e] o · or 1 LED 21W E27 2452lm [e] DIMMER + CHARGER USB 5VDC  Materiali · Materials PC, acciaio inox, metacrilato · PC, stainless steel, methacrylate  Peso · Weight 10,3 Kg	Colori · Colors F1011000 F1011004 F1011046 F1011007 F1011030	Finiture · Finishes trasparente · transparent alluminato argento · aluminized silver alluminato bronzo · aluminized bronze tessuto · fabric fumè · fumée
	<b>BON JOUR</b> Philippe Starck, 2015 p. 60 Fonte luminosa · Light source EDGE LIGHTING 2700K 900lm CRI90 13W [i] DIMMER  LED INCLUDED NOT REPLACEABLE  Peso · Weight 2,0 Kg	Colori · Colors ○ F1032009     F1032057 ● F1032015 ● F1032046	Finiture · Finishes bianco · white cromo · chrome rame · copper cromo opaco · matt chrome

	<b>BON JOUR ACCESSORI · ACCESSORIES</b> Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or raffia, for customised versions	Colori · Colors ● F1033019 ● F1033070 ● F1033088 ● F1033007 ● F1033000 ● F1033030	Finiture · Finishes giallo · yellow ambra · amber rafia · rattan tessuto · fabric trasparente · transparent fumè · fumée
	<b>BON JOUR UNPLUGGED</b> Philippe Starck, 2015 p. 64 Fonte luminosa · Light source EDGE LIGHTING 2700K 250lm CRI90 2,5W [i] DIMMER + 6 HOURS BATTERY LIFE RECHARGEABLE WITH MICRO-USB KIT [i]  Materiali · Materials alluminio, ABS, PMMA · aluminum, ABS, PMMA  Peso · Weight 0,6 Kg	Colori · Colors ○ F1037009     F1037057 ● F1037015 ● F1037046	Finiture · Finishes bianco · white cromo · chrome rame · copper cromo opaco · matt chrome
	<b>BON JOUR UNPLUGGED ACCESSORI · ACCESSORIES</b> Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or raffia, for customised versions	Colori · Colors ● F1036019 ● F1036070 ● F1036088 ● F1036007 ● F1036000 ● F1036030	Finiture · Finishes giallo · yellow ambra · amber rafia · rattan tessuto · fabric trasparente · transparent fumè · fumée
	<b>BON JOUR VERSAILLES</b> Philippe Starck, 2017 p. 56 Fonte luminosa · Light source EDGE LIGHTING 2700K 900lm CRI90 13W [i] DIMMER  Materiali · Materials polimetilmetacrilato · polymethylmethacrylate  Peso · Weight 1,54 Kg	Colori · Colors     F1041057 ● F1041015	Finiture · Finishes cromo · chrome rame · copper
	<b>BON JOUR VERSAILLES ACCESSORI · ACCESSORIES</b> Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or raffia, for customised versions	Colori · Colors ● F1033019 ● F1033070 ● F1033088 ● F1033007 ● F1033000 ● F1033030	Finiture · Finishes giallo · yellow ambra · amber rafia · rattan tessuto · fabric trasparente · transparent fumè · fumée
	<b>BON JOUR VERSAILLES SMALL</b> Philippe Starck, 2017 p. 56 Fonte luminosa · Light source EDGE LIGHTING 2700K 250lm CRI90 2,5W [i] DIMMER  Materiali · Materials polimetilmetacrilato · polymethylmethacrylate  Peso · Weight 0,28 Kg	Colori · Colors     F1042057 ● F1042015	Finiture · Finishes cromo · chrome rame · copper

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

 ø 131,5 mm 55 mm	<b>BON JOUR VERSAILLES SMALL ACCESSORI · ACCESSORIES</b>  Descrizione · Description Corona in PMMA trasparente stampato ad iniezione oppure in tessuto o rafia intrecciati a mano, per versioni personalizzate · Crown in transparent injection-printed PMMA or in hand-woven fabric or raffia, for customised versions	Colori · Colors F1036019 giallo · yellow F1036070 ambra · amber F1036088 raffia · rattan F1036007 tessuto · fabric F1036000 trasparente · transparent F1036030 fumè · fumée	Finiture · Finishes
 ø 140 mm 46 mm	<b>MINI BUTTON</b>  Piero Lissoni, 2005 p. 270  Fonte luminosa · Light source A+ → E 1 x MAX 20W G9 HS GS [e] o · or 1 LED 2,3W G9 200lm 3000K* [e]	Colori · Colors F1491009 policarbonato · polycarbonate F1490009 vetro · glass	Finiture · Finishes  policarbonato o vetro · polycarbonate or glass
	Materiali · Materials		
	Peso · Weight 0,3 Kg (polyc.) - 0,6 Kg (vetro/glass)		  
 ø 410 mm 80 mm	<b>BUTTON</b>  Piero Lissoni, 2004 p. 271  Fonte luminosa · Light source A 1 x 22W 2GX13 T5 FSC [e] + 1 x 40W 2GX13 T5 FSC [e] Ballast elettronico · Electronic Ballast	Colori · Colors F3180009 bianco/bianco · white/white	Finiture · Finishes
	Materiali · Materials		
	Polo carbonato · polycarbonate		
	Peso · Weight 2,1 Kg		 
 ø 470 mm 100 mm	<b>BUTTON HL</b>  Piero Lissoni, 2004 p. 271  Fonte luminosa · Light source A+ → E 5 x MAX 33W G9 HS GS [e] o · or 5 LED 2,3W G9 200lm 3000K* [e]	Colori · Colors F3190009 bianco opale · opal white	Finiture · Finishes
	Materiali · Materials		
	vetro · glass		
	Peso · Weight 13,5 Kg		 
 ø 140 mm 32/35 mm	<b>CAMOUFLAGE 140</b>  Piero Lissoni, 2017 p. 236  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE MID-POWER LED 8W 786lm ≠ FIXT 474lm 2700K CRI80 24V [i]	Colori · Colors F1310089 cemento · concrete F1310090 crema d'Orcia · crema d'Orcia F1310087 Basaltina · Basaltina F1310000 primer · primer F1310001 bianco · white F1310006 grigio · grey F1310033 antracite · anthracite F1310030 nero · black F1310018 deep brown · deep brown	Finiture · Finishes  alluminio, policarbonato, pietra Crema d'Orcia, pietra Basaltina, cemento · aluminum, polycarbonate, Crema d'Orcia stone, Basaltina stone, concrete
per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Peso · Weight max 0,45 Kg		 
 ø 140 mm 32/35 mm	<b>CAMOUFLAGE 140</b>  Piero Lissoni, 2017 p. 236  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE MID-POWER LED 8W 913lm ≠ FIXT 551lm 3000K CRI80 24V [i]	Colori · Colors F1311089 cemento · concrete F1311090 crema d'Orcia · crema d'Orcia F1311087 Basaltina · Basaltina F1311000 primer · primer F1311001 bianco · white F1311006 grigio · grey F1311033 antracite · anthracite F1311030 nero · black F1311018 deep brown · deep brown	Finiture · Finishes  alluminio, policarbonato, pietra Crema d'Orcia, pietra Basaltina, cemento · aluminum, polycarbonate, Crema d'Orcia stone, Basaltina stone, concrete
per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Peso · Weight max 0,45 Kg		 

 ø 140 mm 32/35 mm	<b>CAMOUFLAGE 140</b>  Piero Lissoni, 2017 p. 236  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE MID-POWER LED 8W 960lm ≠ FIXT 579lm 4000K CRI80 24V [i]	Colori · Colors F1312089 cemento · concrete F1312090 crema d'Orcia · crema d'Orcia F1312087 Basaltina · Basaltina F1312000 primer · primer F1312001 bianco · white F1312006 grigio · grey F1312033 antracite · anthracite F1312030 nero · black F1312018 deep brown · deep brown	Finiture · Finishes  alluminio, policarbonato, pietra Crema d'Orcia, pietra Basaltina, cemento · aluminum, polycarbonate, Crema d'Orcia stone, Basaltina stone, concrete
per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Peso · Weight max 0,45 Kg		 
 ø 240 mm 42/48 mm	<b>CAMOUFLAGE 240</b>  Piero Lissoni, 2017 p. 236  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE MID-POWER LED 12W 1281lm ≠ FIXT 773lm 2700K CRI80 220-240V [i]	Colori · Colors F1315089 cemento · concrete F1315090 crema d'Orcia · crema d'Orcia F1315087 Basaltina · Basaltina F1315000 primer · primer F1315001 bianco · white F1315006 grigio · grey F1315033 antracite · anthracite F1315030 nero · black F1315018 deep brown · deep brown	Finiture · Finishes  alluminio, policarbonato, pietra Crema d'Orcia, pietra Basaltina, cemento · aluminum, polycarbonate, Crema d'Orcia stone, Basaltina stone, concrete
per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Peso · Weight max 1,50 Kg		 
 ø 240 mm 42/48 mm	<b>CAMOUFLAGE 240</b>  Piero Lissoni, 2017 p. 236  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE MID-POWER LED 12W 1488lm ≠ FIXT 898lm 3000K CRI80 220-240V [i]	Colori · Colors F1316089 cemento · concrete F1316090 crema d'Orcia · crema d'Orcia F1316087 Basaltina · Basaltina F1316000 primer · primer F1316001 bianco · white F1316006 grigio · grey F1316033 antracite · anthracite F1316030 nero · black F1316018 deep brown · deep brown	Finiture · Finishes  alluminio, policarbonato, pietra Crema d'Orcia, pietra Basaltina, cemento · aluminum, polycarbonate, Crema d'Orcia stone, Basaltina stone, concrete
per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Peso · Weight max 1,50 Kg		 
 ø 240 mm 42/48 mm	<b>CAMOUFLAGE 240</b>  Piero Lissoni, 2017 p. 236  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE MID-POWER LED 12W 1563lm ≠ FIXT 944lm 4000K CRI80 220-240V [i]	Colori · Colors F1317089 cemento · concrete F1317090 crema d'Orcia · crema d'Orcia F1317087 Basaltina · Basaltina F1317000 primer · primer F1317001 bianco · white F1317006 grigio · grey F1317033 antracite · anthracite F1317030 nero · black F1317018 deep brown · deep brown	Finiture · Finishes  alluminio, policarbonato, pietra Crema d'Orcia, pietra Basaltina, cemento · aluminum, polycarbonate, Crema d'Orcia stone, Basaltina stone, concrete
per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Peso · Weight max 1,50 Kg		 
 ø 347 mm 360 mm 4000 mm	<b>CAN CAN</b>  Marcel Wanders, 2011 p. 220  Fonte luminosa · Light source A+ → E 1 x MAX 105W E27 HS GS [e] o · or 1 LED 21W E27 2452lm 3000K [e]	Colori · Colors F1552009 bianco/trasparente · white/transparent	Finiture · Finishes
Materiali · Materials PMMA, policarbonato · PMMA, polycarbonate			
Peso · Weight 2 Kg			 
 ø 320 mm 373 mm 1537 mm ø 210 mm	<b>CAPTAIN FLINT</b>  Michael Anastassiades, 2015 p. 135  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 1 COB LED 2700K 1410lm CRI93 20W [i] DIMMER	Colori · Colors F1530059 ottone spazzolato · brushed brass F1530030 antracite · anthracite	Finiture · Finishes
Materiali · Materials acciaio, policarbonato, marmo · steel, polycarbonate, marble			
Peso · Weight 9 Kg			 

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source



#### CHAPO

Philippe Starck, 2014  
p. 115

Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE  
1 COB LED 2700K 310lm total CRI93 8W  
+ CHARGER USB 5VDC 1,5A [i] DIMMER

Materiali · Materials  
alluminio, PMMA · aluminum, PMMA


Peso · Weight 0,9 Kg

#### Colori · Colors

F1690057

#### Finiture · Finishes

cromo · chrome



#### CHASEN

Patricia Urquiola, 2007  
p. 204

A+ → E Fonte luminosa · Light source  
1 x MAX 120W E27 PAR38 [i]

Materiali · Materials  
acciaio inox, alluminio, vetro · stainless steel,  
aluminum, glass


Peso · Weight 6,5 Kg

#### Colori · Colors

F1636009

#### Finiture · Finishes

bianco · white  
nero · black



#### CHRYSALIS

Marcel Wanders, 2011  
p. 145

Fonte luminosa · Light source  
A+ → B 1 x 60W GY 6.35 12V HSGS [i] +  
A 1 x 80W G5 T5 6450lm [i] DIMMER

Materiali · Materials  
Cocoon, vetro, acciaio · Cocoon, glass, steel


Peso · Weight 13,5 Kg

#### Colori · Colors

F1670009

#### Finiture · Finishes

bianco · white



#### CLARA

Piero Lissoni, 2014  
p. 250

Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE  
TOP LED 60W 4200lm 2700K  
CRI>90 [i] DIMMABLE

Materiali · Materials  
polycarbonate · polycarbonate

Peso · Weight 3 Kg

#### Colori · Colors

F1570009

#### Finiture · Finishes

bianco · white

FINITURE FREGIO / FRIEZE  
FINISHES

F1571057

cromo · chrome

F1571015


rame · copper

F1571000

trasparente · transparent

F1571030A

nero fumé · black fumée



#### CLESSIDRA

Antonio Citterio, 2011  
p. 260

Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE  
2 LED 3000K 812lm CRI80 10W [i]

Materiali · Materials  
alluminio, PMMA · aluminum, PMMA

Peso · Weight 1,1 Kg

#### Colori · Colors

F1583009 20°+20°

#### Finiture · Finishes

bianco · white

F1583057 20°+20°

cromo · chrome

F1584009 40°+40°

bianco · white

F1584057 40°+40°

cromo · chrome



#### CLESSIDRA

Antonio Citterio, 2011  
p. 260

Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE  
2 LED 3000K 812lm CRI80 10W [i]

Materiali · Materials  
alluminio, PMMA · aluminum, PMMA

Peso · Weight 1,1 Kg

#### Colori · Colors

F1583006 20°+20° OUTDOOR

#### Finiture · Finishes

grigio · grey

F1583018 20°+20° OUTDOOR

deep brown · deep brown

F1584006 40°+40° OUTDOOR

grigio · grey

F1584018 40°+40° OUTDOOR

deep brown · deep brown



#### CLIMBER DOWN 87

Piero Lissoni, 2017  
p. 234

Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE  
POWER LED 7W 432lm ≠ FIXT 387lm 2700K  
CRI80 110/240V [i] (FIXT Im = Spot Optic)

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 1,17 Kg

#### Colori · Colors

F1110001 SPOT 10°

Finiture · Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown · deep brown  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown · deep brown



#### CLIMBER DOWN 87

Piero Lissoni, 2017  
p. 234

Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE  
POWER LED 7W 468lm ≠ FIXT 419lm 3000K  
CRI80 110/240V [i] (FIXT Im = Spot Optic)

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 1,17 Kg

#### Colori · Colors

F1112001 SPOT 10°

Finiture · Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown · deep brown  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown · deep brown



#### CLIMBER DOWN 87

Piero Lissoni, 2017  
p. 234

Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE  
POWER LED 7W 504lm ≠ FIXT 451lm 4000K  
CRI80 110/240V [i] (FIXT Im = Spot Optic)


Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 1,17 Kg

#### Colori · Colors

F1114001 SPOT 10°

Finiture · Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown · deep brown  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown · deep brown



#### CLIMBER DOWN 175

Piero Lissoni, 2017  
p. 234

Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE  
POWER LED 12W 864lm ≠ FIXT 721lm  
2700K CRI80 110/240V [i] (FIXT Im = Spot Optic)

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 2,13 Kg

#### Colori · Colors

F1140001 SPOT 10°

Finiture · Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown · deep brown  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown · deep brown



#### CLIMBER DOWN 175

Piero Lissoni, 2017  
p. 234

Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE  
POWER LED 12W 936lm ≠ FIXT 781lm  
3000K CRI80 110/240V [i] (FIXT Im = Spot Optic)

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 2,13 Kg

#### Colori · Colors

F1142001 SPOT 10°

Finiture · Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown · deep brown  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown · deep brown



#### CLIMBER DOWN 175

Piero Lissoni, 2017  
p. 234

Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE  
POWER LED 12W 1008lm ≠ FIXT 841lm  
4000K CRI80 110/240V [i] (FIXT Im = Spot Optic)

Materiali · Materials  
alluminio, vetro · aluminum, glass

Peso · Weight 2,13 Kg

#### Colori · Colors

F1144001 SPOT 10°

Finiture · Finishes  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown · deep brown  
bianco · white  
grigio · grey  
antracite · anthracite  
nero · black  
deep brown · deep brown



TECHNICAL INFO

 71 mm 175 mm 87 mm	<b>CLIMBER UP&amp;DOWN 87</b> Piero Lissoni, 2017 p. 234  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE POWER LED 12W 2x432lm ≠ FIXT 2x392lm 2700K CRI80 110/240V [i] (FIXT lm = Spot Optic)  Materiali · Materials alluminio, vetro · aluminum, glass  per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Colori · Colors F1116001 SPOT 10° F1116006 SPOT 10° F1116033 SPOT 10° F1116030 SPOT 10° F1116018 SPOT 10° F1117001 FLOOD 70° F1117006 FLOOD 70° F1117033 FLOOD 70° F1117030 FLOOD 70° F1117018 FLOOD 70°  Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown	CE □ ▽ IP 65
 71 mm 175 mm 87 mm	<b>CLIMBER UP&amp;DOWN 87</b> Piero Lissoni, 2017 p. 234  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE POWER LED 12W 2x468lm ≠ FIXT 2x425lm 3000K CRI80 110/240V [i] (FIXT lm = Spot Optic)  Materiali · Materials alluminio, vetro · aluminum, glass  per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Colori · Colors F1118001 SPOT 10° F1118006 SPOT 10° F1118033 SPOT 10° F1118030 SPOT 10° F1118018 SPOT 10° F1119001 FLOOD 70° F1119006 FLOOD 70° F1119033 FLOOD 70° F1119030 FLOOD 70° F1119018 FLOOD 70°  Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown	CE □ ▽ IP 65
 71 mm 175 mm 87 mm	<b>CLIMBER UP&amp;DOWN 87</b> Piero Lissoni, 2017 p. 234  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE POWER LED 12W 2x504lm ≠ FIXT 2x458lm 4000K CRI80 110/240V [i] (FIXT lm = Spot Optic)  Materiali · Materials alluminio, vetro · aluminum, glass  per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Colori · Colors F1120001 SPOT 10° F1120006 SPOT 10° F1120033 SPOT 10° F1120030 SPOT 10° F112018 SPOT 10° F1121001 FLOOD 70° F1121006 FLOOD 70° F1121033 FLOOD 70° F1121030 FLOOD 70° F1121018 FLOOD 70°  Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown	CE □ ▽ IP 65
 71 mm 175 mm	<b>CLIMBER UP&amp;DOWN 175</b> Piero Lissoni, 2017 p. 234  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE POWER LED 21W 2x864lm ≠ FIXT 2x739lm 2700K CRI80 220/240V [i] (FIXT lm = Spot Optic)  Materiali · Materials alluminio, vetro · aluminum, glass  per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Colori · Colors F1146001 SPOT 10° F1146006 SPOT 10° F1146033 SPOT 10° F1146030 SPOT 10° F1146018 SPOT 10° F1147001 FLOOD 70° F1147006 FLOOD 70° F1147033 FLOOD 70° F1147030 FLOOD 70° F1147018 FLOOD 70°  Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown	CE □ ▽ IP 65
 71 mm 175 mm	<b>CLIMBER UP&amp;DOWN 175</b> Piero Lissoni, 2017 p. 234  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE POWER LED 21W 2x936lm ≠ FIXT 2x800lm 3000K CRI80 220/240V [i] (FIXT lm = Spot Optic)  Materiali · Materials alluminio, vetro · aluminum, glass  per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Colori · Colors F1148001 SPOT 10° F1148006 SPOT 10° F1148033 SPOT 10° F1148030 SPOT 10° F1148018 SPOT 10° F1149001 FLOOD 70° F1149006 FLOOD 70° F1149033 FLOOD 70° F1149030 FLOOD 70° F1149018 FLOOD 70°  Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown	CE □ ▽ IP 65
 71 mm 175 mm	<b>CLIMBER UP&amp;DOWN 175</b> Piero Lissoni, 2017 p. 234  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE POWER LED 21W 2x1008lm ≠ FIXT 2x862lm 4000K CRI80 220/240V [i] (FIXT lm = Spot Optic)  Materiali · Materials alluminio, vetro · aluminum, glass  per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com	Colori · Colors F1150001 SPOT 10° F1150006 SPOT 10° F1150033 SPOT 10° F1150030 SPOT 10° F1150018 SPOT 10° F1151001 FLOOD 70° F1151006 FLOOD 70° F1151033 FLOOD 70° F1151030 FLOOD 70° F1151018 FLOOD 70°  Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown	CE □ ▽ IP 65


[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source






 298,5 mm ø 300 mm 98 mm	<b>COPYCAT</b> Michael Anastassiades, 2015 p. 73  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 1 COB LED 2700K 1380lm total CRI83 16W [i] DIMMER  Materiali · Materials alluminio, vetro soffiato · aluminum, blown glass  Peso · Weight 3,6 Kg	Colori · Colors F1952044 F1952015 F1952030 F1952050	Finiture · Finishes oro galvanico 24K · electroplating 24K gold rame · copper nikel nero · black nickel alluminio lucidato · polished aluminum
 216 mm 311 mm 120 mm 136 mm	<b>D'E-LIGHT 8 PIN</b> Philippe Starck, 2011 p. 92  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE FLAT PANEL 2700K 299lm CRI85 5W CHARGER 8 PIN [i] DIMMER  Materiali · Materials alluminio · aluminum  Peso · Weight 1 Kg	Colori · Colors F0028057	Finiture · Finishes cromo · chrome
 395 mm ø 220 mm 292 mm	<b>EXTRA T</b> Michael Anastassiades, 2015 p. 52  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 1 COB LED 2700K 1590lm CRI83 16W [i] DIMMER  Materiali · Materials alluminio, vetro soffiato · aluminum, blown glass  Peso · Weight 4,3 Kg	Colori · Colors F2130046 F2130033 F2130004	Finiture · Finishes anodizzato bronzo · anodized bronze anodizzato grafite · anodized graphite argento · silver
 1950 mm ø 600 mm ø 220 mm	<b>FANTASMA</b> Tobia Scarpa, 1961 p. 144  Fonte luminosa · Light source A+ → E 4 x MAX 46W E27 HSGSA [e] o · or 4 LED 8W E27 740lm 2700K o · or 4 LED 13W E27 1400lm 3000K [e] DIMMER  Materiali · Materials Cocoon, acciaio · Cocoon, steel  Peso · Weight 10,5 Kg	Colori · Colors F2201009	Finiture · Finishes bianco · white
 1830 mm ø 470 mm	<b>FANTASMA PICCOLO</b> Tobia Scarpa, 1961 p. 144  Fonte luminosa · Light source A+ → E 3 x MAX 46W E27 HSGSA [e] DIMMER O · OR 3 LED 13W E27 1400lm 3000K [e] DIMMER  Materiali · Materials Cocoon, acciaio · Cocoon, steel  Peso · Weight 10 Kg	Colori · Colors F2101009	Finiture · Finishes bianco · white
 370 mm 210 mm 97 mm	<b>FOGLIO</b> Tobia Scarpa, 1966 p. 272  Fonte luminosa · Light source A+ → E 2 x 46W E27 HSGSA [e] o · or 2 x MAX 70W E27 HSGS [e] o · or 2 LED 8W E27 740lm 3000K [e]  Materiali · Materials acciaio · steel  Peso · Weight 3,7 Kg	Colori · Colors F2400009 F2400030 F2400057	Finiture · Finishes bianco · white nero lucido · shiny black cromo · chrome

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

TECHNICAL INFO




TECHNICAL INFO






	<b>FRISBI</b> Achille Castiglioni, 1978 p. 192	Colori · Colors F2500000	Finiture · Finishes cromo lucido · polished chrome	 A+ → E Fonte luminosa · Light source 1 LED 8W E27 740lm 2700K [e]	Peso · Weight 2,7 Kg	CE  IP 20  Ø 0,3 m
	<b>FUCSIA 1</b> Achille Castiglioni, 1996 p. 186	Colori · Colors F2410000	Finiture · Finishes vetro · glass	 A+ → E Fonte luminosa · Light source 1 LED 4W E14 360lm 2700K* [e]	Peso · Weight 1 Kg	CE  IP 20  Ø 0,3 m
	<b>FUCSIA 3</b> Achille Castiglioni, 1996 p. 186	Colori · Colors F2411000	Finiture · Finishes vetro · glass	 A+ → E Fonte luminosa · Light source 3 LED 4W E14 360lm 2700K* [e]	Peso · Weight 2,5 Kg	CE  IP 20  Ø 0,3 m
	<b>FUCSIA 8</b> Achille Castiglioni, 1996 p. 186	Colori · Colors F2412000	Finiture · Finishes vetro · glass	 A+ → E Fonte luminosa · Light source 8 LED 4W E14 360lm 2700K* [e]	Peso · Weight 8,9 Kg	CE  IP 20  Ø 0,3 m
	<b>FUCSIA 12</b> Achille Castiglioni, 1996 p. 186	Colori · Colors F2413000	Finiture · Finishes vetro · glass	 A+ → E Fonte luminosa · Light source 12 x LED 4W E14 360lm 2700K* [e]	Peso · Weight 14,3 Kg	CE  IP 20  Ø 0,3 m
	<b>GATTO</b> Achille and Pier Giacomo Castiglioni, 1960 p. 82	Colori · Colors F2601009	Finiture · Finishes bianco · white	 Fonte luminosa · Light source A+ → E 1 x MAX 46W E27 HSGSA [e] DIMMER o · or 1 LED 8W E27 740lm 2700K [e] DIMMER	Peso · Weight 2,3 Kg	CE  IP 20 

	<b>GATTO PICCOLO</b> Achille and Pier Giacomo Castiglioni, 1960 p. 82	Colori · Colors F2701009	Finiture · Finishes bianco · white	 A+ → E Fonte luminosa · Light source 1 x MAX 60W E14 HSGS [e] DIMMER	Peso · Weight 0,9 Kg	CE  IP 20 
	<b>GLO-BALL BASIC ZERO</b> Jasper Morrison, 2009 p. 104	Colori · Colors F3330009 DIMMER F3331009 SWITCH	Finiture · Finishes bianco opale · opal white bianco opale · opal white	 Fonte luminosa · Light source A+ → E 1 x MAX 60W E14 HSGS [e] DIMMER o · or 1 LED 8W E14 800lm 3000K** [e]	Peso · Weight 1 Kg	CE  IP 40 
	<b>GLO-BALL BASIC 1</b> Jasper Morrison, 1998 p. 104	Colori · Colors F3021000	Finiture · Finishes bianco opale · opal white	 A+ → E Fonte luminosa · Light source 1 x MAX 150W E27 HSGS [e] DIMMER	Peso · Weight 2,6 Kg	CE  IP 40 
	<b>GLO-BALL BASIC 2</b> Jasper Morrison, 1998 p. 104	Colori · Colors F3026000	Finiture · Finishes bianco opale · opal white	 A+ → E Fonte luminosa · Light source 1 x MAX 205W E27 HSGS [e] DIMMER	Peso · Weight 5,3 Kg	CE  IP 40 
	<b>MINI GLO-BALL C/W</b> Jasper Morrison, 2002 p. 244	Colori · Colors F4194009 C/W F4190009 MIRROR MOUNT.	Finiture · Finishes bianco opale · opal white bianco opale · opal white	 Fonte luminosa · Light source A+ → E 1 x MAX 20W G9 HSGS [e] o · or 1 LED 2,3W G9 200lm 3000K* [e]	Peso · Weight 0,3 Kg	C/W CE  IP 44  MIRROR MOUNTING CE  IP 44 
	<b>GLO-BALL C/W ZERO</b> Jasper Morrison, 2009 p. 244	Colori · Colors F3335009	Finiture · Finishes bianco opale · opal white	 Fonte luminosa · Light source A+ → E 1 x MAX 60W E14 HSGS [e] o · or 1 LED 8W E14 800lm 3000K* [e]	Peso · Weight 1 Kg	CE  IP 40 

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source











[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source






 ø 110 mm 270 mm ø 330 mm	<b>GLO-BALL C1</b> Jasper Morrison, 1999 p. 244  Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] o · or 1 LED 13W E27 1400lm 3000K [e]  Materiali · Materials vetro · glass  Peso · Weight 2,5 Kg	Colori · Colors ○ F3023000	Finiture · Finishes bianco opale · opal white	CE   IP 40 
 ø 145 mm 360 mm ø 450 mm	<b>GLO-BALL C2</b> Jasper Morrison, 1999 p. 244  Fonte luminosa · Light source A+ → E 1 x MAX 205W E27 HSGS [e] o · or 1 LED 13W E27 1400lm 3000K [e]  Materiali · Materials vetro · glass  Peso · Weight 5,1 Kg	Colori · Colors ○ F3028000	Finiture · Finishes bianco opale · opal white	CE   IP 40 
 ø 330 mm 260 mm 160 mm	<b>GLO-BALL W</b> Jasper Morrison, 1999 p. 244  Fonte luminosa · Light source A+ → E 1 x 70W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials vetro · glass  Peso · Weight 1,8 Kg	Colori · Colors ○ F3022000	Finiture · Finishes bianco opale · opal white	CE   IP 40 
 ø 330 mm 270 mm 1350 mm ø 330 mm	<b>GLO-BALL F1</b> Jasper Morrison, 1998 p. 142  Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] DIMMER o · or 1 LED 13W E27 1400lm 3000K [e] DIMMER  Materiali · Materials vetro, acciaio · glass, steel  Peso · Weight 12 Kg	Colori · Colors ● F3031020	Finiture · Finishes argento opaco · matt silver	CE   IP 40 
 ø 330 mm 270 mm 1750 mm ø 330 mm	<b>GLO-BALL F2</b> Jasper Morrison, 1998 p. 142  Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] DIMMER o · or 1 LED 13W E27 1400lm 3000K [e] DIMMER  Materiali · Materials vetro, acciaio · glass, steel  Peso · Weight 12,5 Kg	Colori · Colors ● F3032020	Finiture · Finishes argento opaco · matt silver	CE   IP 40 
 ø 450 mm 360 mm 1850 mm ø 400 mm	<b>GLO-BALL F3</b> Jasper Morrison, 1998 p. 142  Fonte luminosa · Light source A+ → E 1 x MAX 205W E27 HSGS [e]DIMMER o · or 1 LED 13W E27 1400lm 3000K [e] DIMMER  Materiali · Materials vetro, acciaio · glass, steel  Peso · Weight 18,9 Kg	Colori · Colors ● F3030000	Finiture · Finishes argento opaco · matt silver	CE   IP 40 

 86 mm 4000 mm ø 112 mm	<b>MINI GLO-BALL S</b> Jasper Morrison, 2006 p. 212  Fonte luminosa · Light source A+ → E 1 x MAX 20W G9 HSGS [e] o · or 1 LED 2,3W G9 200lm 3000K* [e]  Materiali · Materials vetro · glass  Peso · Weight 0,7 Kg	Colori · Colors ○ F4195009	Finiture · Finishes bianco opale · opal white	CE   IP 20 
 270 mm 3700 mm ø 330 mm	<b>GLO-BALL S1</b> Jasper Morrison, 1998 p. 212  Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] o · or 1 LED 13W E27 1400lm 3000K [e]  Materiali · Materials vetro · glass  Peso · Weight 2,7 Kg	Colori · Colors ○ F3005061	Finiture · Finishes bianco opale · opal white	CE   IP 20 
 360 mm 3700 mm ø 450 mm	<b>GLO-BALL S2</b> Jasper Morrison, 1998 p. 212  Fonte luminosa · Light source A+ → E 1 x MAX 205W E27 HSGS [e] o · or 1 LED 21W E27 2452lm 3000K [e]  Materiali · Materials vetro · glass  Peso · Weight 5,6 Kg	Colori · Colors ○ F3010061	Finiture · Finishes bianco opale · opal white	CE   IP 20 
 360 mm 3700 mm ø 450 mm	<b>GLO-BALL S2 ECO</b> Jasper Morrison, 1998 p. 212  Fonte luminosa · Light source A 1 x 42W Gx24q-4 [e] Ballast nel rosone · Ballast in the rose  Materiali · Materials vetro · glass  Prodotto su richiesta Made on demand  Peso · Weight 5,6 Kg	Colori · Colors ○ F3011061	Finiture · Finishes bianco opale · opal white	CE   IP 20 
 90 mm 270 mm ø 112 mm	<b>MINI GLO-BALL T</b> Jasper Morrison, 2003 p. 104  Fonte luminosa · Light source A+ → E 1 x MAX 20W G9 HSGS [e] o · or 1 LED 2,3W G9 200lm 3000K* [e]  Materiali · Materials vetro · glass  Peso · Weight 0,4 Kg	Colori · Colors ○ F4191009	Finiture · Finishes bianco opale · opal white	CE   IP 20 
 600 mm 270 mm ø 240 mm	<b>GLO-BALL T1</b> Jasper Morrison, 1998 p. 104  Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] DIMMER  Materiali · Materials vetro, acciaio · glass, steel  Peso · Weight 7 Kg	Colori · Colors ● F3020000	Finiture · Finishes argento opaco · matt silver	CE   IP 40 

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source







[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source







	<b>GLO-BALL T2</b> Jasper Morrison, 1998 p. 104	Colori · Colors F3025000	Finiture · Finishes argento opaco · matt silver
			
<b>Materiali · Materials</b> vetro, acciaio · glass, steel			
Peso · Weight 12,2 Kg			
	<b>GOLDMAN</b> Ron Gilad, 2013 p. 86	Colori · Colors F3440044 F3440030	Finiture · Finishes ottone lucido/verde · shiny brass/green nickel nero/fumé · black nickel/fumée
			
<b>Materiali · Materials</b> alluminio, metacrilato · aluminum, methacrylate			
Peso · Weight 0,9 Kg			
	<b>GUNS - BEDSIDE GUN</b> Philippe Starck, 2005 p. 106	Colori · Colors F2953000 F2953057	Finiture · Finishes oro lucido 18K · shiny gold 18K cromo · chrome
			
<b>Materiali · Materials</b> alluminio, carta plastificata · aluminum, plasticized paper			
Peso · Weight 1,7 Kg			
	<b>GUNS - LOUNGE GUN</b> Philippe Starck, 2005 p. 136	Colori · Colors F2955000 F2955057	Finiture · Finishes oro lucido 18K · shiny gold 18K cromo · chrome
			
<b>Materiali · Materials</b> alluminio, carta plastificata · aluminum, plasticized paper			
Peso · Weight 19,5 Kg			
	<b>GUNS - TABLE GUN</b> Philippe Starck, 2005 p. 106	Colori · Colors F2954000 F2954057	Finiture · Finishes oro lucido 18K · shiny gold 18K cromo · chrome
			
<b>Materiali · Materials</b> alluminio, carta plastificata · aluminum, plasticized paper			
Peso · Weight 6,2 Kg			
	<b>HIDE L</b> Philippe Starck, 2011 p. 256	Colori · Colors F0021099	Finiture · Finishes cromo · chrome
 FINITURE FREGIO / FRIEZE FINISHES		F0022000 F0022054	personalizzabile · customizable anodizzato · anodized
<b>Materiali · Materials</b> alluminio, PMMA · aluminum, PMMA			
Peso · Weight 1,7 Kg			

	<b>HIDE S</b> Philippe Starck, 2011 p. 256	Colori · Colors F0020099	Finiture · Finishes cromo · chrome
 FINITURE FREGIO / FRIEZE FINISHES		F0023000 F0023054	personalizzabile · customizable anodizzato · anodized
<b>Materiali · Materials</b> alluminio, PMMA · aluminum, PMMA			
Peso · Weight 0,5 Kg			
	<b>IC C/W1</b> Michael Anastassiades, 2014 p. 240	Colori · Colors F3178057 F3178059	Finiture · Finishes cromo · chrome ottone spazzolato · brushed brass
<b>Materiali · Materials</b> acciaio, ottone, vetro soffiato · steel, brass, blown glass			
Peso · Weight 2 Kg			
	<b>IC C/W2</b> Michael Anastassiades, 2014 p. 240	Colori · Colors F3179057 F3179059	Finiture · Finishes cromo · chrome ottone spazzolato · brushed brass
<b>Materiali · Materials</b> acciaio, ottone, vetro soffiato · steel, brass, blown glass			
Peso · Weight 3,7 Kg			
	<b>IC F1</b> Michael Anastassiades, 2014 p. 126	Colori · Colors F3173057 F3173059	Finiture · Finishes cromo · chrome ottone spazzolato · brushed brass
<b>Materiali · Materials</b> acciaio, ottone, vetro soffiato · steel, brass, blown glass			
Peso · Weight 5 Kg			
	<b>IC F2</b> Michael Anastassiades, 2014 p. 126	Colori · Colors F3174057 F3174059	Finiture · Finishes cromo · chrome ottone spazzolato · brushed brass
<b>Materiali · Materials</b> acciaio, ottone, vetro soffiato · steel, brass, blown glass			
Peso · Weight 10 Kg			
	<b>IC S1</b> Michael Anastassiades, 2014 p. 174	Colori · Colors F3175057 F3175059	Finiture · Finishes cromo · chrome ottone spazzolato · brushed brass
<b>Materiali · Materials</b> acciaio, ottone, vetro soffiato · steel, brass, blown glass			
Peso · Weight 2,2 Kg			

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

	<b>IC S2</b> Michael Anastassiades, 2014 p. 174 Fonte luminosa · Light source A+ → E 1x 205W E27 HSGS [e] o or 1 LED 13W E27 1400lm 3000K [e]  Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass  Peso · Weight 3,9 Kg	Colori · Colors F3176057 F3176059	Finiture · Finishes cromo · chrome ottone spazzolato · brushed brass	
	<b>IC T1 HIGH</b> Michael Anastassiades, 2014 p. 69 Fonte luminosa · Light source A+ → E 1x 60W E14 HSGS [e] DIMMER  Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass  Peso · Weight 1,7 Kg	Colori · Colors F3170057 F3170059	Finiture · Finishes cromo · chrome ottone spazzolato · brushed brass	
	<b>IC T1 LOW</b> Michael Anastassiades, 2014 p. 69 Fonte luminosa · Light source A+ → E 1x 60W E14 HSGS [e] DIMMER  Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass  Peso · Weight 1,6 Kg	Colori · Colors F3171057 F3171059	Finiture · Finishes cromo · chrome ottone spazzolato · brushed brass	
	<b>IC T2</b> Michael Anastassiades, 2014 p. 69 Fonte luminosa · Light source A+ → E 1x 205W E27 HSGS [e] DIMMER  Materiali · Materials acciaio, ottone, vetro soffiato · steel, brass, blown glass  Peso · Weight 3,6 Kg	Colori · Colors F3172057 F3172059	Finiture · Finishes cromo · chrome ottone spazzolato · brushed brass	
	<b>IPNOS</b> Nicoletta Rossi and Guido Bianchi, 2014 p. 146 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 196 TOP LED 2700K 980lm CRI 85 15W [i]  Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate  Peso · Weight 0,8 Kg	Colori · Colors F3120030 F3120054 F3120046 F3120030 OUTDOOR F3120054 OUTDOOR F3120046 OUTDOOR TOP PLATE F3125000	Finiture · Finishes anodizzato nero · anodized black anodizzato naturale · anodized natural anodizzato bronzo · anodized bronze anodizzato nero · anodized black anodizzato naturale · anodized natural anodizzato bronzo · anodized bronze trasparente · transparent	
	<b>MINIKELVIN LED</b> Antonio Citterio, 2011 p. 98 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 36 TOP LED 3000K 216lm total CRI80 - 4W [i] DIMMING  Materiali · Materials alluminio · aluminum  Peso · Weight 0,8 Kg	Colori · Colors F4180057	Finiture · Finishes cromo · chrome	

	<b>KELVIN EDGE BASE</b> Antonio Citterio, 2015 p. 100 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE EDGE LIGHTING 2700/3200K 300lm CRI90 7W [i] DIMMER K SELECTION  Materiali · Materials alluminio · aluminum  Peso · Weight 3 Kg	Colori · Colors F3452009 F3452030 F3452033 F3452057	Finiture · Finishes bianco lucido · shiny white nero lucido · shiny black titano · titanium cromo · chrome
	<b>KELVIN EDGE MORSETTO · CLAMP</b> Antonio Citterio, 2015 p. 100 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE EDGE LIGHTING 2700/3200K 300lm CRI90 7W [i] DIMMER K SELECTION  Materiali · Materials alluminio · aluminum  Peso · Weight 0,7 Kg	Colori · Colors F3460009 F3460030 F3460033 F3460057	Finiture · Finishes bianco lucido · shiny white nero lucido · shiny black titano · titanium cromo · chrome
	<b>KELVIN EDGE SUPPORTO SCRIVANIA · DESK SUPPORT</b> Antonio Citterio, 2015 p. 100 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE EDGE LIGHTING 2700/3200K 300lm CRI90 7W [i] DIMMER K SELECTION  Materiali · Materials alluminio · aluminum  Peso · Weight 0,6 Kg	Colori · Colors F3458009 cv · vc F3458009 cn · hc F3458030 cv · vc F3458030 cn · hc F3458033 cv · vc F3458033 cn · hc F3458057 cv · vc F3458057 cn · hc	Finiture · Finishes bianco lucido · shiny white bianco lucido · shiny white nero lucido · shiny black nero lucido · shiny black titano · titanium titano · titanium cromo · chrome cromo · chrome
	<b>KELVIN EDGE ATTACCO A PARETE · WALL</b> Antonio Citterio, 2015 p. 100 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE EDGE LIGHTING 2700/3200K 300lm CRI90 7W [i] DIMMER K SELECTION  Materiali · Materials alluminio · aluminum  Peso · Weight 0,6 Kg	Colori · Colors F3454009 F3454030 F3454033 F3454057	Finiture · Finishes bianco lucido · shiny white nero lucido · shiny black titano · titanium cromo · chrome
	<b>KELVIN LED BASE</b> Antonio Citterio assistant Toan Nguyen, 2009 p. 99 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 30 TOP LED 3000K 325lm total CRI95 7,5W [i] GREEN MODE  Materiali · Materials alluminio · aluminum  Peso · Weight 4,8 Kg	Colori · Colors F3311009 F3311030 F3311033 F3311057	Finiture · Finishes bianco lucido · shiny white nero lucido · shiny black antracite · anthracite cromo · chrome
	<b>KELVIN LED MORSETTO · CLAMP</b> Antonio Citterio assistant Toan Nguyen, 2009 p. 99 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 30 TOP LED 3000K 325lm total CRI95 7,5W [i] GREEN MODE  Materiali · Materials alluminio · aluminum  Peso · Weight 1,6 Kg	Colori · Colors F3301009 F3301030 F3301033 F3313057	Finiture · Finishes bianco lucido · shiny white nero lucido · shiny black antracite · anthracite cromo · chrome

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source



[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

	<b>KELVIN LED SUPPORTO SCRIVANIA · DESK SUPPORT</b> Antonio Citterio assistant Toan Nguyen, 2009 p. 99 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 30 TOP LED 3000K 325lm total CRI95 7,5W [i] GREEN MODE  Materiali · Materials alluminio · aluminum	Colori · Colors F3308009 cv · vc F3309009 cn · hc F3308030 cv · vc F3309030 cn · hc F3308033 cv · vc F3309033 cn · hc F3308057 cv · vc F3309057 cn · hc  Peso · Weight 1,5 Kg	Finiture · Finishes bianco lucido · shiny white bianco lucido · shiny white nero lucido · shiny black nero lucido · shiny black antracite · anthracite antracite · anthracite cromo · chrome cromo · chrome  CE □ ▽ IP 20	CV: cavo a vista CN: cavo nascosto · VC: visible cable HC: hidden cable
	<b>KELVIN LED ATTACCO A PARETE · WALL</b> Antonio Citterio assistant Toan Nguyen, 2009 p. 99 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 30 TOP LED 3000K 325lm total CRI95 7,5W [i] GREEN MODE  Materiali · Materials alluminio · aluminum	Colori · Colors F3302009 F3302030 F3302033 F3314057	Finiture · Finishes bianco lucido · shiny white nero lucido · shiny black antracite · anthracite cromo · chrome	
	<b>KELVIN LED F</b> Antonio Citterio, 2011 p. 155 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 30 TOP LED 2700K 275lm total CRI95 8W [i] DIMMING  Materiali · Materials alluminio · aluminum	Colori · Colors F3305009 F3305030 F3305033	Finiture · Finishes bianco lucido · shiny white nero lucido · shiny black antracite · anthracite	
	<b>KTRIBE F1</b> Philippe Starck, 2007 p. 150 Fonte luminosa · Light source A+ → E 1 x 70W E27 HSGS [e] DIMMER o · or 1 LED 8W E27 740lm 2700K [e] DIMMER  Materiali · Materials alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric	Colori · Colors F6265000 F6265004 F6265046 F6265007 F6265030	Finiture · Finishes trasparente · transparent alluminato argento · aluminized silver alluminato bronzo · aluminized bronze tessuto · fabric fumè · fumée	
	<b>KTRIBE F2</b> Philippe Starck, 2007 p. 150 Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] DIMMER o · or 1 LED 21W E27 2452lm 3000K [e] DIMMER  Materiali · Materials alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric	Colori · Colors F6305000 F6305004 F6305046 F6305007 F6305030	Finiture · Finishes trasparente · transparent alluminato argento · aluminized silver alluminato bronzo · aluminized bronze tessuto · fabric fumè · fumée	
	<b>KTRIBE F3</b> Philippe Starck, 2007 p. 150 Fonte luminosa · Light source A+ → E 1 x MAX 205W E27 HSGS [e] DIMMER o · or 1 LED 21W E27 2452lm 3000K [e] DIMMER  Materiali · Materials alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric	Colori · Colors F6301000 F6301004 F6301046 F6301007 F6301030	Finiture · Finishes trasparente · transparent alluminato argento · aluminized silver alluminato bronzo · aluminized bronze tessuto · fabric fumè · fumée	

[e] fonte luminosa esclusa · excluded light source   [i] fonte luminosa inclusa · included light source   \* fonte luminosa non dimmerabile · not dimmable light source

	<b>KTRIBE S1</b> Philippe Starck, 2005 p. 225 Fonte luminosa · Light source A+ → E 1 x MAX 33W G9 HSGS [e] o · or 1 LED 2,3W G9 200lm 3000K* [e]  Materiali · Materials polycarbonato, PMMA · polycarbonate, PMMA	Colori · Colors F6256000 F6256030	Finiture · Finishes alluminato argento · aluminized silver fumè · fumée
	<b>KTRIBE S2</b> Philippe Starck, 2005 p. 225 Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] o · or 1 LED 21W E27 2452lm 3000K [e]  Materiali · Materials polycarbonato, PMMA · polycarbonate, PMMA	Colori · Colors F6257000A F6257000 F6257046 F6257030	Finiture · Finishes trasparente · transparent alluminato argento · aluminized silver alluminato bronzo · aluminized bronze fumè · fumée
	<b>KTRIBE S2 ECO</b> Philippe Starck, 2005 p. 225 Fonte luminosa · Light source B → E 1 x 32W Gx24q-3 [e] Ballast nel rosone · Ballast in the rose  Materiali · Materials polycarbonato, PMMA · polycarbonate, PMMA	Colori · Colors F6254000A F6254000 F6254046 F6254030	Finiture · Finishes trasparente · transparent alluminato argento · aluminized silver alluminato bronzo · aluminized bronze fumè · fumée
	<b>KTRIBE S3</b> Philippe Starck, 2005 p. 225 Fonte luminosa · Light source A+ → E 1 x MAX 205W E27 HSGS [e] o · or 1 LED 21W E27 2452lm 3000K [e]  Materiali · Materials polycarbonato, PMMA · polycarbonate, PMMA	Colori · Colors F6258000A F6258000 F6258046 F6258030	Finiture · Finishes trasparente · transparent alluminato argento · aluminized silver alluminato bronzo · aluminized bronze fumè · fumée
	<b>KTRIBE S3 ECO</b> Philippe Starck, 2005 p. 225 Fonte luminosa · Light source A 1 x 42W Gx24q-4 [e] Ballast nel rosone · Ballast in the rose  Materiali · Materials polycarbonato, PMMA · polycarbonate, PMMA	Colori · Colors F6259000A F6259000 F6259046 F6259030	Finiture · Finishes trasparente · transparent alluminato argento · aluminized silver alluminato bronzo · aluminized bronze fumè · fumée
	<b>KTRIBE T1</b> Philippe Starck, 2007 p. 94 Fonte luminosa · Light source A+ → E 1 x 70W E27 HSGS [e] DIMMER o · or 1 LED 21W E27 2452lm 3000K [e] DIMMER  Materiali · Materials alluminio, metacrilato, policarbonato · aluminum, methacrylate, polycarbonate	Colori · Colors F6263000 F6263030	Finiture · Finishes trasparente · transparent fumè · fumée

[e] fonte luminosa esclusa · excluded light source   [i] fonte luminosa inclusa · included light source   \* fonte luminosa non dimmerabile · not dimmable light source



	<b>KTRIBE T1 GLASS</b> Philippe Starck, 2007 p. 94  Fonte luminosa · Light source A+ → E 1 x 70W E27 HSGS [e] DIMMER o · or 1 LED 21W E27 2452lm 3000K [e] DIMMER  Materiali · Materials alluminio, vetro, policarbonato · aluminum, glass, polycarbonate  Peso · Weight 4,6 Kg	Colori · Colors F6281000	Finiture · Finishes trasparente · transparent		<b>LONG LIGHT</b> Piero Lissoni, 2011 p. 266  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 28 TOP LED 3000K 1270lm total CRI80 12W [i]  Materiali · Materials alluminio, PMMA · aluminum, PMMA  Peso · Weight 1,1 Kg	Colori · Colors F0010009	Finiture · Finishes bianco · white
	<b>KTRIBE T2</b> Philippe Starck, 2007 p. 94  Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] DIMMER o · or 1 LED 21W E27 2452lm 3000K [e] DIMMER  Materiali · Materials alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric  Peso · Weight 5,9 Kg	Colori · Colors F6303000 F6303004 F6303046 F6303007 F6303030	Finiture · Finishes trasparente · transparent alluminato argento · aluminized silver alluminato bronzo · aluminized bronze tessuto · fabric fumè · fumée		<b>LUMINATOR</b> Achille and Pier Giacomo Castiglioni, 1954 p. 165  Fonte luminosa · Light source A+ → E 1 LED 8W E27 750lm 2700K [e]  Materiali · Materials metallo · metal  Peso · Weight 4,1 Kg	Colori · Colors F3770033	Finiture · Finishes antracite · anthracite
	<b>KTRIBE W</b> Philippe Starck, 2007 p. 268  Fonte luminosa · Light source A+ → E 1 x 70W E27 HSGS [e] DIMMER o · or 1 LED 8W E27 740lm 2700K [e] DIMMER  Materiali · Materials alluminio, policarbonato, PMMA, tessuto · aluminum, polycarbonate, PMMA, fabric  Peso · Weight 1,7 Kg	Colori · Colors F6307000 F6307004 F6307046 F6307007 F6307030	Finiture · Finishes trasparente · transparent alluminato argento · aluminized silver alluminato bronzo · aluminized bronze tessuto · fabric fumè · fumée		<b>MAY DAY</b> Konstantin Grcic, 2000 p. 76  Fonte luminosa · Light source A+ → E 1 x MAX 46W E27 HGSAs [e] o · or 1 LED 8,5W E27 806lm 2700K [e]  Materiali · Materials polipropilene · polypropylene  Peso · Weight 0,7 Kg	Colori · Colors F3780030 F3780002	Finiture · Finishes nero · black arancio · orange
	<b>LAMPADINA</b> Achille Castiglioni, 1972 p. 74  Fonte luminosa · Light source A++ → E 1 LED 2W E27 200lm 2700K [i]  Materiali · Materials alluminio · aluminum  Peso · Weight 0,3 Kg	Colori · Colors F3300000 F3300075	Finiture · Finishes nero · black arancio · orange		<b>MISS K</b> Philippe Starck, 2003 p. 118  Fonte luminosa · Light source A+ → E 1 x 70W E27 HSGS [e] DIMMER o · or 1 LED 8W E27 740lm 2700K [e] DIMMER  Materiali · Materials PMMA, policarbonato, tessuto · PMMA, polycarbonate, fabric  Peso · Weight 1,2 Kg	Colori · Colors F6255035 F6255000 F6255030 F6255007	Finiture · Finishes alluminato rosso · aluminized red alluminato argento · aluminized silver alluminato nero · aluminized black tessuto · fabric
	<b>LIGHTSPRING DOUBLE</b> Ron Gilad, 2011 p. 258  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 2 x 14 TOP LED 3000K 2 x 360lm total CRI80 9W [i]  Materiali · Materials alluminio, metacrilato · aluminum, methacrylate  Peso · Weight 1,2 Kg	Colori · Colors F3344009	Finiture · Finishes bianco · white		<b>MISS SISSI</b> Philippe Starck, 1991 p. 110  Fonte luminosa · Light source A+ → E 1 x MAX 60W E14 HSGS [e] o · or 1 x MAX 40W E14 HSGS** [e]  Materiali · Materials policarbonato · polycarbonate  Peso · Weight 1,5 Kg	Colori · Colors F6250009 F6250042	Finiture · Finishes bianco · white viola · violet
	<b>LIGHTSPRING SINGLE</b> Ron Gilad, 2011 p. 258  Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 14 TOP LED 3000K 360lm total CRI80 4,5W [i]  Materiali · Materials alluminio, metacrilato · aluminum, methacrylate  Peso · Weight 0,6 Kg	Colori · Colors F3343009	Finiture · Finishes bianco · white		<b>MONI 1/2</b> Achille Castiglioni, 1982 p. 264  Fonte luminosa · Light source A+ → E 1 x MAX 105W E27 HSGS [e]  Materiali · Materials alluminio, vetro · aluminum, glass  Peso · Weight 1,5 Kg (1) - 2,2 Kg (2)	Colori · Colors F3801009 MONI1 F3901009 MONI2	Finiture · Finishes bianco · white bianco · white

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

	<b>MONI 1/2</b> Achille Castiglioni, 1982 p. 264  Fonte luminosa · Light source A+ → E 1 x MAX 105W E27 HSGS [e]  Materiali · Materials alluminio, vetro · aluminum, glass  Peso · Weight 1,5 Kg (1) - 2,2 Kg (2)	Colori · Colors F3801009 MONI1 F3901009 MONI2	Finiture · Finishes bianco · white bianco · white
	<b>MISS SISSI</b> Philippe Starck, 1991 p. 110  Fonte luminosa · Light source A+ → E 1 x MAX 60W E14 HSGS [e] o · or 1 x MAX 40W E14 HSGS** [e]  Materiali · Materials policarbonato · polycarbonate  Peso · Weight 1,5 Kg	Colori · Colors F6250009 F6250042	Finiture · Finishes bianco · white viola · violet
	<b>MISS K</b> Philippe Starck, 2003 p. 118  Fonte luminosa · Light source A+ → E 1 x 70W E27 HSGS [e] DIMMER o · or 1 LED 8W E27 740lm 2700K [e] DIMMER  Materiali · Materials PMMA, policarbonato, tessuto · PMMA, polycarbonate, fabric  Peso · Weight 1,2 Kg	Colori · Colors F6255035 F6255000 F6255030 F6255007	Finiture · Finishes alluminato rosso · aluminized red alluminato argento · aluminized silver alluminato nero · aluminized black tessuto · fabric
	<b>MAY DAY</b> Konstantin Grcic, 2000 p. 76  Fonte luminosa · Light source A+ → E 1 x MAX 46W E27 HGSAs [e] o · or 1 LED 8,5W E27 806lm 2700K [e]  Materiali · Materials polipropilene · polypropylene  Peso · Weight 0,7 Kg	Colori · Colors F3780030 F3780002	Finiture · Finishes nero · black arancio · orange

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

 <p>58 mm 110 mm 100 mm</p>	<b>MY WAY 110X100</b> Piero Lissoni, 2017 p. 232 LED INCLUDED NOT REPLACEABLE Fonte luminosa · Light source MID-POWER LED 5W 421lm ≠ FIXT 188lm 2700K CRI80 100-240V [i] <p>Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate</p> <p>per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com</p> <p>Peso · Weight 0,52 Kg</p>	Colori · Colors <input type="radio"/> F4350001 bianco · white <input type="radio"/> F4350006 grigio · grey <input type="radio"/> F4350033 antracite · anthracite <input type="radio"/> F4350030 nero · black <input type="radio"/> F4350018 deep brown · deep brown	Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown
	<p>CE  IP 65</p>		
 <p>58 mm 110 mm 100 mm</p>	<b>MY WAY 110X100</b> Piero Lissoni, 2017 p. 232 LED INCLUDED NOT REPLACEABLE Fonte luminosa · Light source MID-POWER LED 5W 490lm ≠ FIXT 211lm 3000K CRI80 100-240V [i] <p>Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate</p> <p>per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com</p> <p>Peso · Weight 0,52 Kg</p>	Colori · Colors <input type="radio"/> F4351001 bianco · white <input type="radio"/> F4351006 grigio · grey <input type="radio"/> F4351033 antracite · anthracite <input type="radio"/> F4351030 nero · black <input type="radio"/> F4351018 deep brown · deep brown	Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown
	<p>CE  IP 65</p>		
 <p>58 mm 110 mm 100 mm</p>	<b>MY WAY 110X100</b> Piero Lissoni, 2017 p. 232 LED INCLUDED NOT REPLACEABLE Fonte luminosa · Light source MID-POWER LED 5W 514lm ≠ FIXT 221lm 4000K CRI80 100-240V [i] <p>Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate</p> <p>per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com</p> <p>Peso · Weight 0,52 Kg</p>	Colori · Colors <input type="radio"/> F4352001 bianco · white <input type="radio"/> F4352006 grigio · grey <input type="radio"/> F4352033 antracite · anthracite <input type="radio"/> F4352030 nero · black <input type="radio"/> F4352018 deep brown · deep brown	Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown
	<p>CE  IP 65</p>		
 <p>58 mm 110 mm 200 mm</p>	<b>MY WAY 110X200</b> Piero Lissoni, 2017 p. 232 LED INCLUDED NOT REPLACEABLE Fonte luminosa · Light source MID-POWER LED 13W 1357lm ≠ FIXT 657lm 2700K CRI80 220-240V [i] <p>Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate</p> <p>per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com</p> <p>Peso · Weight 0,95 Kg</p>	Colori · Colors <input type="radio"/> F4353001 bianco · white <input type="radio"/> F4353006 grigio · grey <input type="radio"/> F4353033 antracite · anthracite <input type="radio"/> F4353030 nero · black <input type="radio"/> F4353018 deep brown · deep brown	Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown
	<p>CE  IP 65</p>		
 <p>58 mm 110 mm 200 mm</p>	<b>MY WAY 110X200</b> Piero Lissoni, 2017 p. 232 LED INCLUDED NOT REPLACEABLE Fonte luminosa · Light source MID-POWER LED 13W 1577lm ≠ FIXT 763lm 3000K CRI80 220-240V [i] <p>Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate</p> <p>per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com</p> <p>Peso · Weight 0,95 Kg</p>	Colori · Colors <input type="radio"/> F4354001 bianco · white <input type="radio"/> F4354006 grigio · grey <input type="radio"/> F4354033 antracite · anthracite <input type="radio"/> F4354030 nero · black <input type="radio"/> F4354018 deep brown · deep brown	Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown
	<p>CE  IP 65</p>		
 <p>58 mm 110 mm 200 mm</p>	<b>MY WAY 110X200</b> Piero Lissoni, 2017 p. 232 LED INCLUDED NOT REPLACEABLE Fonte luminosa · Light source MID-POWER LED 13W 1656lm ≠ FIXT 801lm 4000K CRI80 220-240V [i] <p>Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate</p> <p>per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com</p> <p>Peso · Weight 0,95 Kg</p>	Colori · Colors <input type="radio"/> F4355001 bianco · white <input type="radio"/> F4355006 grigio · grey <input type="radio"/> F4355033 antracite · anthracite <input type="radio"/> F4355030 nero · black <input type="radio"/> F4355018 deep brown · deep brown	Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown
	<p>CE  IP 65</p>		

 <p>58 mm 210 mm 200 mm</p>	<b>MY WAY 210X200</b> Piero Lissoni, 2017 p. 232 LED INCLUDED NOT REPLACEABLE Fonte luminosa · Light source MID-POWER LED 13W 1357lm ≠ FIXT 669lm 2700K CRI80 220-240V [i] <p>Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate</p> <p>per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com</p> <p>Peso · Weight 1,44 Kg</p>	Colori · Colors <input type="radio"/> F4356001 bianco · white <input type="radio"/> F4356006 grigio · grey <input type="radio"/> F4356033 antracite · anthracite <input type="radio"/> F4356030 nero · black <input type="radio"/> F4356018 deep brown · deep brown	Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown
	<p>CE  IP 65</p>		
 <p>58 mm 210 mm 200 mm</p>	<b>MY WAY 210X200</b> Piero Lissoni, 2017 p. 232 LED INCLUDED NOT REPLACEABLE Fonte luminosa · Light source MID-POWER LED 13W 1577lm ≠ FIXT 777lm 3000K CRI80 220-240V [i] <p>Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate</p> <p>per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com</p> <p>Peso · Weight 1,44 Kg</p>	Colori · Colors <input type="radio"/> F4357001 bianco · white <input type="radio"/> F4357006 grigio · grey <input type="radio"/> F4357033 antracite · anthracite <input type="radio"/> F4357030 nero · black <input type="radio"/> F4357018 deep brown · deep brown	Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown
	<p>CE  IP 65</p>		
 <p>58 mm 210 mm 200 mm</p>	<b>MY WAY 210X200</b> Piero Lissoni, 2017 p. 232 LED INCLUDED NOT REPLACEABLE Fonte luminosa · Light source MID-POWER LED 13W 1656lm ≠ FIXT 817lm 4000K CRI80 220-240V [i] <p>Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate</p> <p>per gamma completa e accessori consultare flos.com · for full range and accessories consult flos.com</p> <p>Peso · Weight 1,44 Kg</p>	Colori · Colors <input type="radio"/> F4358001 bianco · white <input type="radio"/> F4358006 grigio · grey <input type="radio"/> F4358033 antracite · anthracite <input type="radio"/> F4358030 nero · black <input type="radio"/> F4358018 deep brown · deep brown	Finiture · Finishes bianco · white grigio · grey antracite · anthracite nero · black deep brown · deep brown
	<p>CE  IP 65</p>		
 <p>500 mm 1200 mm 700 mm</p>	<b>NEBULA</b> Joris Laarman, 2007 p. 200 A+ → E Fonte luminosa · Light source 8 LED 8W E27 525lm 2700K [e] + 4 LED 8W E27 740lm 2700K [e] <p>Materiali · Materials alluminio, vetro · aluminum, glass</p> <p>Peso · Weight 38 Kg</p>	Colori · Colors <input type="radio"/> F4550009 bianco · white	Finiture · Finishes bianco · white
	<p>CE  IP 20</p>		
 <p>52 mm 270 mm 200 mm 4000 mm max 95 mm ø 95 mm</p>	<b>OK</b> Konstantin Grcic, 2014 p. 182 LED INCLUDED NOT REPLACEABLE Fonte luminosa · Light source Edge Lighting Technology 2700K 1638lm CRI85 18W [i] DIMMER <p>Materiali · Materials alluminio, acciaio, PA · aluminum, steel, PA</p> <p>Peso · Weight 2,9 Kg</p>	Colori · Colors <input type="radio"/> F4640009 bianco · white <input type="radio"/> F4640030 nero · black <input type="radio"/> F4640019 giallo · yellow <input type="radio"/> F4640057 cromo · chrome	Finiture · Finishes bianco · white nero · black giallo · yellow cromo · chrome
	<p>CE  IP 20</p>		
 <p>90 mm 95 mm 305 mm</p>	<b>ONTHEROCKS HL</b> Antonio Citterio assistant Toan Nguyen, 2003 p. 249 A+ → E Fonte luminosa · Light source 1 x MAX 160W R7s HDG [e] <p>Materiali · Materials vetro · glass</p> <p>Peso · Weight 2,5 Kg</p>	Colori · Colors <input type="radio"/> F4651000 trasparente · transparent	Finiture · Finishes trasparente · transparent
	<p>CE  IP 20</p>		

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source



**PARENTESI**

Achille Castiglioni and Pio Manzù, 1971  
p. 216  
A+ → E Fonte luminosa · Light source  
1 LED 8W E27 750lm 2700K [e]

Materiali · Materials  
acciaio, elastomero · steel, elastomer

Peso · Weight 3,6 Kg

Colori · Colors


- F5400009 bianco · white
- F5400030 nero · black
- F5400035 rosso · red
- F5400058 nichel · nickel

Finiture · Finishes

- bianco · white
- nero · black
- rosso · red
- nichel · nickel

**POCHETTE**

Rodolfo Dordoni, 2003  
p. 262  
A+ → E Fonte luminosa · Light source  
1 x MAX 160W R7s HDG [e]



Colori · Colors

- F9700020 grigio · grey
- F970009 bianco lucido · shiny white
- F970057 cromo · chrome

Finiture · Finishes

- grigio · grey
- bianco lucido · shiny white
- cromo · chrome



**PARENTESI COMPL. ELEMENT**

Achille Castiglioni and Pio Manzù, 1971  
p. 216  
A+ → E Fonte luminosa · Light source  
1 LED 8W E27 750lm 2700K [e]

Materiali · Materials  
elastomero · elastomer

Peso · Weight 0,5 Kg

Colori · Colors


- F5500009 bianco · white
- F5500030 nero · black
- F5500035 rosso · red
- F5500058 nichel · nickel

Finiture · Finishes

- bianco · white
- nero · black
- rosso · red
- nichel · nickel

**POCHETTE LED**

Rodolfo Dordoni, 2003  
p. 262  
LED INCLUDED  
NOT REPLACEABLE Fonte luminosa · Light source  
144 LED 18W 2700K 1650lm CRI90 [i]




Colori · Colors

- F9704020 grigio · grey
- F9704009 bianco lucido · shiny white
- F9704057 cromo · chrome

Finiture · Finishes

- grigio · grey
- bianco lucido · shiny white
- cromo · chrome



**PARENTESI D**

Achille Castiglioni and Pio Manzù, 1971  
p. 216  
A+ → E Fonte luminosa · Light source  
1 LED 8W E27 750lm 2700K [e] DIMMER

Materiali · Materials  
acciaio, elastomero · steel, elastomer

Peso · Weight 3,6 Kg

Colori · Colors


- F5600009 bianco · white
- F5600030 nero · black
- F5600035 rosso · red
- F5600058 nichel · nickel

Finiture · Finishes

- bianco · white
- nero · black
- rosso · red
- nichel · nickel

**POCHETTE UP/DOWN**

Rodolfo Dordoni, 2003  
p. 262  
A+ → E Fonte luminosa · Light source  
1 x MAX 160W R7s HDG [e]



Colori · Colors

- F9701020 grigio · grey
- F9701009 bianco lucido · shiny white
- F9701057 cromo · chrome

Finiture · Finishes

- grigio · grey
- bianco lucido · shiny white
- cromo · chrome



**PARENTESI D COMPL. ELEMENT**

Achille Castiglioni and Pio Manzù, 1971  
p. 216  
A+ → E Fonte luminosa · Light source  
1 LED 8W E27 750lm 2700K [e] DIMMER

Materiali · Materials  
elastomero · elastomer

Peso · Weight 0,5 Kg

Colori · Colors

- F5700009 bianco · white
- F5700030 nero · black
- F5700035 rosso · red
- F5700058 nichel · nickel

Finiture · Finishes

- bianco · white
- nero · black
- rosso · red
- nichel · nickel

**POCHETTE UP/DOWN LED**

Rodolfo Dordoni, 2003  
p. 262  
LED INCLUDED  
NOT REPLACEABLE Fonte luminosa · Light source  
144 LED 18W 2700K 1650lm CRI90 [i] +  
36 LED 1,5W 2700K 180lm CRI90 [i]



Colori · Colors

- F9705020 grigio · grey
- F9705009 bianco lucido · shiny white
- F9705057 cromo · chrome

Finiture · Finishes

- grigio · grey
- bianco lucido · shiny white
- cromo · chrome



**PIANI**

R. & E. Bouroullec, 2011  
p. 87  
Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE 14 TOP LED 2700K 336lm total  
CRI90 5W [i]

Materiali · Materials  
ABS, alluminio, PMMA · ABS, aluminum, PMMA


Peso · Weight 1,7 Kg

Colori · Colors

- F5830009 bianco · white
- F5830030 nero · black
- F5830039 verde · green
- F5830035 rosso · red

Finiture · Finishes

- bianco · white
- nero · black
- verde · green
- rosso · red




Colori · Colors

- F5916030 nero · black
- F5916009 bianco · white
- F5915020 vetro · glass

Finiture · Finishes

- nero · black
- bianco · white
- vetro · glass



**PIANI BIG**

R. & E. Bouroullec, 2013  
p. 87  
Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE 28 LED 2700K 420lm total  
CRI90 6W [i]


Materiali · Materials  
rovere americano, pietra Basaltina, metacrilato · american  
oak, Basaltina stone, methacrylate

Peso · Weight  
3,4 Kg (legno · wood) - 9,4 Kg (pietra · stone)

Colori · Colors

- F5835068 legno · wood
- F5835087 pietra · stone

Finiture · Finishes



Colori · Colors


- F5921030 nero · black
- F5921009 bianco · white
- F5920020 vetro · glass

Finiture · Finishes

- nero · black
- bianco · white
- vetro · glass

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source



#### RAY S

Rodolfo Dordoni, 2007  
p. 188

Fonte luminosa · Light source  
A+ → E 1 x MAX 205W E27 HSGS [e] o · or  
1 LED 21W E27 2452lm 3000K [e]

Materiali · Materials  
acciaio, alluminio, vetro · steel, aluminum, glass


Peso · Weight  
3,8 Kg (alluminio · aluminum) - 6,8 Kg (vetro · glass)

#### Colori · Colors

- F5931030 nero · black
- F5931009 bianco · white
- F5930020 vetro · glass

#### Finiture · Finishes

- nero · black
- bianco · white
- vetro · glass



#### RAY T

Rodolfo Dordoni, 2007  
p. 90

Fonte luminosa · Light source  
A+ → E 1 x MAX 105W E27 HSGS [e] DIMMER O · or  
1 LED 8W E27 740lm 2700K [e] DIMMER

Materiali · Materials  
acciaio, alluminio, vetro · steel, aluminum, glass


Peso · Weight  
4,2 Kg (alluminio · aluminum) - 6,5 Kg (vetro · glass)

#### Colori · Colors

- F5911030 nero · black
- F5911009 bianco · white
- F5910020 vetro · glass

#### Finiture · Finishes

- nero · black
- bianco · white
- vetro · glass



#### REAL MATTER

Piero Lissoni, 2017  
p. 230

Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE LOW-POWER LED 3W 180lm ≠ FIXT 74lm  
2700K CRI80 24V [i]

Materiali · Materials  
acciaio inox, policarbonato · stainless steel, polycarbonate

Peso · Weight 0,60 Kg


#### Colori · Colors

- F5960015 rame lucido · polished copper
- F5960046 bronzo spazzolato · brushed bronze
- F5960044 oro spazzolato · brushed gold
- F5960056 acciaio spazzolato · brushed steel

#### Finiture · Finishes

- rame lucido · polished copper
- bronzo spazzolato · brushed bronze
- oro spazzolato · brushed gold
- acciaio spazzolato · brushed steel

per gamma completa e accessori  
consultare flos.com · for full range  
and accessories consult flos.com



#### REAL MATTER

Piero Lissoni, 2017  
p. 230

Fonte luminosa · Light source  
LED INCLUDED  
NOT REPLACEABLE LOW-POWER LED 3W 200lm ≠ FIXT 82lm  
3000K CRI80 24V [i]

Materiali · Materials  
acciaio inox, policarbonato · stainless steel, polycarbonate

Peso · Weight 0,60 Kg


#### Colori · Colors

- F5961015 rame lucido · polished copper
- F5961046 bronzo spazzolato · brushed bronze
- F5961044 oro spazzolato · brushed gold
- F5961056 acciaio spazzolato · brushed steel

#### Finiture · Finishes

- rame lucido · polished copper
- bronzo spazzolato · brushed bronze
- oro spazzolato · brushed gold
- acciaio spazzolato · brushed steel

per gamma completa e accessori  
consultare flos.com · for full range  
and accessories consult flos.com



#### ROMEO BABE S

Philippe Starck, 1997  
p. 194

Fonte luminosa · Light source  
A+ → E 1 x MAX 33W G9 HSGS [e] o · or  
1 LED 2,3W G9 200lm 3000K\* [e]

Materiali · Materials  
vetro · glass


Peso · Weight 0,4 Kg

#### Colori · Colors

- F6124000 vetro · glass

#### Finiture · Finishes

- vetro · glass



#### ROMEO BABE W

Philippe Starck, 1996  
p. 269

Fonte luminosa · Light source  
A+ → E 1 x MAX 33W G9 HSGS [e] o · or  
1 LED 2,3W G9 200lm 3000K\* [e]

Materiali · Materials  
vetro, acciaio inox · glass, stainless steel

Peso · Weight 0,5 Kg

#### Colori · Colors

- F6260000A vetro · glass

#### Finiture · Finishes

- vetro · glass

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source



#### ROMEO BABE K W

Philippe Starck, 2004  
p. 269

Fonte luminosa · Light source  
A+ → E 1 x MAX 33W G9 HSGS [e] o · or  
1 LED 2,3W G9 200lm 3000K\* [e]

Materiali · Materials  
polycarbonate, vetro, acciaio inox · polycarbonate, glass,  
stainless steel

Peso · Weight 0,5 Kg

#### Colori · Colors

- F6191000 alluminio argento · aluminized silver

#### Finiture · Finishes

- alluminio argento · aluminized silver



#### ROMEO BABE SOFT S

Philippe Starck, 1997  
p. 194

Fonte luminosa · Light source  
A+ → E 1 x MAX 33W G9 HSGS [e] o · or  
1 LED 2,3W G9 200lm 3000K\* [e]

Materiali · Materials  
tessuto, vetro · fabric, glass

Peso · Weight 0,4 Kg

#### Colori · Colors

- F6124007 tessuto · fabric

#### Finiture · Finishes

- tessuto · fabric



#### ROMEO BABE SOFT W

Philippe Starck, 1997  
p. 269

Fonte luminosa · Light source  
A+ → E 1 x MAX 33W G9 HSGS [e] o · or  
1 LED 2,3W G9 200lm 3000K\* [e]

Materiali · Materials  
tessuto, vetro, acciaio inox · fabric, glass, stainless steel

Peso · Weight 0,4 Kg

#### Colori · Colors

- F62600007A tessuto · fabric

#### Finiture · Finishes

- tessuto · fabric



#### ROMEO LOUIS II 1

Philippe Starck, 2003  
p. 203

Fonte luminosa · Light source  
A+ → E 1 x MAX 150W E27 HSGS [e] o · or  
1 LED 8W E27 740lm 2700K [e]

Materiali · Materials  
cristallo, vetro · crystal, glass

Peso · Weight 3,9 Kg

#### Colori · Colors

- F6440000 cristallo · crystal

#### Finiture · Finishes

- cristallo · crystal



#### ROMEO LOUIS II 2

Philippe Starck, 2003  
p. 203

Fonte luminosa · Light source  
A+ → E 1 x MAX 150W E27 HSGS [e] o · or  
1 LED 8W E27 740lm 2700K [e]

Materiali · Materials  
cristallo, vetro · crystal, glass

Peso · Weight 7 Kg

#### Colori · Colors

- F0004000 cristallo · crystal

#### Finiture · Finishes

- cristallo · crystal



#### ROMEO MOON F

Philippe Starck, 1996  
p. 158

Fonte luminosa · Light source  
A+ → E 1 x MAX 205W E27 HSGS [e] DIMMER O · or  
1 LED 8W E27 740lm 2700K [e] DIMMER

Materiali · Materials  
vetro, acciaio inox · glass, steel, aluminum

Peso · Weight 23,8 Kg

#### Colori · Colors

- F6109000 vetro · glass

#### Finiture · Finishes



- vetro · glass

	<b>ROMEO MOON S1</b> Philippe Starck, 1996 p. 195  Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials vetro · glass	Colori · Colors F6105000	Finiture · Finishes vetro · glass	Peso · Weight 4,5 Kg	CE  IP 20 
	<b>ROMEO MOON S2</b> Philippe Starck, 1996 p. 195  Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials vetro · glass	Colori · Colors F0003000	Finiture · Finishes vetro · glass	Peso · Weight 7,6 Kg	CE  IP 20 
	<b>ROMEO MOON T1</b> Philippe Starck, 1998 p. 95  Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] DIMMER o · or 1 LED 8W E27 740lm 2700K [e] DIMMER  Materiali · Materials vetro, acciaio, alluminio · glass, steel, aluminum	Colori · Colors F6107000	Finiture · Finishes vetro · glass	Peso · Weight 7,7 Kg	CE  IP 20 
	<b>ROMEO SOFT F</b> Philippe Starck, 1998 p. 158  Fonte luminosa · Light source A+ → E 1 LED 8W E27 740lm 2700K [e] DIMMER  Materiali · Materials tessuto, vetro, acciaio, alluminio · fabric, glass, steel, aluminum	Colori · Colors F6109007	Finiture · Finishes tessuto · fabric	Peso · Weight 16,8 Kg	CE  IP 20 
	<b>ROMEO SOFT S1</b> Philippe Starck, 1996 p. 202  Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials tessuto, vetro · fabric, glass	Colori · Colors F6105007	Finiture · Finishes tessuto · fabric	Peso · Weight 1,6 Kg	CE  IP 20 
	<b>ROMEO SOFT S2</b> Philippe Starck, 1996 p. 202  Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials tessuto, vetro · fabric, glass	Colori · Colors F6110007	Finiture · Finishes tessuto · fabric	Peso · Weight 3,4 Kg	CE  IP 20 



	<b>ROMEO SOFT T1</b> Philippe Starck, 1998 p. 95  Fonte luminosa · Light source A+ → E 1 x MAX 150W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e] DIMMER  Materiali · Materials tessuto, vetro, acciaio, alluminio · fabric, glass, steel, aluminum	Colori · Colors F6107007	Finiture · Finishes tessuto · fabric
	<b>ROSY ANGELIS</b> Philippe Starck, 1994 p. 157  Fonte luminosa · Light source A+ → E 1 x 116W E27 HSGSA [e] DIMMER o · or 1 LED 8W E27 740lm 2700K [e] DIMMER  Materiali · Materials tessuto, alluminio · fabric, aluminum	Colori · Colors F6160020	Finiture · Finishes grigio · gray
	<b>SERENA</b> Patricia Urquiola, 2015 p. 54  Fonte luminosa · Light source 1 LED 2700K 1100lm CRI 90 13W [i] DIMMER  Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate	Colori · Colors F6582015 F6582054 F6582030	Finiture · Finishes rame · copper alluminio · aluminum nero · black
	<b>SHADE</b> Paul Cocksedge, 2014 p. 162  Fonte luminosa · Light source 1 COB LED 30W 3240lm CRI83 2700K [i] DIMMER  Materiali · Materials alluminio, carta · aluminum, paper	Colori · Colors F6530009	Finiture · Finishes nero · black
	<b>SKYGARDEN 1</b> Marcel Wanders, 2007 p. 190  Fonte luminosa · Light source A+ → E 1 x MAX 105W E27 HSGS [e] o · or 1 LED 8W E27 1020lm 2700K* [e]  Materiali · Materials gesso, vetro, acciaio inox · plaster, glass, stainless steel	Colori · Colors F0001044 F0001047 F0001009 F0001030	Finiture · Finishes oro opaco · matt gold ruggine · matt rusty brown bianco lucido · glossy white nero lucido · glossy black
	<b>SKYGARDEN 1 ECO</b> Marcel Wanders, 2007 p. 190  Fonte luminosa · Light source A 1 x 32W Gx24q-3 [e] Ballast nel rosone · Ballast in the rose  Materiali · Materials gesso, vetro, acciaio inox · plaster, glass, stainless steel	Colori · Colors F6411044 F6411047 F6411009 F6411030	Finiture · Finishes oro opaco · matt gold ruggine · matt rusty brown bianco lucido · glossy white nero lucido · glossy black

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source


[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

 <p><b>SKYGARDEN 2</b> Marcel Wanders, 2007 p. 190 Fonte luminosa · Light source A+ → E 1 x MAX 205W E27 HSGS [e] o · or 1 LED 8W E27 1020lm 2700K* [e]  Materiali · Materials gesso, vetro, acciaio inox · plaster, glass, stainless steel  Peso · Weight 29,0 Kg</p>	<p>Colori · Colors  <input checked="" type="radio"/> F0002044 oro opaco · matt gold  <input type="radio"/> F0002047 ruggine · matt rusty brown  <input type="radio"/> F0002009 bianco lucido · glossy white  <input checked="" type="radio"/> F0002030 nero lucido · glossy black</p> <p>Finiture · Finishes oro opaco · matt gold ruggine · matt rusty brown bianco lucido · glossy white nero lucido · glossy black</p>	<p><b>SMITHFIELD S</b> Jasper Morrison, 2009 p. 218 Fonte luminosa · Light source A+ → E 1 x MAX 230W R7s [e]  Materiali · Materials alluminio, metacrilato · aluminum, methacrylate  Peso · Weight 5 Kg</p>
 <p><b>SKYGARDEN 2 ECO</b> Marcel Wanders, 2007 p. 190 Fonte luminosa · Light source A 1 x 42W Gx24q-4 [e] Ballast nel rosone · Ballast in the rose  Materiali · Materials gesso, vetro, acciaio inox · plaster, glass, stainless steel  Prodotto su richiesta Made on demand</p>	<p>Colori · Colors  <input checked="" type="radio"/> F6421044 oro opaco · matt gold  <input type="radio"/> F6421047 ruggine · matt rusty brown  <input type="radio"/> F6421009 bianco lucido · glossy white  <input checked="" type="radio"/> F6421030 nero lucido · glossy black</p> <p>Finiture · Finishes oro opaco · matt gold ruggine · matt rusty brown bianco lucido · glossy white nero lucido · glossy black</p>	<p><b>SMITHFIELD S LED</b> Jasper Morrison, 2009 p. 218 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 108 LED 26W 2700K 2720lm CRI90 [i]  Materiali · Materials alluminio, metacrilato · aluminum, methacrylate  Peso · Weight 5 Kg</p>
 <p><b>SKYGARDEN RECESSED</b> Marcel Wanders, 2009 p. 259 Fonte luminosa · Light source A+ → E 1 x 60W GY 6.35 12V HSGS [e] Trasformatore incluso · Included Transformer  Materiali · Materials gesso, vetro, acciaio inox · plaster, glass, stainless steel  Peso · Weight 4,0 Kg</p>	<p>Colori · Colors  <input type="radio"/> F6430009 bianco · white</p> <p>Finiture · Finishes bianco · white</p>	<p><b>SNOOPY</b> Achille and Pier Giacomo Castiglioni, 1967 p. 88 Fonte luminosa · Light source A+ → E 1 x MAX 105W E27 HSGS [e] DIMMER O · or 1 LED 8W E27 740lm 2700K [e] DIMMER  Materiali · Materials marmo, metallo · marble, metal  Peso · Weight 7,9 Kg</p>
 <p><b>SKYGARDEN RECESSED</b> Marcel Wanders, 2009 p. 259 Fonte luminosa · Light source A+ → E 1 x MAX 33W G9 HSGS [e] o · or 1 LED 2,3W G9 200lm 3000K* [e]  Materiali · Materials gesso, vetro, acciaio inox · plaster, glass, stainless steel  Peso · Weight 4,0 Kg</p>	<p>Colori · Colors  <input type="radio"/> F6433009 bianco · white</p> <p>Finiture · Finishes bianco · white</p>	<p><b>SPLÜGEN BRÄU</b> Achille and Pier Giacomo Castiglioni, 1961 p. 184 Fonte luminosa · Light source A+ → E 1 LED 8W E27 560lm 2700K [e]  Materiali · Materials alluminio · aluminum  Peso · Weight 1,5 Kg</p>
 <p><b>SMITHFIELD C</b> Jasper Morrison, 2009 p. 239 Fonte luminosa · Light source A+ → E 1 x MAX 230W R7s [e]  Materiali · Materials alluminio, metacrilato · aluminum, methacrylate  Peso · Weight 5 Kg</p>	<p>Colori · Colors  <input checked="" type="radio"/> F1362030 nero · black  <input type="radio"/> F1362009 bianco · white  <input checked="" type="radio"/> F1362021 mud · mud</p> <p>Finiture · Finishes nero · black bianco · white mud · mud</p>	<p><b>SPUN LIGHT F</b> Sebastian Wrong, 2003 p. 154 Fonte luminosa · Light source A+ → E 1 x MAX 205W E27 HSGS [e] DIMMER O · or 1 LED 21W E27 2452lm 3000K [e] DIMMER  Materiali · Materials metal, alluminio · metal, aluminum  Peso · Weight 9,3 Kg</p>
 <p><b>SMITHFIELD C LED</b> Jasper Morrison, 2009 p. 239 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 108 LED 26W 2700K 2720lm CRI90 [i]  Materiali · Materials alluminio, metacrilato · aluminum, methacrylate  Peso · Weight 5 Kg</p>	<p>Colori · Colors  <input checked="" type="radio"/> F1366030 nero · black  <input type="radio"/> F1366009 bianco · white  <input checked="" type="radio"/> F1366021 mud · mud</p> <p>Finiture · Finishes nero · black bianco · white mud · mud</p>	<p><b>SPUN LIGHT F ECO</b> Sebastian Wrong, 2003 p. 154 Fonte luminosa · Light source A 1 x 57W Gx24q-5 [e] Ballast integrato · Integrated Ballast  Materiali · Materials metal, alluminio · metal, aluminum  Peso · Weight 9,3 Kg</p>
 <p>Prodotto su richiesta Made on demand</p>	<p>Colori · Colors  <input type="radio"/> F6612009 bianco lucido · shiny white  <input checked="" type="radio"/> F6612030 nero lucido · shiny black  <input type="radio"/> F6612021 mud · mud  <input type="radio"/> F6612050 alluminio lucido · polished aluminum</p> <p>Finiture · Finishes bianco lucido · shiny white nero lucido · shiny black mud · mud alluminio lucido · polished aluminum</p>	<p>[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    * fonte luminosa non dimmerabile · not dimmable light source</p>

TECHNICAL INFO







	<b>SPUN LIGHT T1</b> Sebastian Wrong, 2003 p. 112  Materiali · Materials metallo, alluminio · metal, aluminum Peso · Weight 4,3 Kg	Colori · Colors F6610009 F6610030 F6610021 F6610050	Finiture · Finishes bianco lucido · shiny white nero lucido · shiny black mud · mud alluminio lucido · polished aluminum
	<b>SPUN LIGHT T1 ECO</b> Sebastian Wrong, 2003 p. 112  Materiali · Materials metallo, alluminio · metal, aluminum Prodotto su richiesta Made on demand	Colori · Colors F6614009 F6614030 F6614021 F6614050	Finiture · Finishes bianco lucido · shiny white nero lucido · shiny black mud · mud alluminio lucido · polished aluminum
	<b>SPUN LIGHT T2</b> Sebastian Wrong, 2003 p. 112  Materiali · Materials metallo, alluminio · metal, aluminum Peso · Weight 5,6 Kg	Colori · Colors F6611009 F6611030 F6611021 F6611050	Finiture · Finishes bianco lucido · shiny white nero lucido · shiny black mud · mud alluminio lucido · polished aluminum
	<b>SPUN LIGHT T2 ECO</b> Sebastian Wrong, 2003 p. 112  Materiali · Materials metallo, alluminio · metal, aluminum Prodotto su richiesta Made on demand	Colori · Colors F6615009 F6615030 F6615021 F6615050	Finiture · Finishes bianco lucido · shiny white nero lucido · shiny black mud · mud alluminio lucido · polished aluminum
	<b>STRING LIGHT TESTA A CONO · CONE HEAD</b> Michael Anastassiades, 2014 p. 169  Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate Peso · Weight 0,95 Kg (12 mt.) - 1,05 Kg (22 mt.)	Colori · Colors F6481030 F6491030	Finiture · Finishes nero Soft Touch · black Soft Touch nero Soft Touch · black Soft Touch
	<b>STRING LIGHT TESTA A SFERA · SPHERE HEAD</b> Michael Anastassiades, 2014 p. 169  Materiali · Materials alluminio, policarbonato · aluminum, polycarbonate Peso · Weight 1,15 Kg (12 mt.) - 1,25 Kg (22 mt.)	Colori · Colors F6480030 F6490030	Finiture · Finishes nero Soft Touch · black Soft Touch nero Soft Touch · black Soft Touch

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

	<b>STRING LIGHT ACCESSORI · ACCESSORIES</b> Descrizione · Description Rosone da parete o soffitto per l'installazione di massimo 2 teste con tre possibili vie di uscita · Wall/rose. Feed up 2 heads maximum; 3 wayout for cables. Wall or ceiling installation	Colori · Colors F6482030	Finiture · Finishes nero · black
	<b>STRING LIGHT ACCESSORI · ACCESSORIES</b> Descrizione · Description "Floor Switch" per l'installazione di massimo due teste con due possibili vie di uscita per il cavo. Alloggio interno per arrotolare 10 metri di cavo · Floor Switch. Feed up two heads maximum; Two wayout for cables. Space to wrap 10 meters cable	Colori · Colors F6484030	Finiture · Finishes nero · black
	<b>STRING LIGHT ACCESSORI · ACCESSORIES</b> Descrizione · Description Cavo di connessione supplementare per comporre configurazioni personalizzate · Extra connection cable to compose personal configurations	Colori · Colors F6485030	Finiture · Finishes nero · black
	<b>STYLOS</b> Achille Castiglioni, 1984 p. 134  Materiali · Materials polimetilmetacrilato, acciaio · polymethylmethacrylate, steel Peso · Weight 9,6 Kg	Colori · Colors F6310004	Finiture · Finishes argento · silver
	<b>SUPERARCHIMOOON</b> Philippe Starck, 2000 p. 160  Materiali · Materials tessuto, vetro, acciaio, alluminio · fabric, glass, steel, aluminum Peso · Weight 91 Kg	Colori · Colors F6366020	Finiture · Finishes tessuto · fabric
	<b>SUPERLOON</b> Jasper Morrison, 2015 p. 123  Materiali · Materials alluminio, PMMA · aluminum, PMMA Peso · Weight 11 Kg	Colori · Colors F6630009 F6630030 F6630057	Finiture · Finishes bianco · white nero · black cromo · chrome





[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source








	<b>TAB F</b> E. Barber & J. Osgerby, 2011 p. 140  LED INCLUDED Fonte luminosa · Light source NOT REPLACEABLE 14 LED 3000K 612lm CRI80 9W [i]  Materiali · Materials alluminio, PMMA · aluminum, PMMA	Colori · Colors F6561009 F6561030	Finiture · Finishes bianco · white nero · black	Peso · Weight 2 Kg	CE IP20 PENDING
	<b>TAB T</b> E. Barber & J. Osgerby, 2011 p. 84  LED INCLUDED Fonte luminosa · Light source NOT REPLACEABLE 14 LED 3000K 612lm CRI80 9W [i]  Materiali · Materials alluminio, PMMA · aluminum, PMMA	Colori · Colors F6560009 F6560030	Finiture · Finishes bianco · white nero · black	Peso · Weight 0,8 Kg	CE IP20 PENDING
	<b>TACCIA</b> Achille and Pier Giacomo Castiglioni, 1962 p. 78  LED INCLUDED Fonte luminosa · Light source NOT REPLACEABLE 1 COB LED 2700K 2068lm CRI93 28W [i] DIMMER  Materiali · Materials vetro, alluminio · glass, aluminum	Colori · Colors F6602004 F6602030 F6602046	Finiture · Finishes alluminio anodizzato · anodized aluminum nero · black bronzo anodizzato · anodized bronze	Peso · Weight 15,3 Kg	CE IP20
	<b>TACCIA (PMMA)</b> Achille and Pier Giacomo Castiglioni, 1962 p. 78  LED INCLUDED Fonte luminosa · Light source NOT REPLACEABLE 1 COB LED 2700K 2068lm CRI93 28W [i] DIMMER  Materiali · Materials PMMA, alluminio · PMMA, aluminum	Colori · Colors F6607004 F6607030 F6607046	Finiture · Finishes alluminio anodizzato · anodized aluminum nero · black bronzo anodizzato · anodized bronze	Peso · Weight 7,6 Kg	CE IP20
	<b>TACCIA SMALL</b> Achille and Pier Giacomo Castiglioni, 1962 p. 78  LED INCLUDED Fonte luminosa · Light source NOT REPLACEABLE 1 COB LED 2700K 1290lm CRI92 16W [i] DIMMER  Materiali · Materials vetro, alluminio · glass, aluminum	Colori · Colors F6604004 F6604030 F6604046 F6604042	Finiture · Finishes alluminio anodizzato · anodized aluminum nero · black bronzo anodizzato · anodized bronze viola anodizzato · anodized violet	Peso · Weight 4,25 Kg	CE IP20
	<b>TARAXACUM 1</b> Achille and Pier Giacomo Castiglioni, 1960 p. 196  Fonte luminosa · Light source A+ → E 1 x MAX 100W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials cocoon, acciaio · cocoon, steel	Colori · Colors F7401009	Finiture · Finishes bianco · white	Peso · Weight 2,1 Kg	CE IP20

	<b>TARAXACUM 2</b> Achille and Pier Giacomo Castiglioni, 1960 p. 196  Fonte luminosa · Light source A+ → E 1 x MAX 100W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials cocoon, acciaio · cocoon, steel	Colori · Colors F7402009	Finiture · Finishes bianco · white
	<b>TARAXACUM 88 C/W</b> Achille Castiglioni, 1988 p. 252  Fonte luminosa · Light source A+ → E 15 x MAX 28W E27 HSGSG [e] o · or 15 LED 3W/5W E27 160/400lm 2500K [e]  Materiali · Materials alluminio · aluminum	Colori · Colors F7420000	Finiture · Finishes alluminio lucidato · polished aluminum
	<b>TARAXACUM 88 S1</b> Achille Castiglioni, 1988 p. 176  Fonte luminosa · Light source A+ → E 60 x MAX 28W E27 HSGSG [e] o · or 60 LED 3W/5W E27 160/400lm 2500K [e]  Materiali · Materials alluminio · aluminum	Colori · Colors F7430000	Finiture · Finishes alluminio lucidato · polished aluminum
	<b>TARAXACUM 88 S2</b> Achille Castiglioni, 1988 p. 176  Fonte luminosa · Light source A+ → E 120 x MAX 28W E27 HSGSG [e] o · or 120 LED 3W/5W E27 160/400lm 2500K [e]  Materiali · Materials alluminio · aluminum	Colori · Colors F7440000	Finiture · Finishes alluminio lucidato · polished aluminum
	<b>TATOU F</b> Patricia Urquiola, 2012 p. 128  Fonte luminosa · Light source A+ → E 1 x 205W E27 HSGS 4200lm [e] DIMMER O · or 1 LED 21W E27 2452lm 3000K [e] DIMMER  Materiali · Materials polycarbonato, acciaio · polycarbonate, steel	Colori · Colors F7764009 F7764030 F7764048	Finiture · Finishes bianco · white nero · black grigio ocra · ochre-grey
	<b>TATOU S1</b> Patricia Urquiola, 2012 p. 181  Fonte luminosa · Light source A+ → E 1 x MAX 70W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials polycarbonate · polycarbonate	Colori · Colors F7762009 F7762030 F7762048	Finiture · Finishes bianco · white nero · black grigio ocra · ochre-grey

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source






	<b>TATOU S2</b> Patricia Urquiola, 2012 p. 181  A+ → E 1 x 205W E27 HSGS 4200lm [e] o · or 1 LED 21W E27 2452lm 3000K [e]  Materiali · Materials polycarbonate · polycarbonate	Colori · Colors <input type="radio"/> F7766009 bianco · white <input checked="" type="radio"/> F7766030 nero · black <input type="radio"/> F7766048 grigio ocra · ochre-grey	Finiture · Finishes bianco · white nero · black grigio ocra · ochre-grey
	Peso · Weight 4,7 Kg		
	<b>TATOU T1</b> Patricia Urquiola, 2012 p. 97  A+ → E 1 x MAX 70W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials polycarbonate, acciaio · polycarbonate, steel	Colori · Colors <input type="radio"/> F7761009 bianco · white <input checked="" type="radio"/> F7761030 nero · black <input type="radio"/> F7761048 grigio ocra · ochre-grey	Finiture · Finishes bianco · white nero · black grigio ocra · ochre-grey
	Peso · Weight 2,7 Kg		
	<b>TIGHT LIGHT</b> Piero Lissoni, 2011 p. 266  LED INCLUDED NOT REPLACEABLE Fonte luminosa · Light source 48 TOP LED 3000K 2110lm total CRI80 - 2x10W [i]  Materiali · Materials alluminio, PMMA · aluminum, PMMA	Colori · Colors <input type="radio"/> F0011009 bianco · white	Finiture · Finishes bianco · white
	Peso · Weight 1,1 Kg		
	<b>TOIO</b> Achille and Pier Giacomo Castiglioni, 1962 p. 152  A+ → D Fonte luminosa · Light source 1 x 300W aluPAR 56 MFL 230/240V [i] DIMMER  Materiali · Materials acciaio · steel	Colori · Colors <input type="radio"/> F7600009 bianco · white <input checked="" type="radio"/> F7600030 nero · black <input type="radio"/> F7600035 rosso · red	Finiture · Finishes bianco · white nero · black rosso · red
	Peso · Weight 8,2 Kg		
	<b>WAN C/W</b> Johanna Grawunder, 2005 p. 246  A+ → E Fonte luminosa · Light source 1 x MAX 33W G9 HSGS [e]  Materiali · Materials alluminio · aluminum	Colori · Colors <input checked="" type="radio"/> F9550050 alluminio · aluminum <input type="radio"/> F9550009 bianco · white <input type="radio"/> F9550039 verde · green <input type="radio"/> F9550030 nero · black	Finiture · Finishes alluminio · aluminum bianco · white verde · green nero · black
	Peso · Weight 0,4 Kg		
	<b>WAN S</b> Johanna Grawunder, 2006 p. 221  A+ → E Fonte luminosa · Light source 1 x MAX 33W G9 HSGS [e]  Materiali · Materials alluminio · aluminum	Colori · Colors <input checked="" type="radio"/> F9560050 alluminio · aluminum <input type="radio"/> F9560009 bianco · white <input type="radio"/> F9560039 verde · green <input type="radio"/> F9560030 nero · black	Finiture · Finishes alluminio · aluminum bianco · white verde · green nero · black
	Peso · Weight 0,6 Kg		

	<b>VISCONTEA</b> Achille and Pier Giacomo Castiglioni, 1960 p. 198  A+ → E 1 x MAX 100W E27 HSGS [e] o · or 1 LED 8W E27 740lm 2700K [e]  Materiali · Materials cocoon, acciaio · cocoon, steel	Colori · Colors <input type="radio"/> F8001009 bianco · white	Finiture · Finishes bianco · white
	Peso · Weight 1,7 Kg		
	<b>ZEPPELIN 1</b> Marcel Wanders, 2005 p. 222  A+ → E 1 x MAX 205W E27 HSGS [e] o · or 1 LED 21W E27 2452lm 3000K [e]  Materiali · Materials cocoon, acciaio, cristallo · cocoon, steel, crystal	Colori · Colors <input type="radio"/> F9800009 bianco · white	Finiture · Finishes bianco · white
	Peso · Weight 15 Kg		
	<b>ZEPPELIN 2</b> Marcel Wanders, 2005 p. 222  A+ → E 3 x MAX 105W E27 HSGS [e] o · or 3 LED 21W E27 2452lm 3000K [e]  Materiali · Materials cocoon, acciaio, cristallo · cocoon, steel, crystal	Colori · Colors <input type="radio"/> F9805009 bianco · white	Finiture · Finishes bianco · white
	Prodotto su richiesta Made on demand	Peso · Weight 30 Kg	
	<b>ABAJOUD'HUI SMALL</b> Flos Soft Architecture p. 274  B → E 1 x MAX 75W E27 HSGS [e]  Materiali · Materials installazione su cartongesso · plaster installation	Colori · Colors <input type="radio"/> SA.5001.1 cartongesso · plaster	Finiture · Finishes cartongesso · plaster
	Peso · Weight 8,25 Kg		
	<b>ABAJOUD'HUI LARGE</b> Flos Soft Architecture p. 274  B → E 1 x MAX 150W E27 HSGS [e]  Materiali · Materials installazione su cartongesso · plaster installation	Colori · Colors <input type="radio"/> SA.5000.1 cartongesso · plaster	Finiture · Finishes cartongesso · plaster
	Peso · Weight 16,25 Kg		
	<b>SOFT SPUN SMALL FL</b> Flos Soft Architecture p. 276  A 2 x 18W 2G11 [e] Ballast elettronico · Electronic Ballast  Materiali · Materials installazione su cartongesso · plaster installation	Colori · Colors <input type="radio"/> SA.5004.1 cartongesso · plaster	Finiture · Finishes cartongesso · plaster
	Peso · Weight 8,5 Kg		

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

[e] fonte luminosa esclusa · excluded light source    [i] fonte luminosa inclusa · included light source    \* fonte luminosa non dimmerabile · not dimmable light source

TECHNICAL INFO

 <b>SOFT SPUN SMALL HL</b> Flos Soft Architecture p. 276 Fonte luminosa · Light source C → E 1 x MAX 120W R7s [e] Materiali · Materials installazione su cartongesso · plaster installation Peso · Weight 8,5 Kg	Colori · Colors	Finiture · Finishes
	(○ SA.5005.1)	cartongesso · plaster
 <b>SOFT SPUN SMALL LED</b> Flos Soft Architecture p. 276 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 1 LED WHITE 35W 1800lm 3000K CRI80 [i] Driver elettronico · Electronic Driver Materiali · Materials installazione su cartongesso · plaster installation Peso · Weight 8,5 Kg	Colori · Colors	Finiture · Finishes
	(○ SA.5006.1B)	cartongesso · plaster
 <b>SOFT SPUN LARGE FL</b> Flos Soft Architecture p. 276 Fonte luminosa · Light source A 2 x 24W 2G11 (diff.) [e] Ballast elettr. · Elect. Ballast + LED INCLUDED NOT REPLACEABLE 1 LED 1.4W 80lm 2700K CRI>90 (base) [i] Driver elettronico · Electronic Driver Materiali · Materials installazione su cartongesso · plaster installation Peso · Weight 17 Kg	Colori · Colors	Finiture · Finishes
	(○ SA.5008.1)	cartongesso · plaster
 <b>SOFT SPUN LARGE HL</b> Flos Soft Architecture p. 276 Fonte luminosa · Light source C → E 1 x MAX 160W R7s (diff.) [e] + LED INCLUDED NOT REPLACEABLE 1 LED 1.4W 80lm 2700K CRI>90 (base) [i] Driver elettronico · Electronic Driver Materiali · Materials installazione su cartongesso · plaster installation Peso · Weight 17 Kg	Colori · Colors	Finiture · Finishes
	(○ SA.5009.1)	cartongesso · plaster
 <b>SOFT SPUN LARGE LED</b> Flos Soft Architecture p. 276 Fonte luminosa · Light source LED INCLUDED NOT REPLACEABLE 1 LED WHITE 35W 1800lm 3000K CRI80 (diff.) [i] Driver elettronico · Elect. Driver + 1 LED WHITE 1.4W 80lm 2700K CRI>90 (base) [i] Driver elettronico · Elect. Driver Materiali · Materials installazione su cartongesso · plaster installation Peso · Weight 17 Kg	Colori · Colors	Finiture · Finishes
	(○ SA.5007.1B)	cartongesso · plaster

[e] fonte luminosa esclusa · excluded light source   [i] fonte luminosa inclusa · included light source   \* fonte luminosa non dimmerabile · not dimmable light source

CLASSIFICAZIONE E MARCHI DI CERTIFICAZIONE · CLASSIFICATION & HOMOLOGATIONS

Classi di isolamento delle lampade · Luminaires classification



Classe I: lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore sistema di sicurezza che consiste nel collegamento dei componenti conduttori accessibili a un conduttore di sicurezza (messa a terra) facente parte dell'impianto elettrico fisso · *Class I: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of connecting the accessible conductive parts to a safety conductor (earth)*



Classe II: Lampada la cui protezione contro la scarica elettrica non si basa solo sull'isolamento di base dell'apparecchio, ma su un ulteriore misura di sicurezza che consiste in un doppio isolamento rinforzato senza dispositivi per la messa a terra · *Class II: Luminaire in which protection against electrical shocks is not just based on the basic insulation but also on an additional safety precautions consisting of double reinforced insulation without conductive parts to a safety conductor (earth)*



Classe III: Lampada la cui protezione contro la scarica elettrica si basa su un sistema a bassissima tensione, che non viene mai superata. Una lampada di Classe III non deve mai essere fornita con la messa a terra · *Class III: Luminaire in which protection against electrical shocks is based on the very low safety supply voltage and no voltages are produced higher than this. A Class III luminaire must never be provided with earthing*

Omologazioni · Homologations



Tutte le lampade prodotte e presentate in questo programma sono state realizzate in conformità con la Norma Europea EN 60 598 e sono pertanto conformi ai requisiti definiti nella Direttiva CEE 73/23 (Direttiva di Bassa Tensione). La loro realizzazione garantisce anche la conformità alla Direttiva 89/336 per quanto concerne la Compatibilità Elettromagnetica. Tutti i prodotti rientranti nel campo di applicazione delle suddette Direttive riportano la marcatura CE, che ne attesta la conformità ai relativi requisiti · *All lamps manufactured and illustrated in this catalog comply with European Standard EN 60 598 and consequently meet the requirements set forth in Directive 73/23 EEC (Low Voltage Directive). They also comply with Directive 89/336 covering electromagnetic compatibility. All products falling under the scope of the above-mentioned Directives bear the CE mark as proof of their compliance with the respective requirements*



La presenza del marchio ENEC sul prodotto conferma l'adempimento della Normativa Europea e garantisce l'affidabilità del sistema organizzativo e produttivo responsabile della fabbricazione del prodotto, attraverso un ente di certificazione accreditato. Il marchio ENEC conferma il nostro impegno ed è la migliore garanzia in tema di sicurezza e qualità di tutti i nostri prodotti · *The ENEC mark on the product stands for the compliance of European Standard as well as a trustworthy organisation and product system and is guaranteed by an accredited certification body. This agreed mark stands for our engagement and represents the best guarantee in security and quality matter of our products*



L'Associazione Spagnola di Normalizzazione e Certificazione AENOR certifica che il Sistema di garanzia di qualità adottato dalla Antares Iluminación S. A. soddisfa i requisiti della Norma Europea EN ISO 9001: Sistema di Qualità · *The Spanish Association for Standards and Certification AENOR, certifies that quality assurance system adopted by Antares Iluminación, S.A. complies with the requirements of the standard UNE-EN ISO-9001 Quality Systems.*

GRADO DI PROTEZIONE · DEGREE OF PROTECTION

IP  
20

Indice di protezione contro la penetrazione di corpi solidi e di liquidi · Protection degree offered by the fixture to the ingress of solids and liquids

IP  
20

1a cifra, protezione contro la penetrazione dei corpi solidi: 0 Nessuna protezione - 1 Protezione contro i corpi solidi di dimensioni superiori a 50mm - 2 Protezione contro i corpi solidi di dimensioni superiori a 12mm - 3 Protezione contro i corpi solidi di dimensioni superiori a 2,5mm - 4 Protezione contro i corpi solidi di dimensioni superiori a 1mm - 5 Protezione contro la polvere - 6 Totalmente protetto contro la polvere · 1st figure, protection against penetration by solid bodies: 0 No protection - 1 Protected against solid bodies over 50 mm in diameter - 2 Protected against solid bodies over 12 mm in diameter - 3 Protected against solid bodies over 2,5 mm in diameter - 4 Protected against solid bodies over 1 mm in diameter - 5 Protected against dust - 6 Fully protected against dust

IP  
20

2a cifra, protezione contro l'infiltrazione di acqua: 0 Nessuna protezione - 1 Protezione contro la caduta in verticale di gocce d'acqua - 2 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 15° - 3 Protezione contro la caduta in verticale di gocce d'acqua con angolo di inclinazione max di 60° - 4 Protezione contro gli spruzzi d'acqua - 5 Protezione contro i getti d'acqua - 6 Protezione contro le onde d'acqua - 7 Protezione contro l'immersione - 8 Protezione contro l'immersione prolungata · 2nd figure, protection against penetration by water: 0 No protection - 1 Protected against drops of water falling vertically - 2 Protected against drops of water at a max. inclination of 15 degrees - 3 Protected against drops of water at a max. inclination of 60 degrees - 4 Protected against splashed of water - 5 Protected against jets of water - 6 Protected against waves - 7 Protected against immersion - 8 Protected against long term immersion

Simbologia · Pictography



Apparecchio idoneo per essere installato su superfici normalmente infiammabili · Luminaire with built-in power packs or transformers, suitable for mounting directly onto normally inflammable surfaces

0,1 m

Distanza minima dagli oggetti illuminati · Minimum distance from illuminated objects

In conformità con quanto previsto dal Regolamento 874/2012/EU, integrazione della Direttiva 2010/30/UE e relativo all'etichettatura indicante il consumo d'energia delle lampade elettriche e la compatibilità degli apparecchi di illuminazione con le diverse fonti luminose (integrate o con questi compatibili), Flos S.p.A. ha inserito le etichette richieste, in formato elettronico, sul proprio sito ([www.flos.com](http://www.flos.com)) nell'area relativa ai prodotti. Le modalità per scaricare le etichette, nelle diverse lingue previste a livello comunitario, sono le seguenti: • Selezionare la collezione/il prodotto di interesse (per esempio <http://www.flos.com/decorative/en/products/floor/Arco>) • Cliccare "Vedi scheda tecnica" • Cliccare "Print Energy Label" • Selezionare la lingua e stampare l'etichetta · In accordance with the provisions of Regulation 874/2012/EU and integration of the Directive 2010/30/EU concerning labeling indicating the energy consumption of electric lamps and the compatibility of lighting appliances with different light sources (integrated or compatible with these), Flos SpA has inserted the required labels, in electronic form, on its website ([www.flos.com](http://www.flos.com)) in the area relating to products. The methods to download the labels in different languages envisaged at Community level are as follows: • Choose the collection/product you are interested in (for ex: <http://www.flos.com/decorative/en/products/floor/Arco>) • Click on "see specs sheet" • Click on "Print Energy Label" • Select the language and print the label

## WHERE TO FIND US

La nostra rete internazionale di distributori, flagship store e showroom  
Our international network of distributors, flagship stores and showrooms

### ITALY

Flos Spa  
Via Angelo Faini, 2  
25073 Bovezzo (Brescia)  
Tel +39 0302438.1  
Fax +39 0302438.250  
info@flos.com

### SPAIN

Antares Iluminación s.a.u.  
Calle Mallorca, 1 Polígono Industrial Reva  
46394 Ribarroja (Valencia)  
Tel +34 96 166 95 20  
Fax +34 96 166 82 86  
flos.architectural@flos.com

### ITALY

Ares srl  
Via dell'Artigianato, 24  
20881 Bernareggio (Monza)  
Tel +39 0396900892  
Fax +39 0396901855  
flos.outdoor@flos.com

### HEADQUARTERS

BELGIUM & LUXEMBOURG  
Flos Belux  
M +32 474 413 485  
Fax +39 0302438.250  
flosbelux@flos.com

FRANCE  
Flos S.A.R.L.  
15/17 Avenue de Sécur  
75007 Paris  
Tel +33 (0) 153 59 58 88  
Fax +33 (0) 153 59 58 89  
flos@flos.fr

Flos Projets  
20-22, passage Dauphine  
75006 Paris  
Tel +33 (0) 140 64 17 44  
flos.projets@flos.com

GERMANY  
Flos Spa  
Tel +49 21730 93721  
Fax +39 0302438.250  
info@flos.com

UNITED KINGDOM  
Atrium Ltd offices & showroom  
28 Leonard Street  
EC2A 4BY London

Tel +44 (0) 20 7681 9933  
Fax +44 (0) 20 7681 9943  
flos@atrium.ltd.uk

DENMARK  
Flos Scandinavia A/S  
Sydhavnsgade 28  
DK-2450 København SV  
Tel +45 (0) 3388 60 00  
Fax +45 (0) 3388 60 10  
info@flos.dk

NORWAY  
Flos Norge A/S  
Tel +47 (0) 2212 86 00  
Fax +47 (0) 2212 86 08  
info@flos.no

### THE NETHERLANDS

Flos BV  
Cruquiusweg 109Q  
1019 AG Amsterdam  
Tel +31 (0) 20 560 50 60  
Fax +31 (0) 20 560 50 70  
flosnetherlands@flos.com

U. S. A.  
Flos USA Inc.  
110 York Street  
5th Floor  
Brooklyn, NY 11201  
Tel +1 (718) 875-3472  
Fax +1 (718) 875-3473  
info@flosusa.com

JAPAN  
Flos Co., Ltd.  
PMC Building 9F  
1-23-5 Higashiazabu  
Minato-Ku  
Tokyo 104-0044  
Tel +81 (0) 3 35 82 14 68  
Fax +81 (0) 3 35 82 09 74  
info@flosjapan.com

UNITED KINGDOM  
Atrium Ltd offices & showroom  
28 Leonard Street  
EC2A 4BY London  
Tel +44 (0) 20 7681 9933  
Fax +44 (0) 20 7681 9943  
flos@atrium.ltd.uk

FAR EAST  
Flos Representative Office  
1, Commonwealth Lane #08-12  
149544 Singapore  
Tel +65 (0) 6372 1495  
Fax +65 (0) 6372 7607  
flosasia@flos.com

CHINA  
Flos Illumination  
(Shanghai) Co. Ltd  
Unit 101, Floor 1, building B9  
No. 800 of Chang De road  
Jing An District  
Shanghai, 200040, China  
Tel +86 21 62176187  
floschina@flos.com

### FLAGSHIP STORES

MILANO  
Corso Monforte, 9  
20122 Milano  
Tel +39 02 37011080  
Fax +39 02 780833  
flosmilano@flos.com

ROMA  
Via del Babuino, 85  
00187 Roma  
Tel +39 06 3207631  
Fax +39 06 3207690  
flosroma@flos.com

PARIS  
15, rue de Bourgogne  
75007 Paris  
Tel +33 (0) 153 85 49 93  
Fax +33 (0) 153 85 49 99  
shop@flos.fr

LYON  
17 rue Jarente  
69002 Lyon  
Tel +33 478621301  
Fax +33 478622119  
lyon@flos.fr

HONG KONG  
G/F Wyndham Place,  
44 Wyndham Street  
Central Hong Kong  
Tel +852 2801 7608  
Fax +852 2869 0722  
dentropo@netvigator.com

NEW YORK  
152 Greene Street,  
New York, NY 10012  
Tel +1 212 941 4760  
Fax +1 212 941 4763  
info@flosusa.com

### SHOWROOMS

MILANO  
Corso Monforte, 15  
20122 Milano  
Tel +39 02 79 84 57  
Fax +39 02 89 78 56 41  
contract.milano@flos.com

COPENAGHEN  
Sydhavnsgade 28  
DK-2450 København SV  
Tel +45 (0) 3388 60 00  
Fax +45 (0) 3388 60 10  
info@flos.dk

OSLO (Opening May 2018)  
Drammensveien 120  
N-0277 Oslo  
Tel +47 (0) 2212 86 00  
Fax +47 (0) 2212 86 08  
info@flos.no

AMSTERDAM  
Cruquiusweg 109Q  
1019 AG Amsterdam  
Tel +31 (0) 20 560 50 70  
Fax +31 (0) 20 560 50 70  
flosnetherlands@flos.com

TOKYO  
PMC Building 9F  
1-23-5 Higashiazabu Minato-Ku  
Tokyo 104-0044  
Tel +81 (0) 3 35 82 14 68  
Fax +81 (0) 3 55 75 70 87  
info@flosjapan.com

PARIS  
Flos Projets  
20-22, passage Dauphine  
75006 Paris  
Tel +33 (0) 140 64 17 44  
flos.projets@flos.com

### STOCKHOLM

Karlplatan  
Lützengatan 1  
S-115-20 Stockholm  
Tel +46 (0) 8 660 4405  
Fax +46 (0) 8 660 7005  
info@flos.se

## CREDITS

### EDITION

November 2017 © 2017 All rights reserved

### ART DIRECTION

Stefanie Barth & Carina Frey

### DESIGN

Guido Tamino

### STILL LIFE PHOTOGRAPHY

Frank Hülsbömer

### IN PLACE PHOTOGRAPHY

Florian Boehm, Germano Borrelli, Beppe Brancato, Santi Caleca  
Studio Casali, Monica Castiglioni, Cesare Colombo, Ramak Fazel, Francesca  
Ferrari, Luciano Ferri, Vincenzo Flore, Stefano Galuzzi, Giovanni Gastel, Zoë  
Ghertner, Stefania Giorgi, Frank Hülsbömer, Philippe Jarrigeon, Nico K. Tucci,  
Jean Baptiste Mondino, Maria Mulas, Ugo Mulas, Maki Ochoa, Timm Rautert,  
Jesper Ray - House of Pictures, Tommaso Sartori, Luciano Svegliado, Leo Torri

### PRODUCT PHOTOS

Piero Fasanotto

### ACKNOWLEDGEMENTS

Fondazione Achille Castiglioni, Studio la Città - Verona,  
Alberto Garutti, La Mutina

### PRINTING

Litopat, Verona - Italy

Il nostro mondo si evolve continuamente. I progressi tecnici sono all'ordine del giorno nel nostro settore. Lo scopo di Flos è offrire sempre la tecnologia più affidabile a disposizione, rivedendo continuamente i prodotti e aggiornandoli non appena le evoluzioni tecnologiche offrono vantaggi per i nostri partner e clienti. Questa filosofia fa sì che il nostro catalogo e le schede tecniche dei nostri prodotti siano anch'essi in continua evoluzione, con la conseguente necessità di aggiornamenti e revisioni continue. Per tanto, quando avete bisogno di dettagli tecnici e delle informazioni più recenti, sfogliate la sezione prodotti del nostro sito Web ufficiale Flos.com: è aggiornato quotidianamente e offre gli ultimi dettagli dei prodotti, dei codici degli articoli disponibili e tutta la documentazione per il download immediato.

As our world is in constant evolution, technical upgrades happens every day in our business. Flos aim is to offer always the best reliable technology available, constantly reviewing our products and upgrading them as soon as technologic evolutions offers benefits for our partners and clients. This philosophy means that our technical catalogue and product data sheets also are in constant evolution, requiring upgrades and constants reviewing. Thus, when you need technical details and the most recent product information, please browse the product section of our Flos.com official website: it is updated daily, and there you'll find the latest product details, all available part numbers, all product documents available for immediate download.

[www.flos.com](http://www.flos.com)

ALL ABOUT LIGHT

FLOS

