



Nowodvorski
LIGHTING

LUSTRO GRAD
ОПТОВЫЕ ПРОДАЖИ СВЕТИЛЬНИКОВ

Light for your home

Since 1994

Nowodvorski
LIGHTING





Tadeusz Nowodworski
Założyciel firmy. Founder of Nowodvorski Lighting

Szanowni Państwo,

Z wielką satysfakcją i radością prezentujemy Państwu najnowszy katalog produktów Nowodvorski Lighting 2019/20. Tegoroczna edycja jest dla nas szczególna, gdyż podsumowuje 25 lat naszego istnienia. Ostatnie czwierć wieku było dla nas czasem pełnym wyzwań, stanowiących doskonały impuls do ciągłego rozwoju i budowania silnej pozycji rynkowej. W tym czasie z małej, rodzinnej firmy staliśmy się liderem sektora dekoracyjnych opraw oświetleniowych – zarówno w Polsce, jak i w Europie Środkowo-Wschodniej.

Celom i wartościom, które przyświecały mnie i moim wspólnikom – bratu Wacławowi i bratankowi Bartłomiejowi, w momencie zakładania firmy, jesteśmy wierni również dziś. Oświetlenie to dla nas nie tylko lampa, przedmiot, ale najważniejszy element wystroju wnętrza domowego, budujący jego charakter i klimat. W powstanie każdego z naszych produktów wkładaliśmy i wciąż wkładamy ogrom serca. Świadomość, że oprawy Nowodvorski Lighting trafiają dziś do milionów domów, nie tylko w Polsce, ale też na świecie, napawa nas dumą, a jednocześnie motywuje do dalszego rozwoju. To z myślą o Państwu – naszych klientach, stale śledzimy najnowsze światowe trendy i poszukujemy nowych rozwiązań, tak, by nasze produkty zachwycały nie tylko wysoką jakością wykonania, ale też nadążały za najnowszymi trendami wnętrzarskimi. Oferujemy nie tylko pojedyncze, modne lampy, ale też podpowiadamy, jak możecie Państwo stworzyć kompleksowe rozwiązania oświetleniowe w swoich domach. Nasz asortyment to bogactwo wzorów, różne stylistyki, od tradycyjnej i klasycznej po supernowoczesną, wysoka jakość wywodząca się z centrum Europy.

Jesteśmy niezmiernie dumni z faktu, że w dobie powszechnej optymalizacji wydatków i przenoszenia produkcji do regionów o niższych kosztach produkcyjnych, ale też niższych standardach pracy, my wciąż produkujemy w domu, w Polsce, w centrum Europy. Dodatkowo nasze polskie lampy są obecne na 50 rynkach świata. Idąc pod prąd branży z każdym rokiem inwestujemy w rozwój firmy tu na miejscu, w Częstochowie i Siemianowicach Śląskich – w najnowocześniejszą technologię, automatyzację produkcji, zwiększamy zatrudnienie i moc produkcyjne. Z najwyższą starannością dbamy o relacje z dystrybutormi krajowymi i zagranicznymi, by współpraca z nami była nie tylko korzystna, ale też przyjemna i bez zbędnych formalności.

Zakładając rodzinny biznes 25 lat temu z dużą pokorą i pasją do pracy staliśmy się pierwsze kroki w branży. Jak się okazało, poprowadziły nas ku świetlanej przyszłości, w której marka Nowodvorski Lighting jest doceniana zarówno przez naszych partnerów handlowych, jak i klientów indywidualnych, z roku na rok umacniając swoją pozycję. Za to zaufanie i sympatię dla naszej marki chcemy Państwu ogromnie podziękować. W imieniu całego zespołu obiecujemy tego zaufania nie zawieść. Kochamy to co robimy, w pełni oddajemy się tej pasji i mamy nadzieję tą dobrą energią dzielić się z Państwem przez kolejne lata, rozświetlając Państwa wnętrze domowe naszymi produktami.

Tadeusz Nowodworski
Założyciel firmy.

A handwritten signature in black ink, appearing to read "Nowodworski".

Ladies and Gentlemen,

With great satisfaction and pleasure, we present you the newest product catalog from Nowodvorski Lighting. This year's products collection is special for us, it sums up 25 years of our existence. The last quarter of a century has been a time of challenges for us, a perfect impulse for continuous development and for building a strong market position. During this time, from a small, family-owned company, we have become a leader in the decorative lighting sector - both in Poland and in Central and Eastern Europe.

The goals and values ??that guided me and my partners - brother Wacław and my nephew Bartłomiej, at the time of starting the company, are also faithful today. Lighting for us is not just a lamp, an object, but the most important element of the home interior design, building its character and atmosphere inside. Creating each of our products, we always put in a lot of heart. Awareness that Nowodvorski Lighting products get to millions of homes today, not only in Poland, but also worldwide, fills us with pride and, at the same time, motivates us to further development. Thinking of our clients and their needs we constantly follow the latest global trends and look for the new solutions. Because of this our products still delight clients not only with high quality of workmanship, but also keep them updated with the latest interior design trends. We offer not only single, fashionable lamps, but now we advise clients how they can create comprehensive lighting solutions in their homes. Our offer means a wealth of designs, different styles - from classic to ultra-modern and high quality directly from the center of Europe.

We are extremely proud of the fact that in the era of widespread expenditure optimization and relocation of production to regions with lower production costs, but also lower labor standards, we still produce at home, in Poland, in the center of Europe. In addition, our Polish lamps are present in 50 markets worldwide. Every year going against the industry, we invest in the development of the company here, in Częstochowa and Siemianowice Śląskie. We invest in the latest technology, production automation, we increase employment and production capacity. With the utmost attention we take care of relations with country and foreign distributors. We want to keep cooperation not only beneficial for each other, but also pleasant and without unnecessary formalities.

Establishing a family business 25 years ago, with our humbleness and passion for work, we took our first steps in the industry. As it turned out, they led us to a bright future, in which the Nowodvorski Lighting brand is appreciated by both our trading partners and individual clients, strengthening its position from year to year. For this trust and sympathy for our brand, we would like to thank you very much. On behalf of the entire team, we promise you do not disappoint this trust. We love what we do, we fully devote ourselves to this passion and we hope to share this energy with you over the years, illuminating your home interior with our products.



Tadeusz Nowodworski
Founder of Nowodvorski Lighting


A handwritten signature in black ink, appearing to read "Nowodworski".




modern














ABI L 8865 WH



ABI M 8866 BL

ABI S 8870 BL

ABI L 8864 BL



ABI M

stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

8867 ○ WH 8866 ● BL

1xE27, max 40W

ABI S

stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

8868 ○ WH 8870 ● BL

1xE27, max 40W

ABI L

stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

8865 ○ WH 8864 ● BL


1xE27, max 40W



GSTAR 8854 G/BL



UMBRELLA 8874 G/BL




GSTAR

stal mosiądzowana, stal lakierowana /
electroplated brass, painted steel /
латунная сталь, лакированная сталь

8854 G/BL

1xGU10, max 35W



UMBRELLA

stal mosiądzowana, stal lakierowana /
electroplated brass, painted steel /
латунная сталь, лакированная сталь

8874 G/BL

1xE27, max 60W

stal lakierowana / painted steel /
латированная сталь

8873 BL

1xE27, max 60W



KAREN 4608 WH



AVEIRO 5126 BL



AIDA 4614 BL



AIDA


stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

4614 ● BL 4615 ○ WH

1xE27, max 40W



CAMILLA 4610 BL



CAMILLA

stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

4610 ● BL 4611 ○ WH

1xE27, max 40W



AVEIRO 5410 WH




AVEIRO


stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

5410 ○ WH 5411 ● BL

1xE27, max 40W




AGADIR 5300 WH



AGADIR

stal lakierowana / painted steel / лакированная сталь
5300 ○ WH 5301 ● BL
① 1xE27, max 60W



CAGE

stal lakierowana / painted steel / лакированная сталь

6844 ● BL

① 1xGU10, max 35W




ALLAN

stal lakierowana / painted steel / лакированная сталь

6940 ○ WH 6941 ● BL

① 1xGU10, max 35W



MERSEY

stal lakierowana, szkło / painted steel, glass / лакированная сталь, стекло
5295 ○ WH 5296 ● BL
① 1xE27, max 60W



MEKNES

stal lakierowana / painted steel / лакированная сталь
5297 ○ WH 5298 ● BL
① 1xE27, max 60W




PERTH

stal lakierowana / painted steel / лакированная сталь
5491 ○ WH 5492 ● BL
① 1xE27, max 60W



STICKS 9076 G




STICKS

stal lakierowana / painted steel /
лакированная сталь

9077 G

2xE27, max 60W



STICKS


stal lakierowana / painted steel /
лакированная сталь

9076 G

5xE27, max 60W



STICKS 9077 G




STICKS

stal lakierowana / painted steel /
лакированная сталь

6270 ⚡ BL/CO

5xE27, max 60W




STICKS

stal lakierowana / painted steel /
лакированная сталь

6268 ⚡ BL/CO

3xE27, max 60W



STICKS

stal lakierowana / painted steel /
лакированная сталь



6267 ⚡ BL/CO

2xE27, max 60W





AXIS 9297 BL/G




AXIS

stal lakierowana / painted steel / лакированная сталь

9294 ⚫ BL/G

⑧ 1xE27, max 60W




AXIS

stal lakierowana / painted steel / лакированная сталь

9296 ⚫ BL/G

⑧ 6xE27, max 60W



AXIS


stal lakierowana / painted steel / лакированная сталь

9297 ⚫ BL/G

⑧ 6xE27, max 60W



ROD 9733 BL



ROD

stal lakierowana / painted steel / лакированная сталь

9733 ● BL 9027 ● G

15xE27, max 60W

ROD

stal lakierowana / painted steel / лакированная сталь

9734 ● BL 9130 ● G

9xE27, max 60W




ROD 9130 G

CRATE 9045 BL

CRATE 9046 BL



CRATE 9047 BL




CRATE

stal lakierowana / painted steel /
лакированная сталь

9046 ● BL

∅ 1xE27, max 60W




CRATE

stal lakierowana / painted steel /
лакированная сталь

9045 ● BL

∅ 1xE27, max 60W



CRATE

stal lakierowana / painted steel /
лакированная сталь

9047 ● BL

∅ 5xE27, max 60W






PILE 9127 BL



MILL 9135 BL/G



MILL 9136 BL/G




PILE

stal lakierowana / painted steel / лакированная сталь

9127 ● BL

④ 5xE27, max 60W




PILE

stal lakierowana / painted steel / лакированная сталь

9128 ● BL

④ 3xE27, max 60W




MILL

stal lakierowana / painted steel / лакированная сталь

9135 ● BL/G

④ 8xE27, max 60W




MILL

stal lakierowana / painted steel / лакированная сталь

9136 ● BL/G

④ 3xE27, max 60W




TWIG

stal lakierowana / painted steel /
лакированная сталь

9141 ● BL

⌚ 2xE27, 60W




TWIG

stal lakierowana / painted steel /
лакированная сталь

9138 ● BL

⌚ 6xE27, 60W



TWIG



stal lakierowana / painted steel /
лакированная сталь

9140 ● BL

⌚ 4xE27, 60W



⌚ 3xE27, 60W






WORKSHOP 6336 BL/CO



WORKSHOP 6335 BL/CO




WORKSHOP

stal lakierowana / painted steel /
лакированная сталь

6606 ⚡ BL/CO

💡 1xE27, max 60W




WORKSHOP

stal lakierowana / painted steel /
лакированная сталь

6605 ⚡ BL/CO

💡 1xE27, max 60W




WORKSHOP

stal lakierowana / painted steel /
лакированная сталь

6337 ⚡ BL/CO

💡 1xE27, max 60W



WORKSHOP

stal lakierowana / painted steel /
лакированная сталь

6336 ⚡ BL/CO

💡 1xE27, max 60W



WORKSHOP 9631 BL/CO




WORKSHOP

stal lakierowana / painted steel /
лакированная сталь

6335 ⚡ BL/CO

💡 1xE27, max 60W






WORKSHOP

stal lakierowana / painted steel /
лакированная сталь

9631 ⚡ BL/CO

💡 6xE27, max 60W

MANUFACTURE 9740 BL/CO



MANUFACTURE

stal lakierowana / painted steel /
лакированная сталь

9742 ● BL/CO

1xE27, max 60W

MANUFACTURE

stal lakierowana / painted steel /
лакированная сталь

9741 ● BL/CO

1xE27, max 60W

MANUFACTURE


stal lakierowana / painted steel /
лакированная сталь

9740 ● BL/CO

3xE27, max 60W



MANUFACTURE 9738 BL/CO






MANUFACTURE

stal lakierowana / painted steel /
лакированная сталь

9738 ● BL/CO

5xE27, max 60W



STALACTITE

mosiądz, stal lakierowana / brass, painted steel /
латунь, лакированная сталь

9054 G BL/BS

3xG9, max 10W, only LED

STALACTITE

mosiądz, stal lakierowana, peszel /
brass, painted steel, protective pipe /
латунь, лакированная сталь, кабель-канал

9055 G BL/BS

2xG9, max 10W, only LED

LASER 8920 BL



LASER

stal lakierowana / painted steel /
лакированная сталь


8796 WH 8797 BL

Ⓐ 1xG9, max 10W, only LED

mosiądz, stal lakierowana /
brass, painted steel /
латунь, лакированная сталь

8798 BS/BL

Ⓐ 1xG9, max 10W, only LED



LASER 8922 WH

LASER

stal lakierowana / painted steel /
лакированная сталь



8918 WH 8920 BL

Ⓐ 7xG9, max 10W, only LED

mosiądz, stal lakierowana /
brass, painted steel /
латунь, лакированная сталь

8921 BS/BL

Ⓐ 7xG9, max 10W, only LED



LASER

stal lakierowana / painted steel /
лакированная сталь

8922 WH 8923 BL

Ⓐ 10xG9, max 10W, only LED

mosiądz, stal lakierowana /
brass, painted steel /
латунь, лакированная сталь

8924 BS/BL

Ⓐ 10xG9, max 10W, only LED








EYE M 8914 BS/BL




EYE L 8800 BS/BL





EYE L 8916 WH



EYE L

stal lakierowana / painted steel /
лакированная сталь

8916 ○ WH 8917 ● BL

3xGU10, max 10W, only LED

mosiądz, stal lakierowana / brass, painted steel /
латунь, лакированная сталь

8915 ○ BS/BL

3xGU10, max 10W, only LED



EYE L 8917 BL



EYE S 6836 BL



EYE S


stal lakierowana / painted steel / лакированная сталь

5255 WH 5257 SI

5256 GR 6836 BL

💡 1xGU10, max 35W

EYE M 5464 GR



EYE M

stal lakierowana / painted steel / лакированная сталь

5463 WH 5465 SI

5464 GR 6837 BL

💡 1xGU10, max 35W

EYE L 5473 SI



EYE L

stal lakierowana / painted steel / лакированная сталь

5471 WH 5473 SI

5472 GR 6838 BL

💡 1xGU10, max 35W



EYE M 5400 SI



EYE M

stal lakierowana / painted steel / лакированная сталь


5397 WH 5400 SI

5398 GR 6840 BL

💡 1xGU10, max 10W, only LED



EYE L 5456 GR



EYE L

stal lakierowana / painted steel / лакированная сталь

5455 WH 5457 SI

5456 GR 6841 BL

💡 1xGU10, max 10W, only LED



EYE L 5455 WH




EYE FLEX S 9070 WH



EYE FLEX S 9068 BL



EYE FLEX S 9067 BS/BL



EYE FLEX S

stal lakierowana, peszel / painted steel, protective pipe /
лакированная сталь, кабель-канал

9070 WH 9068 BL

1xGU10, max 10W, only LED

mosiądz, peszel /brass, protective pipe /
латунь, кабель-канал

9067 BS/BL

1xGU10, max 10W, only LED



EYE FLEX S

stal lakierowana, peszel / painted steel, protective pipe /
лакированная сталь, кабель-канал

8934 WH 8935 BL

1xGU10, max 10W, only LED

EYE S 5654 WH




EYE S 5656 SI



EYE S 5655 GR



EYE S 6842 BL



EYE S

stal lakierowana / painted steel / лакированная сталь

5654 WH 5656 SI

5655 GR 6842 BL

1xGU10, max 35W



EYE SUPER B 6503 BL

EYE SUPER A 6495 GR




EYE SUPER A

stal lakierowana / painted steel / лакированная сталь

6488 WH 6495 GR 6502 BL

1xGU10, max 35W




EYE SUPER B

stal lakierowana / painted steel / лакированная сталь

6490 WH 6496 GR 6503 BL

1xGU10, max 35W

EYE SUPER 6494 GR





EYE SUPER

stal lakierowana / painted steel / лакированная сталь

6487 WH 6494 GR 6501 BL

💡 1xGU10, max 35W

EYE SUPER C 6630 WH




EYE SUPER C

stal lakierowana / painted steel / лакированная сталь

6630 WH 6631 GR 6632 BL

💡 1xGU10, max 35W

EYE SUPER 6497 GR




EYE SUPER

stal lakierowana / painted steel / лакированная сталь

6491 WH 6497 GR 6504 BL

💡 3xGU10, max 35W

EYE SUPER 6505 BL



EYE SUPER

stal lakierowana / painted steel / лакированная сталь

6492 WH 6498 GR 6505 BL


💡 6xGU10, max 35W

EYE SUPER


stal lakierowana / painted steel / лакированная сталь

6493 WH 6500 GR 6506 BL

💡 1xGU10, max 35W



IMBRIA 9677 BL




IMBRIA 9674 WH

IMBRIA

stal lakierowana, kabel w oplocie / painted steel, braided cable /
лакированная сталь, кабель в оплётке

9191 WH 9192 BL

④ 4xGU10, max 35W




IMBRIA

stal lakierowana, kabel w oplocie / painted steel, braided cable /
лакированная сталь, кабель в оплётке

9676 WH 9677 BL

④ 6xGU10, max 35W




IMBRIA

stal lakierowana, kabel w oplocie / painted steel, braided cable /
лакированная сталь, кабель в оплётке

9678 WH 9680 BL

④ 10xGU10, max 35W






QUEBECK

stal lakierowana / painted steel / лакированная сталь

5404 ○ WH 5406 ● BL

3xGU10, max 35W



QUEBECK

stal lakierowana / painted steel / лакированная сталь

5403 ○ WH 5405 ● BL

1xGU10, max 35W





POLY M 8878 BL



POLY M 8877 WH



POLY S 8876 BL



POLY S 8875 WH



12 cm

5.8 cm

aluminium lakierowane / painted aluminum /
лакированный алюминий

8875 ○ WH 8876 ● BL

④ 1xGU10, max 35W




25 cm

5.5 cm

aluminium lakierowane / painted aluminum /
лакированный алюминий

8877 ○ WH 8878 ● BL

④ 1xGU10, max 35W



130 cm

25 cm

5.5 cm

POLY M


aluminium lakierowane / painted aluminum /
лакированный алюминий

8880 ○ WH 8881 ● BL

④ 1xGU10, 10W only LED



POLY M 8881 BL



130 cm

40 cm

5.5 cm

POLY L


aluminium lakierowane / painted aluminum /
лакированный алюминий

8882 ○ WH 8883 ● BL

④ 1xGU10, 10W only LED



POLY L 8882 WH



130 cm

40 cm

20 cm

POLY


aluminium lakierowane / painted aluminum /
лакированный алюминий

8884 ○ WH 8885 ● BL

④ 3xGU10, 10W only LED



POLY 8885 BL



BRYCE 5675 WH

GR


WH

CN

GR



PERM 9147 BL/G




PERM

stal lakierowana / painted steel / лакированная сталь

9148 ⚡ BL/G

💡 1xE27, max 60W




PERM

stal lakierowana / painted steel / лакированная сталь

9147 ⚡ BL/G

💡 2xE27, max 60W



PERM 9148 BL/G

PERM

stal lakierowana / painted steel / лакированная сталь

9146 ⚡ BL/G

💡 3xE27, max 60W



TECHNO

stal lakierowana / painted steel /
лакированная сталь

9145 ⚡ BL/WH

💡 1xE27, max 60W

TECHNO

stal lakierowana / painted steel /
лакированная сталь

9144 ⚡ BL/WH

💡 1xE27, max 60W

TECHNO

stal lakierowana / painted steel /
лакированная сталь

9143 ⚡ BL/WH

💡 2xE27, max 60W

TECHNO


stal lakierowana / painted steel /
лакированная сталь

9142 ⚡ BL/WH


💡 3xE27, max 60W



PANTOGRAPH 9126 BL/WH



PANTOGRAPH 9126 BL/WH



PANTOGRAPH

stal lakierowana / painted steel / лакированная сталь

9126 ⚒ BL/WH

💡 1xE27, max 60W



CRAFT 9150 BL/WH

CRAFT 9151 BL/WH




CRAFT

stal lakierowana / painted steel / лакированная сталь

9151 ⚒ BL/WH

💡 1xE27, max 60W




CRAFT

stal lakierowana / painted steel / лакированная сталь

9150 ⚒ BL/WH

💡 3xE27, max 60W



CYCLON

stal lakierowana, stal mosiądzowana /
painted steel, electroplated brass /
лакированная сталь, латунная сталь


8887 BL/G

10W LED

stal lakierowana / painted steel /
лакированная сталь

8886 WH

10W LED



CYCLON

stal lakierowana, stal mosiądzowana /
painted steel, electroplated brass /
лакированная сталь, латунная сталь

8890 BL/G

10W LED

stal lakierowana / painted steel /
лакированная сталь

8888 WH

10W LED



CYCLON 8894 BL/G

CYCLON

stal lakierowana, stal mosiądzowana /
painted steel, electroplated brass /
лакированная сталь, латунная сталь


8894 BL/G

10W LED

stal lakierowana / painted steel /
лакированная сталь

8893 WH

10W LED



CYCLON 8892 BL/G

CYCLON

stal lakierowana, stal mosiądzowana /
painted steel, electroplated brass /
лакированная сталь, латунная сталь

8892 BL/G



10W LED

stal lakierowana / painted steel /
лакированная сталь

8891 WH


10W LED

Item No.	INPUT POWER	COLOUR TEMP.	LUMINOUS FLUX	LUMINAIRE EFFICIENCY	COLOUR RENDERING INDEX (CRI ≥)	INPUT	LIFETIME
8892, 8891, 8887, 8886, 8890, 8888	10W LED	3000K	800 lm	80	80	~230V, 50Hz	50 000 h
8894, 8893	2x10W LED	3000K	2x800 lm	80	80	~230V, 50Hz	50 000 h





HARMONY

stal lakierowana / painted steel /
лакированная сталь
6870 ○ WH
3xE27, max 60W





HARMONY

stal lakierowana / painted steel /
лакированная сталь
6871 ○ WH
5xE27, max 60W




INDUSTRIAL M 5530 GR/R





HIGH-BAY 5066 WH



HIGH-BAY

stal lakierowana / painted steel / лакированная сталь

5066 WH 5067 BL

1xE27, max 60W





GARRET 6443 CHT/CO



GARRET 9247 CHT/CO

GARRET

stal lakierowana / painted steel /
лакированная сталь

6444 ⚡ CHT/CO

1xE27, max 60W

GARRET

stal lakierowana / painted steel /
лакированная сталь

6445 ⚡ CHT/CO

1xE27, max 60W

GARRET

stal lakierowana / painted steel /
лакированная сталь

9247 ⚡ CHT/CO

1xE27, max 60W

GARRET

stal lakierowana / painted steel /
лакированная сталь

6442 ⚡ CHT/CO

1xE27, max 60W


GARRET

stal lakierowana / painted steel /
лакированная сталь

6442 ⚡ CHT/CO

1xE27, max 60W

LOFT 5554 EC/CO



stal lakierowana / painted steel /
лакированная сталь

5052 EC/CO

1xE27, max 60W

LOFT

stal lakierowana / painted steel /
лакированная сталь

5048 EC/CO

1xE27, max 60W

LOFT

stal lakierowana / painted steel /
лакированная сталь

5554 EC/CO

1xE27, max 60W


LOFT 5056 TA/CO



stal lakierowana / painted steel /
лакированная сталь

5665 TA/CO

1xE27, max 60W



stal lakierowana / painted steel /
лакированная сталь

5053 TA/CO

1xE27, max 60W



stal lakierowana / painted steel /
лакированная сталь

5056 TA/CO

1xE27, max 60W






LOFT 5058 CHT/CO



LOFT 5057 CHT/CO



LOFT

stal lakierowana / painted steel /
лакированная сталь

5058 CHT/CO

1xE27, max 60W




LOFT

stal lakierowana / painted steel /
лакированная сталь

5664 CHT/CO

1xE27, max 60W



LOFT

stal lakierowana / painted steel /
лакированная сталь

5057 CHT/CO

1xE27, max 60W



LOFT

stal lakierowana / painted steel /
лакированная сталь

5060 CHT/CO

1xE27, max 60W



LOFT

stal lakierowana / painted steel /
лакированная сталь

5061 CHT/CO

1xE27, max 60W




LOFT 5060 CHT/CO



LOFT 5061 CHT/CO

HEMISPHERE RUST L 6368 BR




HEMISPHERE RUST S

stal lakierowana / painted steel / лакированная сталь

6367 BR

1xE27, max 60W



HEMISPHERE CRACKS S

stal lakierowana / painted steel / лакированная сталь

6370 BR


1xE27, max 60W

HEMISPHERE RUST L

stal lakierowana / painted steel / лакированная сталь

6368 BR

1xE27, max 60W



HEMISPHERE CRACKS L

stal lakierowana / painted steel / лакированная сталь




6371 BR


1xE27, max 60W






<https://www.lustrograd.com/vendors/nowodvorski/>





HEMISPHERE HIT S 6777 BL/G




HEMISPHERE HIT S

stal lakierowana / painted steel / лакированная сталь

6777 ⚡ BL/G

⌚ 1xE27, max 100W



HEMISPHERE HIT L

stal lakierowana / painted steel / лакированная сталь

6778 ⚡ BL/G

⌚ 1xE27, max 100W




BOWL M

stal lakierowana, szkło / painted steel, glass / лакированная сталь, стекло

5078 ⚡ BL/WH 5083 ⚡ WH

⌚ 3xE27, max 60W



BOWL L


stal lakierowana, szkło / painted steel, glass / лакированная сталь, стекло

5077 ⚡ BL/WH 5082 ⚡ WH

⌚ 3xE27, max 60W



PLANT 9382 WH



PLANT

stal lakierowana / painted steel / лакированная сталь

9382 ○ WH 9381 ● BL

💡 4xGU10, max 35W

DIAMOND 6344 BL



DIAMOND 8801 WH



DIAMOND

stal lakierowana / painted steel / лакированная сталь

6344 ● BL 8801 ○ WH


💡 1xE27, max 60W



BUBBLE 6144 WH

stal lakierowana / painted steel /
лакированная сталь
6144 WH 6033 BL
 7xGU10, max 35W

BUBBLE 6142 WH




BUBBLE

stal lakierowana / painted steel /
лакированная сталь
6142 WH 6031 BL
 1xGU10, max 35W




BUBBLE 6035 BL



BUBBLE

stal lakierowana / painted steel /
лакированная сталь
6035 BL 6145 WH
 1xGU10, max 35W


BUBBLE 6030 BL



BUBBLE

stal lakierowana / painted steel /
лакированная сталь
6030 BL 6023 WH


1xGU10, max 35W



BUBBLE


stal lakierowana / painted steel /
лакированная сталь
6035 BL 6145 WH

1xGU10, max 35W



BUBBLE

stal lakierowana / painted steel /
лакированная сталь
6032 BL 6143 WH
 3xGU10, max 35W




BALL

stal lakierowana / painted steel /
лакированная сталь

6598 ⚡ WH 6583 ⚡ BL/WH

6602 ⚡ WH/G 6586 ⚡ BL/G

⌚ 1xGU10, max 35W




BALL

stal lakierowana / painted steel /
лакированная сталь

6600 ⚡ WH 6584 ⚡ BL/WH

6603 ⚡ WH/G 6586 ⚡ BL/G

⌚ 3xGU10, max 35W




BALL

stal lakierowana / painted steel /
лакированная сталь


6601 ⚡ WH 6585 ⚡ BL/WH

6604 ⚡ WH/G 6588 ⚡ BL/G

⌚ 7xGU10, max 35W



PETRA









PETRA

stal lakierowana / painted steel /
лакированная сталь

9798 ⚡ CO

⌚ 1xE27, max 60W






SIMPLE 6973 BL





SPIDER 6786 R




SPIDER

kabel w oplocie / braided cable /
кабель в оплётке

9745 WH

1xE27, max 60W




SPIDER

kabel w oplocie / braided cable /
кабель в оплётке

9744 WH 6790 R

5xE27, max 60W



SPIDER


kabel w oplocie / braided cable /
кабель в оплётке

9743 WH 6786 R

7xE27, max 60W



SPIDER 6794 GY




SPIDER 6785 BL

X+Y=max 300 cm

SPIDER


kabel w oplocie / braided cable /
кабель в оплётке
6788 ● BL 6791 ● GY
5xE27, max 60W






X+Y=max 300 cm

SPIDER

kabel w oplocie / braided cable /
кабель в оплётке
6785 ● BL 6787 ● GY
7xE27, max 60W




SPIDER 6791 GY





GEOMETRIC 9695 CN




GEOMETRIC

beton, kabel w oplocie / concrete, braided cable /
бетон, кабель в оплетке

9696 CN

1xGU10, max 35W




GEOMETRIC

beton, kabel w oplocie / concrete, braided cable /
бетон, кабель в оплетке

9697 CN

1xGU10, max 35W





GEOMETRIC

beton, kabel w oplocie / concrete, braided cable /
бетон, кабель в оплетке

9695 CN

3xGU10, max 35W






STONE TRAVERTINE 7014 GR



STONE GRAY 7015 GR




STONE GRAY

tworzywo sztuczne / plastic / пластик

7015 GR

1xT5, 54W



STONE TRAVERTINE

tworzywo sztuczne / plastic / пластик


7014 GR

1xT5, 39W





SHY 9391 CN



SHY


beton / concrete / бетон

9391 ● CN

1xGU10, max 35W



SHY 9393 CN



SHY

beton / concrete / бетон

9393 ● CN

1xGU10, ES111, max 75W



SHY



beton / concrete / бетон

9390 ● CN

1xGU10, max 35W



BOLD 9388 CN




BOLD

beton / concrete / бетон

9388 ● CN

1xGU10, max 35W



BOLD


beton / concrete / бетон

9392 ● CN

1xGU10, ES111, max 75W



ARCH 9633 GY



ARCH


gips, szkło / gypsum, glass / гипс, стекло

9633 GY

💡 1xE27, max 60W



ARCH 9720 GY



ARCH


gips, szkło / gypsum, glass / гипс, стекло

9720 GY

💡 2xE27, max 60W



SOLID 9721 CN




SOLID

beton, szkło / concrete, glass / бетон, стекло

9721 CN

💡 2xE27, max 60W






GIPSY PROSTOKĄT L

gips, szkło / plaster, glass / гипс, стекло

2208 GY

2xE27, max 60W




GIPSY PROSTOKĄT M

gips, szkło / plaster, glass / гипс, стекло

2207 GY

2xE27, max 60W




GIPSY PROSTOKĄT S

gips, szkło / plaster, glass / гипс, стекло

2206 GY

1xE27, max 60W




GIPSY ŁUK L

gips, szkło / plaster, glass / гипс, стекло

2411 GY

2xE27, max 60W




GIPSY ŁUK S

gips, szkło / plaster, glass / гипс, стекло

2410 GY

1xE27, max 60W




GIPSY MOON S

gips, szkło / plaster, glass / гипс, стекло

5451 GY

1xE27, max 60W



MUSE L 8871 WH

MUSE M 8872 WH




MUSE M

lycra, stal lakierowana / lycra, painted steel /
лайкра, лакированная сталь

8872 ○ WH

⌚ 1xE27, LED / ↗ max 25W



MUSE L

lycra, stal lakierowana / lycra, painted steel /
лайкра, лакированная сталь


8871 ○ WH

⌚ 1xE27, LED / ↗ max 25W

FORM M 9673 WH



FORM L 9672 WH




FORM L

lycra, stal lakierowana / lycra, painted steel / лайкра, лакированная сталь

9672 ○ WH

∅ 4xE27, LED / max 25W



FORM M

lycra, stal lakierowana / lycra, painted steel / лайкра, лакированная сталь

9673 ○ WH


∅ 2xE27, LED / max 25W

MIST 8944 WH



MIST 8943 WH

MIST 8942 WH




MIST

abażur, papier PVC, stal lakierowana / shade, paper PCV, painted steel / абажур, бумага PCV, лакированная сталь

8943 ○ WH

∅ 3xE27, LED / max 25W




MIST

abażur, papier PVC, stal lakierowana / shade, paper PCV, painted steel / абажур, бумага PCV, лакированная сталь

8944 ○ WH

∅ 7xE27, LED / max 25W



MIST

abażur, papier PVC, stal lakierowana / shade, paper PCV, painted steel / абажур, бумага PCV, лакированная сталь

8942 ○ WH

∅ 3xE27, LED / max 25W




LAGUNA 8957 EC



LAGUNA 8954 EC



LAGUNA 8951 EC




LAGUNA

abażur, papier PVC, stal lakirowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8954 EC

④ 3xE27, LED / max 25W




LAGUNA

abażur, papier PVC, stal lakirowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8957 EC

④ 4xE27, LED / max 25W




LAGUNA

abażur, papier PVC, stal lakirowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8962 EC

④ 9xE27, LED / max 25W



LAGUNA

abażur, papier PVC, stal lakirowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8951 EC

④ 3xE27, LED / max 25W



TURDA 8952 WH/SI




TURDA 8958 WH/SI



TURDA 8946 GY/SI



TURDA 8947 GY/SI




TURDA

abażur, papier PVC, stal lakierowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8945 ⚡ WH/SI

⌚ 3xE27, LED / ↗ max 25W




TURDA

abażur, papier PVC, stal lakierowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8952 ⚡ WH/SI

⌚ 3xE27, LED / ↗ max 25W




TURDA

abażur, papier PVC, stal lakierowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8958 ⚡ WH/SI

⌚ 7xE27, LED / ↗ max 25W




TURDA

abażur, papier PVC, stal lakierowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8946 ⚡ GY/SI

⌚ 3xE27, LED / ↗ max 25W




TURDA

abażur, papier PVC, stal lakierowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8947 ⚡ GY/SI

⌚ 3xE27, LED / ↗ max 25W



TURDA

abażur, papier PVC, stal lakierowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8953 ⚡ GY/SI


⌚ 7xE27, LED / ↗ max 25W



TURDA 8955 G



TURDA 8802 G




TURDA

abażur, papier PVC, stal lakierowana /
shade, paper PCV, painted steel /
абажур, бумага РСВ, лакированная сталь

8950 G

① 3xE27, LED / max 25W




TURDA

abażur, papier PVC, stal lakierowana /
shade, paper PCV, painted steel /
абажур, бумага РСВ, лакированная сталь

8955 G

① 4xE27, LED / max 25W



TURDA

abażur, papier PVC, stal lakierowana /
shade, paper PCV, painted steel /
абажур, бумага РСВ, лакированная сталь


8802 G

① 7xE27, LED / max 25W





CROCO 8961 GR




CROCO

abażur, papier PVC, stal lakierowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8948 ● GR

⌚ 3xE27, LED / ⚡ max 25W




CROCO

abażur, papier PVC, stal lakierowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8956 ● GR

⌚ 4xE27, LED / ⚡ max 25W



CROCO

abażur, papier PVC, stal lakierowana /
shade, paper PCV, painted steel /
абажур, бумага PCV, лакированная сталь

8961 ● GR

⌚ 9xE27, LED / ⚡ max 25W

CAMERON 9605 WH





CAMERON 9685 WH



CAMERON 9683 GY



CAMERON 9681 TA




CAMERON

abažur, papier PVC / shade, paper PCV /
абажур, бумага PCV

9605 WH

① 2xE27, LED / max 25W




CAMERON

abažur, papier PVC / shade, paper PCV /
абажур, бумага PCV

9685 WH

① 1xE27, LED / max 25W



CAMERON

abažur, papier PVC / shade, paper PCV /
абажур, бумага PCV

9684 WH




① 3xE27, LED / max 25W

CAMERON

abažur, papier PVC / shade, paper PCV /
абажур, бумага PCV

9606 WH

① 4xE27, LED / max 25W



CAMERON

abažur, papier PVC / shade, paper PCV /
абажур, бумага PCV

9681 TA 9682 GY

① 4xE27, LED / max 25W

CAMERON

abažur, papier PVC / shade, paper PCV /
абажур, бумага PCV

9688 TA 9683 GY


① 3xE27, LED / max 25W

CAMERON

abažur, papier PVC / shade, paper PCV /
абажур, бумага PCV

9686 TA 9687 GY

① 2xE27, LED / max 25W



ALEHANDRO 55



ALEHANDRO 55

abażur, stal chromowana, szkło / shade, electroplated steel, glass /
abażur, хромированная сталь, стекло

5344 ○ WH 5352 ● BL
 3xE27, max 60W



ALEHANDRO 35

abażur, szkło / shade, glass /
абажур, стекло
5270 ○ WH 5347 ● BL
 2xE27, max 60W

ALEHANDRO 45

abażur, szkło / shade, glass /
абажур, стекло
5271 ○ WH 5348 ● BL
 3xE27, max 60W

ALEHANDRO 70


abażur, szkło / shade, glass /
абажур, стекло
5288 ○ WH 5350 ● BL
 7xE27, max 60W

ALEHANDRO 100

abażur, szkło / shade, glass /
абажур, стекло
5343 ○ WH 5351 ● BL
 9xE27, max 60W

ALEHANDRO LED 100

abażur, szkło / shade, glass /
абажур, стекло
5286 ○ WH 5287 ● BL
 9xE27, max 60W
 200x0,08W LED white included



VIVIANE

abażur, stal chromowana, szkło / shade, electroplated steel, glass /
абажур, хромированная сталь, стекло

6772 WH 6773 GY 6774 BL


3xE27, max 60W

VIVIANE

abażur, stal chromowana, szkło / shade, electroplated steel, glass /
абажур, хромированная сталь, стекло

6391 WH 6532 GY 6390 BL

3xE27, max 60W




BOAT

drewno, abażur / wood, shade /
дерево, абажур

6623 WH 6310 GY

2xE27, max 60W



BOAT

drewno, abażur / wood, shade /
дерево, абажур

6624 WH 6311 GY 6308 BL



4xE27, max 60W






ALICE 9084 BL/G




ALICE 9091 BL/G





ALICE 3465 CE/WH




ALICE

abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь

3465 CE/WH 3458 EC/WH

1xE27, max 100W




ALICE

abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь

3466 CE/WH 3460 EC/WH

1xE27, max 100W



ALICE

abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь

9081 CE/WH 9080 EC/WH

1xE27, max 60W

ALICE

abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь

9088 CE/WH 9086 EC/WH

1xE27, max 60W


ALICE 3466 CE/WH



ALICE 5663 EC/WH



ALICE 3457 EC/WH




ALICE

abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь

3464 CE/WH 3457 EC/WH

1xE27, max 100W



ALICE

abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь

5662 CE/WH 5663 EC/WH


1xE27, max 60W



ALANYA 9367 WH



ALANYA 9373 GY





RETTO A 5197



RETTO B 5380



RETTO A

abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь

5197



3xE27, max 60W

RETTO B

abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь

5380



3xE27, max 60W




RETTO C 6820



ALASKA 5756 BL



ALASKA 5754 BL



ALASKA

stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур


5754 ● BL

① 1xE27, max 60W

stal chromowana, abażur / electroplated steel, shade /
хромированная сталь, абажур

4465 ○ CH

① 1xE27, max 60W



ALASKA

stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

5756 ● BL

① 1xE27, max 60W

stal chromowana, abażur / electroplated steel, shade /
хромированная сталь, абажур

3730 ○ CH

① 1xE27, max 60W



ALASKA

stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

5753 ● BL

① 1xE27, max 60W

stal chromowana, abażur / electroplated steel, shade /
хромированная сталь, абажур

3728 ○ CH

① 1xE27, max 60W



ALASKA

stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

5755 ● BL

① 1xE27, max 60W

stal chromowana, abażur / electroplated steel, shade /
хромированная сталь, абажур

4466 ○ CH

① 1xE27, max 60W

ALASKA 4466 CH




ALASKA 3728 CH





FLAM 9731 GY



FLAM

abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь

9731 ● GY

4xE27, max 60W




MOSS

abażur, stal lakierowana, HDF / shade, painted steel, HDF /
абажур, лакированная сталь, HDF

9736 ● BL

3xE27, max 60W





MOSS

abażur, stal lakierowana, HDF / shade, painted steel, HDF /
абажур, лакированная сталь, HDF

9737 ● BL

3xE27, max 60W








SWIVEL 6552 GY



SWIVEL 6560 BL/G




FISHING ROD 9075 BL/G





FLEX SHADE 9277 WH




FLEX SHADE

abażur, peszel, stal lakierowana / shade, protective pipe, painted steel /
абажур, кабель-канал, лакированная сталь

9277 WH 9278 BL

5xE27, max 60W



FLEX SHADE


abażur, peszel, stal lakierowana / shade, protective pipe, painted steel /
абажур, кабель-канал, лакированная сталь

9275 WH 9276 BL

7xE27, max 60W



FLEX SHADE 9764 WH




FLEX SHADE

abażur, peszel, stal lakierowana / shade, protective pipe, painted steel /
абажур, кабель-канал, лакированная сталь

9760 WH 9754 BL

3xE27, max 60W



FLEX SHADE


abażur, peszel, stal lakierowana / shade, protective pipe, painted steel /
абажур, кабель-канал, лакированная сталь

9764 WH 9758 BL

1xE27, max 60W



FLEX SHADE 9754 BL




VIPER

stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

6640 ⬤ WH 6641 ⬤ BL/G

⌚ 1xE27, max 60W





VIPER

stal lakierowana, abażur, szkło / painted steel, shade, glass /
лакированная сталь, абажур, стекло

6512 ⬤ WH 6513 ⬤ BL/G

⌚ 1xE14, max 40W




HAWK

stal lakierowana, abażur, szkło / painted steel, shade, glass /
лакированная сталь, абажур, стекло

6540 ⬤ GY 8844 ⬤ WH

⌚ 3xE27, max 60W




HAWK


stal lakierowana, abażur, szkło / painted steel, shade, glass /
лакированная сталь, абажур, стекло

6541 ⬤ GY 8843 ⬤ WH

⌚ 6xE27, max 60W



ZELDA 6010 GY



ZELDA


abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь

6010 GY

1xE27, max 60W



ZELDA 6012 GY



ZELDA

abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь

6012 GY


1xE27, max 60W



ZELDA 6011 GY



ZELDA 6551 GY




ZELDA

abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь

6551 GY

1xE27, max 60W



ZELDA

abażur, stal lakierowana / shade, painted steel /
абажур, лакированная сталь


6011 GY

1xE27, max 60W



WHEEL 9030 G

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь
9030 G 9034 BL
3xG9, max 20W




WHEEL

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9030 G 9034 BL

3xG9, max 20W



WHEEL

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9031 G 9035 BL

3xG9, max 20W




WHEEL 9031 G

WHEEL 9028 G



WHEEL 9033 BL




WHEEL

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9028 G 9033 BL

1xE27, max 40W



WHEEL


sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9032 G 9036 BL

1xG9, max 20W



WHEEL 9032 G



MINIMAL

drewno, stal lakierowana, mosiądz / wood, painted steel, brass /
дерево, лакированная сталь, латунь

9375 OAK

⑧ 2xE27, max 40W

MINIMAL

drewno / wood / дерево

9370 OAK SMOKED 9377 OAK

⑧ 1xG9, max 20W



WOOD DIAMOND

sklejka / plywood / дерево

9372 NT


⑧ 1xE27, max 60W



WEZEN 9040 NT/BL



WEZEN 9041 NT/BL



WEZEN

sklejka, stal lakierowana /
plywood, painted steel /
дерево, лакированная сталь

9041 ● NT/BL

1xGU10, ES111, max 35W

WEZEN

sklejka, stal lakierowana /
plywood, painted steel /
дерево, лакированная сталь

9037 ● NT/BL

1xGU10, ES111, max 35W

WEZEN

sklejka, stal lakierowana /
plywood, painted steel /
дерево, лакированная сталь

9038 ● NT/BL

2xGU10, ES111, max 35W

WEZEN

sklejka, stal lakierowana /
plywood, painted steel /
дерево, лакированная сталь

9040 ● NT/BL

3xGU10, ES111, max 35W

ROLLER 9134 BL





ROLLER 9133 BL



ROLLER 8977 NT/WH



ROLLER 8977 NT/WH





BIO 6340 WH







BIO 6333 NT



BIOWAY 6883 BL



BIOWAY 6880 NT






IKA C

sklejka / plywood / дерево

4173 NT

1xE27, max 60W



IKA

sklejka / plywood / дерево

4168 NT

1xE27, max 60W




IKA A

sklejka / plywood / дерево

4171 NT

1xE27, max 60W



IKA D


sklejka / plywood / дерево

4174 NT

1xE27, max 60W



ACROSS 6927 NT





ACROSS

sklejka, abażur / plywood, shade / дерево, абажур

6927 NT

1xE27, max 60W




TOSCA M

sklejka, abażur, stal lakierowana / plywood, shade , painted steel /
дерево, абажур, лакированная сталь

9048 GY

1xE27, max 60W




TOSCA S

sklejka, abażur, stal lakierowana / plywood, shade , painted steel /
дерево, абажур, лакированная сталь

9050 GY


1xE27, max 40W



NEO M 9365 GY



NEO S 9366 GY




NEO S

sklejka, abażur / plywood, shade / дерево, абажур

9366 GY

1xE27, max 40W



NEO M


sklejka, abażur / plywood, shade / дерево, абажур

9365 GY

3xE27, max 60W




AWINION 9281 WH



AWINION

sklejka, abażur / plywood, shade / дерево, абажур
9282 WH 9718 GY

1xE27, max 40W




AWINION

sklejka, abażur / plywood, shade / дерево, абажур

9281 WH 9717 GY

3xE27, max 40W



AWINION

sklejka, abażur / plywood, shade / дерево, абажур

9280 WH 9716 GY

4xE27, max 40W



COBA 9723




COBA 9724

COBA 9044 AN BR



COBA 9043 AN BR




COBA

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9725 ● BL

● 1xGU10, max 35W




COBA

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9724 ●

● 3xGU10, max 35W




COBA

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9723 ●

● 4xGU10, max 35W




COBA

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9042 ● AN BR

● 1xE27, max 60W




COBA

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9043 ● AN BR

● 3xE27, max 60W




COBA

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9044 ● AN BR

● 4xE27, max 60W




OSLO

drewno, stal / wood, steel / дерево, сталь, латунь

9311 ⬤ SMOKED OAK

9700 ⬤ OAK

⌚ 1xE14, max 40W




OSLO

drewno, stal / wood, steel / дерево, сталь, латунь

9312 ⬤ SMOKED OAK

9701 ⬤ OAK

⌚ 1xT8 LED, 11W, included




OSLO

drewno, stal / wood, steel / дерево, сталь, латунь

9313 ⬤ SMOKED OAK

9634 ⬤ OAK

⌚ 1xT8 LED, 16W, included




OSLO LED

drewno, stal / wood, steel / дерево, сталь, латунь

9314 ⬤ SMOKED OAK

9635 ⬤ OAK

⌚ 1xT8 LED, 11W, included



OSLO LED

drewno, stal / wood, steel / дерево, сталь, латунь

9315 ⬤ SMOKED OAK

9698 ⬤ OAK

⌚ 1xT8 LED, 16W, included

NAME	SIZE	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	POWER FACTOR	LED DRIVER	LIFETIME	MATERIAL
LED TUBE T8	60 cm	11W	3000K	950-1000 lm	200°	80	~230V, 50Hz	> 0,9	INCL.	25 000 h	CLEAR GLASS
LED TUBE T8	90 cm	16W	3000K	1400-1500 lm	200°	80	~230V, 50Hz	> 0,9	INCL.	25 000 h	CLEAR GLASS




TORINO

stal lakierowana, drewno / painted steel, wood /
лакированная сталь, дерево

6878 WH

1xE27, max 60W

WOOD BOY 6535 WH




WOOD BOY

stal lakierowana, drewno / painted steel, wood /
лакированная сталь, дерево

6535 WH

1xE27, max 60W



WOOD BOY

stal lakierowana, drewno / painted steel, wood /
лакированная сталь, дерево




6534 WH

1xE27, max 60W




WOOD BOY 6534 WH







CRANE 9374 BL



CRANE


stal, szkło / steel, glass / сталь, стекло

9374 ● BL

1xE27, max 60W



VETRO 9131 BL




VETRO

szkło, stal lakierowana / glass, painted steel /
стекло, лакированная сталь

9132 ● BL

1xE27, max 60W




VETRO

szkło, stal lakierowana / glass, painted steel /
стекло, лакированная сталь

9131 ● BL

7xE27, max 60W




AMALFI

szkło metalizowane, stal lakierowana, mosiądz /
metallized glass, painted steel, brass /
металлизированное стекло, лакированная сталь, латунь

9154 ⚡ SI 9155 ⚡ G

💡 1xE27, max 60W



AMALFI

szkło metalizowane, stal lakierowana, mosiądz /
metallized glass, painted steel, brass /
металлизированное стекло, лакированная сталь, латунь

9152 ⚡ SI 9153 ⚡ G

💡 1xE27, max 60W



POLARIS

szkło metalizowane, stal lakierowana / metallized glass, painted steel /
металлизированное стекло, лакированная сталь

9060 ⚡ TR/CH

⌚ 1xE27, max 60W

POLARIS

szkło metalizowane, stal lakierowana / metallized glass, painted steel /
металлизированное стекло, лакированная сталь

9056 ⚡ CH 9057 ⚡ G 9058 ⚡ CO

⌚ 1xE27, max 60W






GLOBE 4952 CH



GLOBE 5764 CO




GLOBE

szkło matalizowane, tworzywo sztuczne /
metallized glass, plastic /
металлизированное стекло, пластик

4953 ⚡ CH 5764 ⚡ CO

⌚ 1xE27, max 60W




GLOBE

szkło matalizowane, tworzywo sztuczne /
metallized glass, plastic /
металлизированное стекло, пластик

4952 ⚡ CH 5763 ⚡ CO

⌚ 1xE27, max 60W



GLOBE

szkło matalizowane, tworzywo sztuczne /
metallized glass, plastic /
металлизированное стекло, пластик

9306 ⚡ CH 9307 ⚡ CO

⌚ 3xE27, max 60W



GLOBE 9307 CO




SALVA A 5422 CH



SALVE E 5428 CH



SALVE C 5424 CH




SALVA A

szkło, stal nierdzewna / glass, stainless steel / стекло, нержавеющая сталь

5422 CH

1xGU10, max 35W




SALVA C

szkło, stal nierdzewna / glass, stainless steel / стекло, нержавеющая сталь

5424 CH

3xGU10, max 35W



SALVA E


szkło, stal nierdzewna / glass, stainless steel / стекло, нержавеющая сталь

5428 CH

5xGU10, max 35W



SALVE G 6845 CH




SALVA G

szkło, stal nierdzewna / glass, stainless steel / стекло, нержавеющая сталь

6845 CH

4xE27, max 60W



SALVA H 6846 CH


szkło, stal nierdzewna / glass, stainless steel / стекло, нержавеющая сталь

6846 CH

4xE27, max 60W



NUAGE 7027 WH




NUAGE S

szkło, stal chromowana / glass, electroplated steel /
стекло, хромированная сталь

7024 ⚡ WH

1xE27, max 60W



NUAGE M


szkło, stal chromowana / glass, electroplated steel /
стекло, хромированная сталь

7025 ⚡ WH

1xE27, max 60W



NUAGE M 7025 WH




NUAGE L

szkło, stal chromowana / glass, electroplated steel /
стекло, хромированная сталь

7026 ⚡ WH

1xE27, max 100W



NUAGE


szkło, stal chromowana / glass, electroplated steel /
стекло, хромированная сталь

7027 ⚡ WH

3xE27, max 60W



NUAGE S 7021 WH




NUAGE S

szkło / glass / стекло

7021 ○ WH

① 1xE27, max 60W




NUAGE M

szkło / glass / стекло

7022 ○ WH

① 1xE27, max 60W



NUAGE L


szkło / glass / стекло

7023 ○ WH

① 1xE27, max 100W



NUAGE 9272 WH



NUAGE

szkło, stal chromowana / glass, electroplated steel / стекло, хромированная сталь

9272 ○ WH

① 2xE27, max 60W




IBIZA SPHERE

szkło, stal chromowana / glass, electroplated steel /
стекло, хромированная сталь

3596 ⚒ TR

1xE27, max 60W



TESALLI

stal chromowana, kryształ / electroplated steel, crystal /
хромированная сталь, кристалл

4651 ⚒ CH

1xG9, max 40W included

TESALLI

stal chromowana, kryształ / electroplated steel, crystal /
хромированная сталь, кристалл

4652 ⚒ CH



3xG9, max 40W included

TESALLI

stal chromowana, kryształ / electroplated steel, crystal /
хромированная сталь, кристалл

4653 ⚒ CH

6xG9, max 40W included



TESALLI

stal chromowana, kryształ / electroplated steel, crystal /
хромированная сталь, кристалл

4650 ⚒ CH

1xG9, max 40W included

TESALLI

stal chromowana, kryształ / electroplated steel, crystal /
хромированная сталь, кристалл

4648 ⚒ CH

1xG9, max 40W included

TESALLI

stal chromowana, kryształ / electroplated steel, crystal /
хромированная сталь, кристалл

4654 ⚒ CH

6xG9, max 40W included



MODENA 5261 BL



MODENA 5263 WH



MODENA 4014 BL




MODENA

abażur, kryształki akrylowe, stal chromowana /
shade, acrylic crystals, electroplated steel /
абажур, акриловые кристаллики, хромированная сталь

5263 ○ WH 5262 ● BL

⌚ 1xE14, max 40W




MODENA

abażur, kryształki akrylowe / shade, acrylic crystals /
абажур, акриловые кристаллики

5261 ● BL

⌚ 1xE27, max 60W




MODENA

abażur, kryształki akrylowe / shade, acrylic crystals /
абажур, акриловые кристаллики

4014 ● BL

⌚ 1xE27, max 60W




CORSICA

abażur, kryształki / shade, crystals /
абажур, кристаллики

4524 ○ WH

⌚ 2xE27, max 60W




TOSCANA

abażur, kryształki akrylowe / shade, acrylic crystals /
абажур, акриловые кристаллики

4013 ○ WH

⌚ 1xE27, max 60W




FOGGIA

abażur, tworzywo sztuczne / shade, plastics /
абажур, пластики

4025 ○ CH

⌚ 1xE27, max 60W



SCORPIO 3008 WH



SCORPIO 3006 SI


SCORPIO 3007 G



UFO 050/01 BL




UFO 5322 SI



UFO

stal lakierowana / painted steel / лакированная сталь
050/01 ● BL 050/00 ○ WH 5322 ○ SI

40 cm 15 cm 60-120 cm
1x E27, max 60W




SCORPIO

szkło, stal lakierowana / glass, painted steel / стекло, лакированная сталь
3007 ○ G 3006 ○ SI 3008 ○ WH

46 cm 31 cm 60-120 cm
1x E27, max 100W

STRAIGHT LED L 9628 GR



STRAIGHT LED M 9621 WH



STRAIGHT LED S 9623 SI




STRAIGHT LED CEILING S

stal lakierowana / painted steel / лакированная сталь

9626 ● GR 9623 ○ SI 9620 ○ WH

⌚ T8, 11W LED, included



STRAIGHT LED CEILING M

stal lakierowana / painted steel / лакированная сталь

9627 ● GR 9624 ○ SI 9621 ○ WH

⌚ T8, 16W LED, included

STRAIGHT LED CEILING L

stal lakierowana / painted steel / лакированная сталь

9628 ● GR 9625 ○ SI 9622 ○ WH


⌚ T8, 22W LED, included

NAME	SIZE	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	POWER FACTOR	LIFETIME	MATERIAL
LED TUBE T8	60 cm	11W	3000K	950-1000 lm	200°	80	~230V, 50Hz	> 0,9	25 000 h	CLEAR GLASS
LED TUBE T8	90 cm	16W	3000K	1400-1500 lm	200°	80	~230V, 50Hz	> 0,9	25 000 h	CLEAR GLASS
LED TUBE T8	120 cm	22W	3000K	2000-2100 lm	200°	80	~230V, 50Hz	> 0,9	25 000 h	CLEAR GLASS





STRAIGHT WALL XS 6345 WH




STRAIGHT WALL XS

stal lakierowana / painted steel / лакированная сталь

6345 WH 6354 SI 6350 GR

(?) 1xE14, max 40W



STRAIGHT LED WALL M

stal lakierowana / painted steel / лакированная сталь

9611 WH 9614 SI 9617 GR

(?) T8, 16W LED, included


NAME	SIZE	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	INPUT	POWER FACTOR	LIFETIME	MATERIAL
LED TUBE T8	60 cm	11W	3000K	950-1000 lm	200°	80	~230V, 50Hz	>0,9	25 000 h	CLEAR GLASS
LED TUBE T8	90 cm	16W	3000K	1400-1500 lm	200°	80	~230V, 50Hz	>0,9	25 000 h	CLEAR GLASS
LED TUBE T8	120 cm	22W	3000K	2000-2100 lm	200°	80	~230V, 50Hz	>0,9	25 000 h	CLEAR GLASS

STRAIGHT LED WALL S

stal lakierowana / painted steel / лакированная сталь

9610 WH 9613 SI 9618 GR

(?) T8, 11W LED, included



STRAIGHT LED WALL L

stal lakierowana / painted steel / лакированная сталь

9612 WH 9615 SI 9616 GR

(?) T8, 22W LED, included




H LED

stal lakierowana, PC / painted steel, PC / лакированная сталь, PC

8908 WH 8910 WH/BL

(?) 32W LED






Q LED 8907 BL



A LED 8904 WH




Q LED

stal lakierowana, PC / painted steel, PC / лакированная сталь, PC

8906 ○ WH 8907 ● BL

⌚ 32W LED



A LED

stal lakierowana, PC / painted steel, PC / лакированная сталь, PC

8904 ○ WH 8905 ● BL


⌚ 32W LED

Item No.	INPUT POWER	COLOUR TEMP.	LUMINOUS FLUX	LUMINAIRE EFFICIENCY	COLOUR RENDERING INDEX (CRI ≥)	INPUT	LIFETIME
8906, 8907	36W LED	3000K	2700 lm	75	80	~230V, 50Hz	50 000 h


Item No.	INPUT POWER	COLOUR TEMP.	LUMINOUS FLUX	LUMINAIRE EFFICIENCY	COLOUR RENDERING INDEX (CRI ≥)	INPUT	LIFETIME
8904, 8905	36W LED	3000K	2700 lm	75	80	~230V, 50Hz	50 000 h



SOFT LED 90x6 9545 WH



SOFT LED 90x20 9542 GR



SOFT LED 90x20


aluminium, PC / aluminium, PC / алюминия, PC

9544 WH 9542 GR

2xT8 LED, 16W, included



SOFT LED 90x6 9545 WH



SOFT LED 90x6


aluminium, PC / aluminium, PC / алюминия, PC

9545 WH 9546 GR

1xT8 LED, 16W, included



SOFT LED 120x6 9543 GR




SOFT LED 120x6

aluminium, PC / aluminium, PC / алюминия, PC

9547 WH 9543 GR

1xT8 LED, 22W, included




SOFT LED 60x6

aluminium, PC / aluminium, PC / алюминия, PC

9541 WH 9537 GR

1xT8 LED, 11W, included



SOFT LED 60x20

aluminium, PC / aluminium, PC / алюминия, PC

9534 WH 9532 GR

2xT8 LED, 11W, included




SOFT LED 60x6

aluminium, PC / aluminium, PC / алюминия, PC

9527 WH 9525 GR

1xT8 LED, 11W, included




SOFT LED 90x6

aluminium, PC / aluminium, PC / алюминия, PC

9540 WH 9536 GR

1xT8 LED, 16W, included



SOFT LED 90x20

aluminium, PC / aluminium, PC / алюминия, PC

9533 WH 9531 GR

2xT8 LED, 16W, included




SOFT LED 90x6

aluminium, PC / aluminium, PC / алюминия, PC

9526 WH 9524 GR

1xT8 LED, 16W, included




SOFT LED 120x6

aluminium, PC / aluminium, PC / алюминия, PC

9538 WH 9535 GR

1xT8 LED, 22W, included



SOFT LED 60x60

aluminium, PC / aluminium, PC / алюминия, PC

9530 WH 9528 GR

5xT8 LED, 11W, included



SOFT LED 60x20

aluminium, PC / aluminium, PC / алюминия, PC

9523 WH 9522 GR

2xT8 LED, 11W, included

NAME	SIZE	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	POWER FACTOR	LIFETIME	MATERIAL
LED TUBE T8	60 cm	11W	3000K	950-1000 lm	200°	80	~230V, 50Hz	> 0,9	25 000 h	CLEAR GLASS
LED TUBE T8	90 cm	16W	3000K	1400-1500 lm	200°	80	~230V, 50Hz	> 0,9	25 000 h	CLEAR GLASS
LED TUBE T8	120 cm	22W	3000K	2000-2100 lm	200°	80	~230V, 50Hz	> 0,9	25 000 h	CLEAR GLASS



OFFICE LED 9358 WH




HALL LED 9466 WH



OFFICE LED

aluminium / aluminium / алюминия

9358 WH 9360 GR



OFFICE LED

aluminium / aluminium / алюминия

9355 WH 9356 GR

CertaFlux LED Strip and CertaDrive
made by PHILIPS inside

LIFETIME min 50 000 h
5 YEARS WARRANTY




HALL LED

aluminium / aluminium / алюминия

9466 WH 9357 GR

NAME	SIZE	INPUT POWER	COLOUR TEMP.	LUMINOUS FLUX	LUMINAIRE EFFICIENCY	COLOUR RENDERING INDEX (CRI ≥)	INPUT	LIFETIME
HALL LED	150 cm	43W	4000K	5200 lm	120 lm/W	80	~230V, 50Hz	50 000 h
OFFICE LED	150 cm	43W	4000K	4800 lm	110 lm/W	80	~230V, 50Hz	50 000 h





BERGEN 9706 WH

HAGA 9710 GR


MALMO 9704 WH

NARWIK 9703 BL





WING LED 9295WH




WING LED

stal lakierowana / painted steel / лакированная сталь

9295 WH 9248 GR 9250 BL

1xT8 LED, 11W, included

NAME	SIZE	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	POWER FACTOR	LED DRIVER	LIFETIME	MATERIAL
LED TUBE T8	60 cm	11W	3000K	950-1000 lm	200°	80	~230V, 50Hz	> 0,9	INCL.	25 000 h	CLEAR GLASS



TUBE



aluminium lakierowane / painted aluminium / лакированное алюминий

9317 WH 9318 GR 9320 BL



2xGU10, ES111, max 75W

TUBE 9320 BL





Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	INGRESS PROTECTION
6847	1x6W LED EPISTAR	300K	612 lm	100°	80	~220-240V, 50Hz	⊕	IP 20
6913	1x6W LED EPISTAR	300K	648 lm	89°	80	~220-240V, 50Hz	⊕	IP 20
6912	1x6W LED EPISTAR	300K	615 lm	47°	80	~220-240V, 50Hz	⊕	IP 20



VER

sklejka, szkło / plywood, glass / дерево, стекло

5330 WH 5332 WE

1xG9, max 40W




CUBE 5266 WH



CUBE 5267 SI



CUBE 5272 GR




CUBE

stal lakierowana, szkło / painted steel, glass / лакированная сталь, стекло

5266 WH 5267 SI 5272 GR

1xG9, max 50W




KEAL GOLD S

aluminium / aluminium / аллюминий

2985 G

1xG9, max 40W






DEGAS LED 6764 CH

DEGAS LED 6765 CH



MONET LED S 5133 CH


MONET LED M 5134 CH



DEGAS LED S

stal chromowana / electroplated steel / хромированная сталь


6764 CH



MONET LED S

stal chromowana / electroplated steel / хромированная сталь


5133 CH



DEGAS LED M

stal chromowana / electroplated steel / хромированная сталь

6765 CH



MONET LED M


stal chromowana / electroplated steel / хромированная сталь

5134 CH

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	INGRESS PROTECTION
6764	40x0,2W LED	3000K	370 lm	120°	80	~80-265V, 50Hz	⊕	IP 20
6765	60x0,2W LED	3000K	560 lm	120°	80	~80-265V, 50Hz	⊕	IP 20
5133	25x0,2W LED	3000K	345 lm	120°	80	~80-265V, 50Hz	⊕	IP 20
5134	40x0,2W LED	3000K	555 lm	120°	80	~80-265V, 50Hz	⊕	IP 20



GOYA LED 6848 WH



GOYA LED

stal lakierowana, tworzywo sztuczne / steel, plastic / сталь, пластик

6848 WH




KASAI 9491 N

KASAI 9490 CH



GAUDI LED S 6850 CH




GAUDI LED S

stal chromowana / electroplated steel / хромированная сталь

6850 CH



GAUDI LED M 6851 CH



GAUDI LED M

stal chromowana / electroplated steel / хромированная сталь

6851 CH



KASAI

szkło, stal chromowana / glass, electroplated steel / стекло, хромированная сталь

9490 CH

∅ 2xE27, max 40W


IP 20

szkło, stal n klowana / glass, nickel-plated steel / стекло, сталь никелированная

9491 N

∅ 2xE27, max 40W

IP 20



KASAI SENSOR

szkło, stal chromowana / glass, electroplated steel / стекло, хромированная сталь

8827 CH

∅ 2xE27, max 40W


IP 20

szkło, stal n klowana / glass, nickel-plated steel / стекло, сталь никелированная

8828 N

∅ 2xE27, max 40W

IP 20



TUGELA

szkło, stal chromowana / glass, electroplated steel / стекло, хромированная сталь

9492 CH

∅ 1xG9, max 40W, included

IP 20

szkło, stal n klowana / glass, nickel-plated steel / стекло, сталь никелированная

9493 N

∅ 1xG9, max 40W, included

IP 20




TUGELA 9493 N

TUGELA 9492 CH

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION
6848	80x0,1W LED	3000K	482 lm	120°	80	~80-265V, 50Hz	⊕	0,5	IP20
6851	60x0,2W LED	3000K	532 lm	120°	80	~80-265V, 50Hz	⊕	0,5	IP20
6850	40x0,2W LED	3000K	310 lm	120°	80	~80-265V, 50Hz	⊕	0,5	IP20



AGNES ROUND LED 9160 WH



AGNES ROUND LED

stal lakierowana, PMMA / steel painted, PMMA /
лакированная сталь, PMMA

9160 WH 9161 BL



AGNES SQUARE LED 9167 BL




AGNES SQUARE LED

stal lakierowana, PMMA / steel painted, PMMA /
лакированная сталь, PMMA

9166 WH 9167 BL



AGNES ROUND LED 9162 WH




AGNES ROUND LED

stal lakierowana, PMMA / steel painted, PMMA /
лакированная сталь, PMMA

9162 WH 9163 BL



AGNES SQUARE LED 9170 BL




AGNES SQUARE LED

stal lakierowana, PMMA / steel painted, PMMA /
лакированная сталь, PMMA

9168 WH 9170 BL



AGNES ROUND LED 9164 WH




AGNES ROUND LED

stal lakierowana, PMMA / steel painted, PMMA /
лакированная сталь, PMMA

9164 WH 9165 BL



AGNES SQUARE LED 9171 WH



AGNES SQUARE LED

stal lakierowana, PMMA / steel painted, PMMA /
лакированная сталь, PMMA


9171 WH 9172 BL

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9160, 9161	22W	4000K	2000 lm	120°	80	~200-240V, 50Hz		>0,9	IP 20	20 000 h
9162, 9163	32W	4000K	2900 lm	120°	80	~200-240V, 50Hz		>0,9	IP 20	20 000 h
9164, 9165	64W	4000K	6000 lm	120°	80	~200-240V, 50Hz		>0,9	IP 20	20 000 h

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9166, 9167	16W	4000K	1500 lm	120°	80	~200-240V, 50Hz		>0,9	IP 20	20 000 h
9168, 9170	32W	4000K	2900 lm	120°	80	~200-240V, 50Hz		>0,9	IP 20	20 000 h
9171, 9172	64W	4000K	6000 lm	120°	80	~200-240V, 50Hz		>0,9	IP 20	20 000 h



BIG BOY 6301 WH




BIG BOY

stal lakierowana / painted steel / лакированная сталь

6301 WH

1xE27, max 100W




TAMPA

stal lakierowana / painted steel / лакированная сталь

5800 SI

1xE27, max 18W



TAMPA 5800 SI



COSMO S 3382 SI



COSMO S

stal / steel / сталь

3382 SI

1xE27, max 60W

stal chromowana / electroplated steel / хромированная сталь

4917 CH

1xE27, max 60W




COSMO S 3382 SI



profile
system



PROFILE IRIS LED 7W 8996 BL




PROFILE IRIS LED 7W

aluminium / aluminium / алюминий

- | | | | | | | | |
|------|-----------------------|----|---------|------|----------------------------------|----|---------|
| 8995 | <input type="radio"/> | WH | - 3000K | 8996 | <input checked="" type="radio"/> | BL | - 3000K |
| 8997 | <input type="radio"/> | WH | - 4000K | 8998 | <input checked="" type="radio"/> | BL | - 4000K |



PROFILE IRIS LED 20W 9005 BL




PROFILE IRIS LED 20W

aluminium / aluminium / алюминий

- | | | | | | | | |
|------|-----------------------|----|---------|------|----------------------------------|----|---------|
| 9004 | <input type="radio"/> | WH | - 3000K | 9005 | <input checked="" type="radio"/> | BL | - 3000K |
| 9006 | <input type="radio"/> | WH | - 4000K | 9007 | <input checked="" type="radio"/> | BL | - 4000K |



PROFILE IRIS LED 12W 9000 WH




PROFILE IRIS LED 12W

aluminium / aluminium / алюминий

- | | | | | | | | |
|------|-----------------------|----|---------|------|----------------------------------|----|---------|
| 9000 | <input type="radio"/> | WH | - 3000K | 9001 | <input checked="" type="radio"/> | BL | - 3000K |
| 9002 | <input type="radio"/> | WH | - 4000K | 9003 | <input checked="" type="radio"/> | BL | - 4000K |



PROFILE IRIS LED 30W 9008 WH




PROFILE IRIS LED 30W

aluminium / aluminium / алюминий

- | | | | | | | | |
|------|-----------------------|----|---------|------|----------------------------------|----|---------|
| 9008 | <input type="radio"/> | WH | - 3000K | 9009 | <input checked="" type="radio"/> | BL | - 3000K |
| 9010 | <input type="radio"/> | WH | - 4000K | 9011 | <input checked="" type="radio"/> | BL | - 4000K |

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
8995, 8996	7W LED	3000K	420 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,5	IP 20	30 000 h
8997, 8998	7W LED	4000K	420 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,5	IP 20	30 000 h
9000, 9001	12W LED	3000K	864 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,5	IP 20	30 000 h
9002, 9003	12W LED	4000K	864 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,5	IP 20	30 000 h

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9004, 9005	20W LED	3000K	1360 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,5	IP 20	30 000 h
9006, 9007	20W LED	4000K	1360 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,5	IP 20	30 000 h
9008, 9009	30W LED	3000K	1950 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,9	IP 20	30 000 h
9010, 9011	30W LED	4000K	1950 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,9	IP 20	30 000 h



PROFILE SHOW LED 12W 9423 WH



PROFILE SHOW LED 12W


aluminium / aluminium / алюминий

9423 WH 9424 BL

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9423, 9424	1x12W COB LED	4000K	1500-1650 lm	24°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,5	IP 20	8 000 h



PROFILE STORE LED 5W 6824 BL




PROFILE STORE LED 5W

stal lakirowana / painted steel / лакированная сталь

5947 WH 6824 BL



PROFILE STORE LED 7W 6825 BL




PROFILE STORE LED 7W

stal lakirowana / painted steel / лакированная сталь

5948 WH 6825 BL



PROFILE STORE LED 12W 5950 WH



PROFILE STORE LED 12W


stal lakirowana / painted steel / лакированная сталь

5950 WH 6826 BL

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
5947, 6824	5x1W LED	4000K	450 - 500 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	> 0,5	IP 20	8 000 h
5948, 6825	7x1W LED	4000K	630 - 700 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	> 0,5	IP 20	8 000 h
5950, 6826	12x1W LED	4000K	1080 - 1200 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	> 0,5	IP 20	8 000 h



PROFILE BUBBLE 9336 BL



PROFILE BUBBLE


stal lakierowana / painted steel / лакированная сталь

9335 WH 9336 BL

1xGU10, max 35W



PROFILE BIT 8822 WH



PROFILE BIT


stal lakierowana / painted steel / лакированная сталь

8822 WH 8823 BL

1xGU10, ES111, max 75W



PROFILE WORKSHOP 9427 BL/CO



PROFILE WORKSHOP


stal lakierowana / painted steel / лакированная сталь

9427 BL/CO

1xE27, max 60W



PROFILE EYE 9338 BL




PROFILE EYE

stal lakierowana / painted steel / лакированная сталь

9337 WH 9338 BL

1xGU10, max 35W




PROFILE EYE SUPER A

stal lakierowana / painted steel / лакированная сталь

9324 WH 9325 BL

1xGU10, max 35W




PROFILE EYE SUPER C

stal lakierowana / painted steel / лакированная сталь

9245 WH 9244 BL

1xGU10, max 35W




PROFILE EYE SPOT

stal lakierowana / painted steel / лакированная сталь

9321 WH 9322 BL

1xGU10, max 35W




PROFILE FLEX

peszel, stal lakierowana / protective pipe, painted steel /
кабель-канал, лакированная сталь

9328 WH 9330 BL

1xGU10, max 35W




PROFILE VESPA

stal lakierowana / painted steel / лакированная сталь

8824 WH 8825 BL

1xGU10, ES111, max 75W




PROFILE EYE FLEX

peszel, stal lakierowana / protective pipe, painted steel /
кабель-канал, лакированная сталь

9331 WH 9332 BL

1xGU10, max 35W



PROFILE BIT PLUS


stal lakierowana / painted steel / лакированная сталь

9020 WH 9018 BL

1xGU10, ES111, max 75W




PROFILE IRIS LED 12W 9000 WH



PROFILE TRACK LIGHTS SYSTEM	BLACK	WHITE
1. PROFILE TRACK 1 METER	9448	9450
2. PROFILE TRACK 2 METER	9452	9451
3. PROFILE POWER END CAP	9463	9462
4. PROFILE L-CONNECTOR	9455	9456
5. PROFILE STRAIGHT CONNECTOR	9453	9454
6. PROFILE X-CONNECTOR	9188	9190
7. PROFILE T-CONNECTOR	9186	9187
8. PROFILE DEAD END CAP	9458	9457
9. PROFILE SUSPENSION KIT	9460	9461

$X_1 + X_2 + X_3 + X_4 \dots = \text{max } 20 \text{ m}$
 $L_1 + L_2 + L_3 + L_4 \dots = \text{max } 1500 \text{ W}$



PROFILE TRACK 1 m



aluminium / aluminium / алюминий

9450 WH 9448 BL

PROFILE TRACK 2 m

aluminium / aluminium / алюминий

9451 WH 9452 BL



PROFILE STRAIGHT CONNECTOR

PC, miedź / PC, cooper / PC, медь


9454 WH 9453 BL



PROFILE L-CONNECTOR

PC, miedź / PC, cooper / PC, медь

9456 WH 9455 BL



PROFILE T-CONNECTOR

PC, miedź / PC, cooper / PC, медь


9187 WH 9186 BL



PROFILE X-CONNECTOR

PC, miedź / PC, cooper / PC, медь

9190 WH 9188 BL



PROFILE DEAD END CAP

PC / PC / PC


9457 WH 9458 BL



PROFILE POWER END CAP

PC, miedź / PC, copper / PC, медь


9462 WH 9463 BL



PROFILE POWER SUPPLY KIT

przewód, stal lakirowana / line, painted steel / проволока, лакированная сталь

9237 WH 9238 BL





PROFILE SUSPENSION KIT

PC, stal / PC, steel / PC, сталь

9461 WH 9460 BL






PROFILE RECESSED TRACK LIGHTS SYSTEM

1. PROFILE RECESSED TRACK 1 METER
2. PROFILE RECESSED TRACK 2 METER
3. PROFILE RECESSED POWER END CAP
4. PROFILE RECESSED L-CONNECTOR
5. PROFILE RECESSED STRAIGHT CONNECTOR
6. PROFILE RECESSED X-CONNECTOR
7. PROFILE RECESSED T-CONNECTOR
8. PROFILE RECESSED DEAD END CAP
9. PROFILE RECESSED FIXING SET

BLACK	WHITE
9013	9012
9015	9014
8973	8972
8971	8970
8968	8967
8837	8836
8835	8834
8975	8974
8805 GALVANIZED	

$X_1 + X_2 + X_3 + X_4 \dots = \text{max } 20 \text{ m}$
 $L_1 + L_2 + L_3 + L_4 \dots = \text{max } 1500 \text{ W}$




PROFILE RECESSED TRACK 1 m

aluminium / aluminium / алюминий
 9012 WH 9013 BL


PROFILE RECESSED TRACK 2 m

aluminium / aluminium / алюминий
 9014 WH 9015 BL




PROFILE RECESSED STRAIGHT CONNECTOR

PC, miedź / PC, cooper / PC, медъ
 8967 WH 8968 BL




PROFILE RECESSED L-CONNECTOR

PC, miedź / PC, cooper / PC, медъ
 8970 WH 8971 BL




PROFILE RECESSED T-CONNECTOR

PC, miedź / PC, cooper / PC, медъ
 8834 WH 8835 BL




PROFILE RECESSED X-CONNECTOR

PC, miedź / PC, cooper / PC, медъ
 8836 WH 8837 BL




PROFILE RECESSED DEAD END CAP

PC / PC / PC
 8974 WH 8975 BL



PROFILE RECESSED POWER END CAP

PC, miedź / PC, copper / PC, медъ
 8972 WH 8973 BL







PROFILE RECESSED FIXING SET

stal / steel / сталь
 8805 SI





spotlights
& downlights





CUBOID 8806 BL



CUBOID 6523 WH



VESPA 9593 WH




VESPA 8838 BL



CUBOID 6590 WH



VESPA 9592 WH




CUBOID

aluminium lakierowane / painted aluminum /
окрашенного алюминия

6524 ○ WH 8810 ● BL

6xGU10, max 35W




VESPA

stal lakierowana / painted steel / лакированная сталь

9595 ○ WH 8842 ● BL

6xGU10, ES111, max 75W




CUBOID

aluminium lakierowane / painted aluminum /
окрашенного алюминия

6522 ○ WH 8806 ● BL

1xGU10, max 35W




CUBOID

aluminium lakierowane / painted aluminum /
окрашенного алюминия

6523 ○ WH 8807 ● BL

2xGU10, max 35W




CUBOID

aluminium lakierowane / painted aluminum /
окрашенного алюминия

6590 ○ WH 8808 ● BL

3xGU10, max 35W




VESPA

stal lakierowana / painted steel / лакированная сталь

9594 ○ WH 8838 ● BL

1xGU10, ES111, max 75W




VESPA

stal lakierowana / painted steel / лакированная сталь

9593 ○ WH 8840 ● BL

2xGU10, ES111, max 75W



VESPA

stal lakierowana / painted steel / лакированная сталь

9592 ○ WH 8841 ● BL

3xGU10, ES111, max 75W



EYE SPOT 6014 WH

EYE SPOT

stal lakierowana, chrom / painted steel, chrome / лакированная сталь, хром

6014 WH 6138 SI

6134 GR 6018 BL

1xGU10, max 35W

stal lakierowana, stal mosiądzowa, mosiądz / painted steel, electroplated brass, brass / лакированная сталь, латунная сталь, латунь

8816 BL/BS

1xGU10, max 35W



EYE SPOT 6140 SI

EYE SPOT

stal lakierowana, chrom / painted steel, chrome / лакированная сталь, хром

6015 WH 6140 SI


6135 GR 6020 BL

2xGU10, max 35W

stal lakierowana, stal mosiądzowa, mosiądz / painted steel, electroplated brass, brass / лакированная сталь, латунная сталь, латунь

8817 BL/BS

2xGU10, max 35W



EYE SPOT 6136 GR

EYE SPOT

stal lakierowana, chrom / painted steel, chrome / лакированная сталь, хром

6016 WH 6141 SI


6136 GR 6021 BL

3xGU10, max 35W

stal lakierowana, stal mosiądzowa, mosiądz / painted steel, electroplated brass, brass / лакированная сталь, латунная сталь, латунь

8818 BL/BS

3xGU10, max 35W



EYE SPOT 6611 BL



EYE SPOT

stal lakierowana, chrom / painted steel, chrome / лакированная сталь, хром

6607 WH 6608 SI

6610 GR 6611 BL

6xGU10, max 35W


stal lakierowana, stal mosiądzowa, mosiądz / painted steel, electroplated brass, brass / лакированная сталь, латунная сталь, латунь

8819 BL/BS

6xGU10, max 35W



EYE SPOT 8820 BL/BS



EYE SPOT

stal lakierowana, chrom / painted steel, chrome / лакированная сталь, хром

6017 WH 5844 SI

6137 GR 6022 BL

4xGU10, max 35W

stal lakierowana, stal mosiądzowa, mosiądz / painted steel, electroplated brass, brass / лакированная сталь, латунная сталь, латунь

8820 BL/BS


4xGU10, max 35W



EYE FIT 9400 BL



EYE FIT 9395 WH




EYE FIT

stal lakierowana / painted steel /
лакированная сталь

9396 WH 9400 BL

⑨ 1xGU10, max 35W

↙ cut out Ø 55 mm




EYE FIT

stal lakierowana / painted steel /
лакированная сталь

9395 WH 9398 BL

⑨ 2xGU10, max 35W

↙ cut out 130x30 mm



EYE FIT

stal lakierowana / painted steel /
лакированная сталь

9394 WH 9397 BL

⑨ 3xGU10, max 35W

↙ cut out 210x30 mm



COLVILLE 5726 WH



COLVILLE 5735 SI




COLVILLE 8811 BL



COLVILLE 5727 WH




COLVILLE 5737 SI



COLVILLE

stal lakierowana, PA / painted steel, PA / лакированная сталь, РА

5725 WH 5732 SI 8811 BL




COLVILLE

stal lakierowana, PA / painted steel, PA / лакированная сталь, РА

5726 WH 5733 SI 8812 BL

2xGU10, max 15W




COLVILLE

stal lakierowana, PA / painted steel, PA / лакированная сталь, РА

5727 WH 5734 SI 8814 BL

3xGU10, max 15W




COLVILLE

stal lakierowana, PA / painted steel, PA / лакированная сталь, РА

5728 WH 5735 SI 8813 BL

3xGU10, max 15W



COLVILLE

stal lakierowana, PA / painted steel, PA / лакированная сталь, РА

5731 WH 5737 SI 8815 BL


4xGU10, max 15W



IRIS LED 8993 WH



SHOP LED 5945 WH




IRIS LED 7W

aluminium, plastik / aluminium, plastic / алюминий, пластики

8993 WH 8994 BL


IRIS LED 8994 BL



SHOP LED 12W

stal lakierowana / painted steel / лакированная сталь

5946 WH




SHOP LED 7W

stal lakierowana / painted steel / лакированная сталь

5945 WH

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
8993, 8994	7x1W LED	3000K	420 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	> 0,5	IP 20	30 000 h
5945	7x1W LED	4000K	630 - 700 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	> 0,5	IP 20	8 000 h
5946	12x1W LED	4000K	1080-1200 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	> 0,5	IP 20	8 000 h



GAP

aluminium lakierowane / painted aluminium / лакированое алюминий

9385 WH 9384 BL

2xGU10, max 35W





PAG

aluminium lakierowane / painted aluminium / лакированное алюминий

9387 WH 9386 BL

2xGU10, max 35W





GROOVE

aluminium lakierowane / painted aluminium / лакированное алюминий

9383 WH 9316 BL

2xGU10, ES111, max 75W




OVAL

aluminium lakierowane / painted aluminium / лакированное алюминий

9241 WH 9240 BL

2xGU10, ES111, max 75W




SET

stal lakierowana, PA / painted steel, PA /
лакированная сталь, PA

8900 ● BL 8895 ○ WH

∅ 1xGU10, 10W, only LED




SET

stal lakierowana, PA / painted steel, PA /
лакированная сталь, PA

8902 ● BL/SI 8897 ○ WH/SI

∅ 1xGU10, 10W, only LED




SET

stal lakierowana, PA / painted steel, PA /
лакированная сталь, PA

8901 ● BL/G 8896 ○ WH/G

∅ 1xGU10, 10W, only LED




SET

stal lakierowana, PA / painted steel, PA /
лакированная сталь, PA

8903 ● BL/WH 8898 ○ WH/BL

∅ 1xGU10, 10W, only LED




EYE TONE

stal lakierowana, ABS / painted steel, ABS /
лакированная сталь, ABS

8932 ● BL/SI 8928 ○ WH/SI

∅ 1xGU10, 10W, only LED




EYE TONE

stal lakierowana, ABS / painted steel, ABS /
лакированная сталь, ABS

8931 ● BL/G 8926 ○ WH/G

∅ 1xGU10, 10W, only LED



EYE TONE


stal lakierowana, ABS / painted steel, ABS /
лакированная сталь, ABS

8930 ● BL 8925 ○ WH

∅ 1xGU10, 10W, only LED



DLWLIGHT M 4866 WH



DLWLIGHT M

stal lakierowana, aluminium / painted steel, aluminium /
лакированная сталь, алюминий

4866 WH


1xE27, max 30W

DLWLIGHT S

stal lakierowana, aluminium / painted steel, aluminium /
лакированная сталь, алюминий

4865 WH 4867 SI

1xE27, max 25W




BIT M

stal lakierowana / painted steel / лакированная сталь

9481 WH 9483 SI 9485 GR

1xGU10, ES111, max 75W



BIT S

stal lakierowana / painted steel / лакированная сталь

9482 WH 9484 SI 9486 GR

1xGU10, ES111, max 75W



BIT M 9481 WH



BIT S 9486 GR




BIT S 9484 SI



POINT PLEXI L 6531 SI



POINT PLEXI L 6528 WH



POINT PLEXI L


stal lakierowana, PMMA / painted steel, PMMA / лакированная сталь, ПММА

6528 ○ WH 6531 ○ SI 6530 ● BL

1xE27 max 20W



POINT PLEXI M 6526 BL



POINT PLEXI M


stal lakierowana, PMMA / painted steel, PMMA / лакированная сталь, ПММА

6525 ○ WH 6527 ○ SI 6526 ● BL

1xGU10, max 10W



POINT S 6003 SI/GR




POINT S

stal lakierowana /
painted steel /
лакированная сталь

6003 ● SI/GR

1xGU10, max 35W



POINT S

stal lakierowana /
painted steel /
лакированная сталь

6000 ○ WH

1xGU10, max 35W




POINT M

stal lakierowana /
painted steel /
лакированная сталь

6001 ○ WH

1xGU10, max 35W



POINT L


stal lakierowana /
painted steel /
лакированная сталь

6002 ○ WH


1xGU10, max 35W



POINT M 6001 WH



GR/SI



POINT S

stal lakierowana /
painted steel /
лакированная сталь

6000 ○ WH

1xGU10, max 35W




POINT M

stal lakierowana /
painted steel /
лакированная сталь

6001 ○ WH

1xGU10, max 35W



POINT L


stal lakierowana /
painted steel /
лакированная сталь

6002 ○ WH


1xGU10, max 35W



POINT L 6008 GR



SI/WH




POINT S

stal lakierowana /
painted steel /
лакированная сталь

6006 ● GR

1xGU10, max 35W




POINT M

stal lakierowana /
painted steel /
лакированная сталь

6007 ● GR

1xGU10, max 35W



POINT L


stal lakierowana /
painted steel /
лакированная сталь

6008 ● GR

1xGU10, max 35W




Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION
6422, 6427	7x1W LED	4000K	700 - 770 lm	30°	80	~200-240V, 50Hz	□	>0,5	IP 20



BOX LED

sklejka, stal lakierowana, stal chromowana /
plywood, painted steel, electropalated steel /
дерево, лакированная сталь, хромированная сталь

6422 ○ WH 6427 ● BL




CARSON

stal lakierowana / painted steel / лакированная сталь

5575 ○ WH/SI

⑨ 3xGU10, max 50W




CARSON

stal lakierowana / painted steel / лакированная сталь

5574 ○ WH/SI 5570 ● BL/SI

⑨ 2xGU10, max 50W



CARSON

stal lakierowana / painted steel / лакированная сталь

5573 ○ WH/SI 5568 ● BL/SI

⑨ 1xGU10, max 50W





BOX ES111 9472 WH



DOWNLIGHT ES111 9575 WH



DOWNLIGHT ES111 9573 SI



DOWNLIGHT ES111 9571 BL



DOWNLIGHT ES111

stal lakierowana / painted steel / лакированная сталь

9571 ● BL 9573 ○ SI 9575 ○ WH

⌚ 1xGU10, ES111, max 75W

☒ cut out 165 x 165 mm



DOWNLIGHT ES111

stal lakierowana / painted steel / лакированная сталь

9570 ● BL 9572 ○ SI 9574 ○ WH

⌚ 2xGU10, ES111, max 75W

☒ cut out 320 x 165 mm



BOX ES111 9497 WH



BOX ES111 9496 GY





BOX ES111 9495 BL

BOX ES111

sklejka, stal lakierowana / plywood, painted steel / дерево, лакированная сталь

9495 ● BL 9496 ○ GY 9497 ○ WH

⌚ 1xGU10, ES111, max 75W



BOX ES111


sklejka, stal lakierowana / plywood, painted steel / дерево, лакированная сталь

9470 ● BL 9471 ○ GY 9472 ○ WH

⌚ 2xGU10, ES111, max 75W



MOD 9412 WH




MOD

stal lakierowana / painted steel /
лакированная сталь

9417 ● BL 9413 ○ WH

- 1xGU10, ES111, max 75W
- cut out 120x120 mm




MOD

stal lakierowana / painted steel /
лакированная сталь

9416 ● BL 9412 ○ WH

- 2xGU10, ES111, max 75W
- cut out 120x230 mm



MOD PLUS

stal lakierowana / painted steel / лакированная сталь

9404 ● BL 9408 ○ WH

- 1xGU10, ES111, max 75W
- cut out 120x120 mm



MOD PLUS


stal lakierowana / painted steel / лакированная сталь

9403 ● BL 9407 ○ WH

- 2xGU10, ES111, max 75W
- cut out 120x230 mm



EYE MOD 8937 BL



EYE MOD

stal lakierowana / painted steel / лакированная сталь


8936 ○ WH 8937 ● BL

💡 1xGU10, max 35W

CUT OUT cut out ø 95x90 mm



EYE MOD 8938 WH



EYE MOD

stal lakierowana / painted steel / лакированная сталь


8938 ○ WH 8940 ● BL

💡 2xGU10, max 35W

CUT OUT cut out ø 175x90 mm



DOT 9378 WH



DOT

stal lakierowana / painted steel / лакированная сталь

9378 ○ WH 8826 ● BL

💡 1xGU10, max 35W

CUT OUT cut out ø 125 mm



Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	INGRESS PROTECTION
5954	3W	4000K	270-300 lm	120°	80	~230V, 50Hz	<input type="checkbox"/>	IP 20
5955	5W	4000K	450-500 lm	120°	80	~230V, 50Hz	<input type="checkbox"/>	IP 20
5956	7W	4000K	630-700 lm	120°	80	~230V, 50Hz	<input type="checkbox"/>	IP 20

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	INGRESS PROTECTION
5960	7W	4000K	630-700 lm	30°	80	~230V, 50Hz	<input type="checkbox"/>	IP 20
5958	5W	4000K	450-500 lm	30°	80	~230V, 50Hz	<input type="checkbox"/>	IP 20
6822	5W	4000K	500-555 lm	30°	80	~230V, 50Hz	<input type="checkbox"/>	IP 20
6823	7W	4000K	700-770 lm	30°	80	~230V, 50Hz	<input type="checkbox"/>	IP 20



HELIOS 8992 WH




EOL 8988 WH



CEILING COB 6971 WH



CEILING COB 6972 WH




HELIOS

plastik, PC dyfuzor / plastic, PC diffuser /
пластик, PC диффузор

8991 ○ WH - 3000K

8992 ○ WH - 4000K

cut out Ø 85 mm




EOL

plastik, PC dyfuzor / plastic, PC diffuser /
пластик, PC диффузор

8988 ○ WH - 3000K

8990 ○ WH - 4000K

cut out Ø 85 mm



CEILING COB

plast k / plastics/ пластик

6971 ○ WH

cut out Ø 70 mm



CEILING COB

plast k / plastics/ пластик

6972 ○ WH

cut out Ø 90 mm

Item No.	POWER	COLOUR TEMP	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
8988	5W LED	3000K	265 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,5	IP 44	20 000 h
8990	5W LED	4000K	265 lm	30°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,5	IP 44	20 000 h
8991	5W LED	3000K	260 lm	80°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,5	IP 44	20 000 h
8992	5W LED	4000K	260 lm	80°	80	~200-240V, 50Hz	<input type="checkbox"/>	0,5	IP 44	20 000 h

Item No.	POWER	COLOUR TEMP	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
6971	5W	3000K	380 lm	60°	81	~230V, 50Hz	<input type="checkbox"/>	0,55	IP 20	20 000 h
6972	10W	3000K	780 lm	60°	81	~230V, 50Hz	<input type="checkbox"/>	0,55	IP 20	20 000 h




classic



PIREUS 4398 G




PIREUS 3380 G





ATTYKA 4397 G




ATTYKA

znal, szkło / zamak, glass / алюминий, стекло

3361 G

1xE27, max 60W




ATTYKA

znal, szkło / zamak, glass / алюминий, стекло

4397 G

3xE27, max 60W



ATTYKA

znal, szkło / zamak, glass / алюминий, стекло

3362 G

3xE27, max 60W




ATTYKA

znal, szkło / zamak, glass / алюминий, стекло

3363 G

5xE27, max 60W




ATTYKA

znal, szkło / zamak, glass / алюминий, стекло

3364 G

9xE27, max 60W



ATTYKA

znal, szkło / zamak, glass / алюминий, стекло

3365 G

11xE27, max 60W




ATTYKA 3363 G



ATTYKA 3365 G



KORYNT 3368 G



KORYNT


znał, szkło / zamak, glass / алюминий, стекло

3368 G

3x E27, max 60W



KORYNT 3372 G



KORYNT


znał, szkło / zamak, glass / алюминий, стекло

3372 G

11x E27, max 60W



KORYNT 3373 G




KORYNT

znał, szkło / zamak, glass / алюминий, стекло

3373 G

15x E27, max 60W




KORYNT

znał, szkło / zamak, glass / алюминий, стекло

3370 G

5x E27, max 60W




KORYNT

znał, szkło / zamak, glass / алюминий, стекло

3367 G

1x E27, max 60W



KORYNT


znał, szkło / zamak, glass / алюминий, стекло

3374 G

24x E27, max 60W



KORYNT 3374 G




OLIMPIA

znał, szkło / zamak, glass / алюминий, стекло

4356 EC/CO

1xE27, max 60W




OLIMPIA

znał, szkło / zamak, glass / алюминий, стекло

4357 EC/CO

2xE27, max 60W




OLIMPIA

znał, szkło / zamak, glass / алюминий, стекло

4353 EC/CO

3xE27, max 60W




OLIMPIA

znał, szkło / zamak, glass / алюминий, стекло

4354 EC/CO

5xE27, max 60W



OLIMPIA

znał, szkło / zamak, glass / алюминий, стекло

4355 EC/CO

9xE27, max 60W




BARON 5997 WH/G



BARON 5994 WH/G



BARON 5995 WH/G




BARON

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

5996 ⚡ WH/G 2771 ⚡ BL/G

⌚ 6xE27, max 60W




BARON

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

5997 ⚡ WH/G 2772 ⚡ BL/G

⌚ 8xE27, max 60W




BARON

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

5994 ⚡ WH/G 4140 ⚡ BL/G

⌚ 3xE27, max 60W



BARON


stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

5995 ⚡ WH/G 2770 ⚡ BL/G

⌚ 3xE27, max 60W



BARON 4997 BL/G



BARON

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

5990 WH/G 2768 BL/G

1xE27, max 60W




BARON

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

5991 WH/G 4996 BL/G

1xE27, max 60W



BARON

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло


5998 WH/G 4997 BL/G

3xE27, max 60W



BARON 4137 BL/G

BARON 4138 BL/G



BARON

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

4137 BL/G

2xE27, max 60W




BARON

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло


5993 WH/G 4138 BL/G

2xE27, max 60W

MIKI 1512 BR




MIKI
stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло
1512 BR
⑧ 3xE27, max 60W




MIKI
stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло
1509 BR
⑧ 1xE27, max 60W




MIKI 1513 BR




MIKI
stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло
1510 BR
⑧ 2xE27, max 60W



MIKI
stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло
1845 BR
⑧ 1xE27, max 60W



MIKI
stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло
1511 BR
⑧ 3xE27, max 60W




MIKI
stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло
1513 BR
⑧ 5xE27, max 60W



CORA 3486 WH/G



CORA 3485 WH/G




CORA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

3485 WH/G 3483 BR/G

1xE27, max 60W



CORA


stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

4746 WH/G 4745 BR/G

1xE27, max 60W



CORA 4745 BR/G



CORA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

3486 WH/G 3484 BR/G


2xE27, max 60W



VIKTORIA 2998 G



VIKTORIA 2996 G




VICTORIA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

2997 G

⌚ 3xE27, max 60W




VICTORIA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

2998 G

⌚ 5xE27, max 60W




VICTORIA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

2994 G

⌚ 1xE27, max 60W




VICTORIA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

2995 G

⌚ 1xE27, max 60W









VICTORIA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

2996 G

⌚ 2xE27, max 60W






LIRA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

408 ⚡ BL/SI

⌚ 1xE27, max 60W




LIRA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

406 ⚡ BL/SI

⌚ 3xE27, max 60W




LIRA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

401 ⚡ BL/SI

⌚ 1xE27, max 100W




LIRA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

402 ⚡ BL/SI

⌚ 2xE27, max 60W




LIRA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

403 ⚡ BL/SI

⌚ 3xE27, max 60W




LIRA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

404 ⚡ BL/SI

⌚ 4xE27, max 60W




LIRA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

405 ⚡ BL/SI

⌚ 5xE27, max 60W



LIRA

stal lakierowana, szkło / painted steel, glass /
лакированная сталь, стекло

409 ⚡ BL/SI


⌚ 1xE27, max 100W



MARGARET 6330 WH



TESA 1055 WH/G




MARGARET

stal lakierowana / painted steel /
лакированная сталь

6330 ⚡ WH 6328 ⚡ BL

⌚ 5xE14, max 60W




TESA

stal lakierowana / painted steel /
лакированная сталь

1051 ⚡ WH/G

⌚ 1xE14, max 60W



TESA

stal lakierowana / painted steel /
лакированная сталь

1052 ⚡ WH/G

⌚ 2xE14, max 60W



TESA


stal lakierowana / painted steel /
лакированная сталь

1055 ⚡ WH/G

⌚ 5xE14, max 60W



FRESCO 4561 EC/G




FRESCO

stal lakierowana, kryształki / painted steel, crystals /
лакированная сталь, кристаллики

4558 EC/G

1xE14, max 60W




FRESCO

stal lakierowana, kryształki / painted steel, crystals /
лакированная сталь, кристаллики

4561 EC/G

3xE14, max 60W



FRESCO


stal lakierowana, kryształki / painted steel, crystals /
лакированная сталь, кристаллики

4562 EC/G

5xE14, max 60W



FRESCO 4563 EC/G



FRESCO


stal lakierowana, kryształki / painted steel, crystals /
лакированная сталь, кристаллики

4563 EC/G

8xE14, max 60W



SILVERADO 5417 SI




SILVERADO

stal lakierowana / painted steel /
лакированная сталь

5415 Ⓛ SI

⌚ 2xE14, max 60W




SILVERADO

stal lakierowana / painted steel /
лакированная сталь

5418 Ⓛ SI

⌚ 6xE14, max 60W




SILVERADO

stal lakierowana / painted steel /
лакированная сталь

5417 Ⓛ SI

⌚ 5xE14, max 60W



SILVERADO

stal lakierowana / painted steel /
лакированная сталь


5418 Ⓛ SI

⌚ 6xE14, max 60W



SILVERADO 5420 SI

TWIST 4985 WH/G




TWIST

stal lakierowana / painted steel /
лакированная сталь

4981 WH/G 2763 BR/G

2xE14, max 60W

TWIST 2763 BR/G




TWIST

stal lakierowana / painted steel /
лакированная сталь

4985 WH/G 2767 BR/G

10xE14, max 60W




TWIST

stal lakierowana / painted steel /
лакированная сталь

4982 WH/G 2765 BR/G

3xE14, max 60W




TWIST

stal lakierowana / painted steel /
лакированная сталь

4983 WH/G 2764 BR/G

3xE14, max 60W



TWIST

stal lakierowana / painted steel /
лакированная сталь

4984 WH/G 2766 BR/G


5xE14, max 60W



PŁOMYK 483 BL/CO



PŁOMYK 493 BL/CO




PŁOMYK

stal lakierowana / painted steel /
лакированная сталь

485 BL/CO

2xE14, max 60W




PŁOMYK

stal lakierowana / painted steel /
лакированная сталь

481 BL/CO

3xE14, max 60W




PŁOMYK

stal lakierowana / painted steel /
лакированная сталь

483 BL/CO

5xE14, max 60W




PŁOMYK

stal lakierowana / painted steel /
лакированная сталь

484 BL/CO

6xE14, max 60W




PŁOMYK

stal lakierowana / painted steel /
лакированная сталь

491 BL/CO

10xE14, max 60W



PŁOMYK


stal lakierowana / painted steel /
лакированная сталь

493 BL/CO

18xE14, max 60W



ARES 206 BL/G






ARES



stal lakierowana / painted steel /
лакированная сталь

202 ⚒ BL/G

∅ 1xE14, max 60W



ARES 208 BL/G



ARES

stal lakierowana / painted steel /
лакированная сталь

203 ⚒ BL/G

∅ 2xE14, max 60W

ARES

stal lakierowana / painted steel /
лакированная сталь

204 ⚒ BL/G

∅ 3xE14, max 60W

ARES

stal lakierowana / painted steel /
лакированная сталь

206 ⚒ BL/G

∅ 10xE14, max 60W

ARES

stal lakierowana / painted steel /
лакированная сталь

205 ⚒ BL/G


∅ 5xE14, max 60W

ARES

stal lakierowana / painted steel /
лакированная сталь


208 ⚒ BL/G

∅ 15xE14, max 60W





WIOLETTA 1353 BL/CO




WIOLETTA

stal lakierowana / painted steel /
лакированная сталь

1353 BL/CO

5xE14, max 60W



WIOLETTA

stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

1350 BL/CO

1xE14, max 60W

WIOLETTA

stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

1351 BL/CO

2xE14, max 60W

WIOLETTA


stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

1352 BL/CO

3xE14, max 60W



AMARA 4136 BR/G




AMARA

stal lakierowana, abażur / painted steel, shade /
лакированная сталь, абажур

4134 BR/G

1xE14, max 60W



bent glass



ROSETTE
szkło / glass / стекло
5692 WH
15 cm 22 cm
1xE14, max 40W



LUX MAT
szkło / glass / стекло
2267 WH
15 cm 22 cm
1xE14, max 40W



ROSETTE
szkło / glass / стекло
5694 WH
21 cm 29 cm
1xE27, max 60W



LUX MAT
szkło / glass / стекло
2272 WH
30 cm 30 cm
1xE27, max 60W



ROSETTE
szkło / glass / стекло
5760 WH
30 cm 30 cm
1xE27, max 60W



LUX MAT
szkło / glass / стекло
2274 WH
40 cm 10.5 cm
2xE27, max 60W





CONTRASTAMPO

szkło / glass / стекло

2280 EC

1xE14, max 40W




CONTRASTAMPO

szkło / glass / стекло

2281 EC

2xE14, max 40W




HIRO

stal, szkło / steel, glass / сталь, стекло

4525 SI

1xE14, max 40W




CONTRASTAMPO

szkło / glass / стекло

2282 EC

1xE27, max 60W



CONO CLASSIC

szkło, stal / glass, steel / стекло, сталь

2205 WH

1xE27, max 60W



CONTRASTAMPO

szkło / glass / стекло

2283 EC

1xE27, max 60W



CONTRASTAMPO

szkło / glass / стекло

3571 EC

2xE27, max 60W



VELVET

szkło, stal / glass, steel / стекло, сталь

2470 WH

1xE14, max 40W



VELVET

szkło, stal / glass, steel / стекло, сталь

2469 WH

1xE27, max 60W




VELVET

szkło, stal / glass, steel / стекло, сталь

2468 WH

2xE27, max 60W




CANALINA CLASSIC

szkło / glass / стекло

1339 WH

3xE14, max 40W




CANALINA CLASSIC

szkło / glass / стекло

1338 WH

2xE14, max 40W




CANALINA CLASSIC

szkło / glass / стекло

1337 WH

1xE14, max 40W




CANALINA ZEBRA

szkło / glass / стекло

1157 WH

2xE14, max 40W




OSAKA SQUARE

drewno, szkło / wood, glass / дерево, стекло

4976 WH 2902 WE

2xE27, max 60W

OSAKA SQUARE 4976 WH



OSAKA SQUARE

drewno, szkło / wood, glass / дерево, стекло

4977 WH 2903 WE

4xE27, max 60W



OSAKA SQUARE

drewno, szkło / wood, glass / дерево, стекло

4978 WH 2904 WE

4xE27, max 60W




KYOTO

drewno, szkło / wood, glass / дерево, стекло

3765 ● WE

1xG9, max 50W, 230V




KYOTO

drewno, szkło / wood, glass / дерево, стекло

3413 ● WE

1xE14, max 40W




KYOTO SHINE

drewno, szkło / wood, glass / дерево, стекло

5588 ○ WH

2xE14, max 40W



KYOTO

drewno, szkło / wood, glass / дерево, стекло

3414 ● WE

2xE14, max 40W




KYOTO SHINE

drewno, szkło / wood, glass / дерево, стекло

5590 ○ WH

3xE14, max 40W




KYOTO

drewno, szkło / wood, glass / дерево, стекло

3415 ● WE

3xE14, max 40W




KENDO

stal, szkło / steel, glass / сталь, стекло

4301 SI

1xE27, max 60W



NAGANO

drewno, szkło / wood, glass / дерево, стекло

4290 WE

2xE27, max 60W



KENDO

stal, szkło / steel, glass / сталь, стекло

4302 SI

2xE27, max 60W




NAGANO

drewno, szkło / wood, glass / дерево, стекло

4291 WE

4xE27, max 60W



KENDO

stal, szkło / steel, glass / сталь, стекло

4303 SI

4xE27, max 60W




NAGANO

drewno, szkło / wood, glass / дерево, стекло

4292 WE

4xE27, max 60W

kids




TOY-STAR

sklejka, stal lakierowana / plywood, painted steel / дерево, лакированная сталь

9293 GY

3xE14, max 40W







TOY-STAR


sklejka, stal lakierowana / plywood, painted steel / дерево, лакированная сталь

9376 GY


1xE14, max 40W



PUZZLE 6383 P




PUZZLE
sklejka, PA / plywood, PA / дерево, PA
6384 P 6382 GY 9728 GY
4xGU10, max 15W



PUZZLE
sklejka, PA / plywood, PA / дерево, PA
6383 P 9730 GY
1xGU10, max 15W



SIGNPOST 9066 AN GY




SIGNPOST

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9065 AN GY

💡 2xGU10, max 35W




SIGNPOST

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9066 AN GY

💡 3xGU10, max 35W




SIGNPOST

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9066 AN GY

💡 3xGU10, max 35W



COMIC BOOK

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9290 GY/M

💡 1xGU10, max 35W



COMIC BOOK

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9286 GY/M

💡 2xGU10, max 35W





COMIC BOOK

sklejka, stal lakierowana / plywood, painted steel /
дерево, лакированная сталь

9285 GY/M

💡 3xGU10, max 35W




HONEY

sklejka, PET, PC, stal / plywood, PET, PC, steel /
дерево, PET, PC, сталь

3657 P/EC

2xE14, R50, 40W




HONEY

sklejka, PET, PC, stal / plywood, PET, PC, steel /
дерево, PET, PC, сталь

3660 P/EC

3xE14, R50, 40W




HONEY

sklejka, PET, PC, stal / plywood, PET, PC, steel /
дерево, PET, PC, сталь

3662 P/EC

4xE14, R50, 40W



HONEY

abażur, stal lakierowana, sklejka / shade, painted steel, plywood /
абажур, лакированная сталь, дерево,

6615 P/EC

1xE27, max 60W



HONEY

sklejka, PET, PC, stal / plywood, PET, PC, steel /
дерево, PET, PC, сталь

3661 P/EC

3xE14, R50, 40W




HONEY

sklejka, PET, PC, stal / plywood, PET, PC, steel /
дерево, PET, PC, сталь

3666 P/EC

1xE14, R50, 40W




FLOWERS

sklejka, peszel / plywood, protective pipe /
дерево, кабель-канал

6894 ⚡ P 6898 ⚡ G

💡 3xGU10, max 35W





FLOWERS

sklejka, peszel / plywood, protective pipe /
дерево, кабель-канал

6896 ⚡ P 6901 ⚡ G

💡 5xGU10, max 35W




FLOWERS

sklejka, peszel / plywood, protective pipe /
дерево, кабель-канал

6893 ⚡ P 6897 ⚡ G

💡 1xGU10, max 35W



FLOWERS

sklejka, peszel / plywood, protective pipe /
дерево, кабель-канал


6895 ⚡ P 6900 ⚡ G

💡 3xGU10, max 35W






PLANE 6904 B/GY



PLANE 6902 B/GY

PLANE 6904 B/GY

PLANE 6903 B/GY



PLANE

sklejka, peszel / plywood, protective pipe / дерево, кабель-канал

6904 B/GY

3xGU10, max 35W

PLANE

sklejka, peszel / plywood, protective pipe / дерево, кабель-канал

6902 B/GY

1xGU10, max 35W

PLANE


sklejka, peszel / plywood, protective pipe / дерево, кабель-канал

6903 B/GY


2xGU10, max 35W



TRAIN 4064 B/GN



TRAIN 4065 B/GN




TRAIN

sklejka, PET, PC, stal / plywood, PET, PC, steel /
дерево, PET, PC, сталь

4064 B/GN

⌚ 3xE14, R50, max 40W





TRAIN

sklejka, PET, PC, stal / plywood, PET, PC, steel /
дерево, PET, PC, сталь

4065 B/GN

⌚ 4xE14, R50, max 40W




GUITAR

sklejka, PET, PC, stal / plywood, PET, PC, steel /
дерево, PET, PC, сталь

4223 R/WH

⌚ 3xE14, R50, 78 LED blue, max 40W, included




GITARRA

sklejka, PET, PC, stal / plywood, PET, PC, steel /
дерево, PET, PC, сталь

4326 BR/WH

⌚ 3xE14, R50, 78 LED blue, max 40W, included




PRASLIN

abażur, stal lakierowana, sklejka / shade, painted steel,
plywood / абажур, лакированная сталь, дерево,

5303 WH/P

3xE14, max 40W



PRASLIN


abażur, stal lakierowana, sklejka / shade, painted steel,
plywood / абажур, лакированная сталь, дерево,

5304 WH/P

3xE14, max 40W



PRASLIN 5302 WH/P



PRASLIN

abażur, stal lakierowana, sklejka / shade, painted steel,
plywood / абажур, лакированная сталь, дерево,

5302 WH/P


1xE27, max 60W



MALWI 6736 B



MALWI 6326 P




MALWI

stal lakierowana / painted steel / лакированная сталь

6326 ⚡ P 6736 ⚡ B

⌚ 1xGU10, max 35W



MALWI

stal lakierowana / painted steel / лакированная сталь

6327 ⚡


⌚ 7xGU10, max 35W



bathroom



VAN GOGH LED L 9176 CH



VAN GOGH LED L

aluminium, PC / aluminium, PC / аллюминий, PC

9176 CH 9175 WH 9174 BL



VAN GOGH LED S

aluminium, PC / aluminium, PC / аллюминий, PC


9346 CH 9348 WH 9351 BL

VAN GOGH LED M

aluminium, PC / aluminium, PC / аллюминий, PC

9347 CH 9350 WH 9352 BL

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9346, 9348, 9351	8W LED EPISTAR	3000K	447 lm	120°	80		~220-240V, 50Hz	> 0,5	IP 44
9347, 9350, 9352	12W LED EPISTAR	3000K	795 lm	120°	80		~220-240V, 50Hz	> 0,5	IP 44
9174, 9175, 9176	18W LED EPISTAR	3000K	976 lm	120°	80		~220-240V, 50Hz	> 0,5	IP 44




MIRROR LED

aluminium, PC / aluminium, PC / аллюминий, PC

9340 CH


Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9340	8W LED EPISTAR	3000K	600 lm	90°	80	□	~220-240V, 50Hz	>0,5	IP 44



KAGERA LED M

szkło, PMMA, aluminium chromowane / glass, PMMA, electroplated aluminium / стекло, PMMA, хромированное алюминий

9503 CH



KAGERA LED L

szkło, PMMA, aluminium chromowane / glass, PMMA, electroplated aluminium / стекло, PMMA, хромированное алюминий

9502 CH

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9503	18W LED	4000K	1000 lm	120°	80	⊕	~220-240V, 50Hz	>0,5	IP 44
9502	24W LED	4000K	1380 lm	120°	80	⊕	~220-240V, 50Hz	>0,5	IP 44



7 cm
68 cm
8 cm

SPARTA

aluminium, acryl, stal chromowana /
aluminium, electroplated steel, acrylic /
алюминий, акрол, хромированная сталь

9157 CH



7 cm
43,5 cm
8 cm

SPARTA

aluminium, acryl, stal chromowana /
aluminium, electroplated steel, acrylic /
алюминий, акрол, хромированная сталь

9156 CH




3x zoom
36 cm
20 cm

MAKEUP LED

szkło, acryl, stal chromowana / glass, acrylic, electroplated steel /
стекло, акрол, хромированная сталь

9504 CH

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9504	3W LED	4000K	43 lm	120°	80	~200-240V, 50Hz	□	0,5	IP 44	10 000 h
9156	6W LED	4000K	400 lm	120°	80	~200-240V, 50Hz	⊕	0,5	IP 44	20 000 h
9157	2x6W LED	4000K	700 lm	120°	80	~200-240V, 50Hz	⊕	0,5	IP 44	20 000 h




CAYO

szkło, stal chromowana / glass, electroplated steel /
стекло, хромированная сталь

9505 CH

1xG9, max 40W
IP 44



SIS

szkło, stal chromowana / glass, electroplated steel /
стекло, хромированная сталь

9506 CH


1xG9, max 40W
IP 44



SIS 9506 CH



BALI 9353 TR



BALI

szkło, stal chromowana / glass, electroplated steel / стекло, хромированная сталь

9353 TR 9354 WH


1xE14, max 25W
IP 44



FRASER LED

PMMA, stal chromowana / PMMA, electroplated steel /
PMMA, хромированная сталь


6945 CH



FRASER LED

PMMA, stal chromowana / PMMA, electroplated steel /
PMMA, хромированная сталь

6944 CH



FRASER LED

PMMA, stal chromowana / PMMA, electroplated steel /
PMMA, хромированная сталь

6943 CH



BRAZOS

stal chromowana, szkło / electroplated steel, glass /
хромированная сталь, стекло

6948 CH

1xG9, max 25W
IP 44



BRAZOS

stal chromowana, szkło / electroplated steel, glass /
хромированная сталь, стекло

6950 CH

2xG9, max 25W
IP 44



BRAZOS


stal chromowana, szkło / electroplated steel, glass /
хромированная сталь, стекло

6951 CH

3xG9, max 25W
IP 44



Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION
6943	1x6W LED	4000K	360 lm	120°	80	~220-240V, 50Hz	<input type="checkbox"/>	0.8	IP 44
6944	1x8W LED	4000K	420 lm	120°	80	~220-240V, 50Hz	<input type="checkbox"/>	0.8	IP 44
6945	1x12W LED	4000K	720 lm	120°	80	~220-240V, 50Hz	<input type="checkbox"/>	0.8	IP 44




OHIO

stal chromowana, szkło / electroplated steel, glass /
хромированная сталь, стекло

3564 CH

2xG9, max 40W, included

IP 44



CELTIC

stal chromowana, szkło / electroplated steel, glass /
хромированная сталь, стекло

3346 CH

1xE14, max 40W
IP 44




MILTON

stal chromowana, szkło / electroplated steel, glass /
хромированная сталь, стекло

5264 CH

1xG9, max 40W, included
IP 44




BALTIC

stal chromowana, szkło / electroplated steel, glass /
хромированная сталь, стекло

3350 CH

2xG9, max 40W, included

IP 44



BALTIC

stal chromowana, szkło / electroplated steel, glass /
хромированная сталь, стекло

4386 CH

2xG9, max 25W, included


IP 44



MALAKKA LED 9501 CH




BASSA LED 9500 CH



BASSA LED

acryl, aluminium chrom / acryl, aluminium chrome / акрил, алюминиевый хром

9500 CH



MALAKKA LED

szkło, stal chromowana / glass, electroplated steel / стекло, хромированная сталь

9501 CH

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION
9500	18W LED	4000K	750 lm	120°	80	⊕	~220-240V, 50Hz	> 0,5	IP 44
9501	18W LED	4000K	940 lm	120°	80	⊕	~220-240V, 50Hz	> 0,5	IP 44




ARENA LED 6771 SI



ARENA 6725 GR



ARENA 6724 WH




ARENA

stal chromowana, szkło / electroplated steel, glass /
хромированная сталь, стекло

6724 ○ WH 6770 ○ SI 6725 ● GR

④ 3xE14, max 20W
IP 44



ARENA SENSOR


stal chromowana, szkło / electroplated steel, glass /
хромированная сталь, стекло

8832 ○ WH 8833 ● GR

④ 3xE14, max 20W
IP 44



ARENA LED 6727 GR



ARENA LED

stal chromowana, szkło / electroplated steel, glass /
хромированная сталь, стекло


6726 ○ WH 6771 ○ SI 6727 ● GR

IP 44

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION
6726	20W LED	4000K	1600 lm	140°	80	~220-240V, 50Hz	⊕	0,95	IP 44
6771	20W LED	4000K	1600 lm	140°	80	~220-240V, 50Hz	⊕	0,95	IP 44
6727	20W LED	4000K	1600 lm	140°	80	~220-240V, 50Hz	⊕	0,95	IP 44



TAHOE 3118 CH



TAHOE

PC, ABS / PC, ABS / PC, ABS

3118 CH 3250 WH 3122 SI

1xE27, max 23W

IP 65


3240 CH 3251 WH 3242 BR
3243 SI 3244 G

2xE27, max 23W

IP 65



TAHOE 3244 G



TAHOE SENSOR

PC, ABS / PC, ABS / PC, ABS

8831 CH 8830 WH

2xE27, max 23W


IP 65



TAHOE 3242 BR



GARDA 3755 BR



GARDA

PC, ABS / PC, ABS / PC, ABS

3752 CH 3750 WH 3755 BR

1xE27, max 23W

IP 65



GARDA 3750 WH




GARDA 3752 CH






cloud forms





CUMULUS M 9715 WH

CUMULUS S 9751 WH



CUMULUS S

PE / PE / PE

9751 ○ WH

① 1xE27, max 60W

IP 65

CUMULUS M

PE / PE / PE

9715 ○ WH

① 1xE27, max 60W

IP 65


CUMULUS L

PE / PE / PE


9607 ○ WH

① 1xE27, max 60W

IP 65



CUMULUS S 6976 WH




CUMULUS S

PE / PE / PE

6976 O WH

1xE27, max 40W

IP 44




CUMULUS M

PE / PE / PE

6977 O WH

1xE27, max 60W

IP 44




CUMULUS XL

PE / PE / PE

9714 O WH

1xE27, max 60W

IP 44



CUMULUS L

PE / PE / PE

6978 O WH

1xE27, max 60W

IP 44






FLOWERPOT S 9711 WH



FLOWERPOT M 9712 WH



FLOWERPOT L 9713 WH




FLOWERPOT S

PE / PE / PE

9711 WH

1xE27, max 60W

IP 44




FLOWERPOT M

PE / PE / PE

9712 WH

1xE27, max 60W

IP 44



FLOWERPOT L


PE / PE / PE

9713 WH

2xE27, max 60W

IP 44





GALAXY

PE, INOX / PE, INOX / PE, INOX


9425 ⚡ WH/SI

⌚ 1xE27, max 40W

IP 44



cloud
FORMS





outdoor



SOUL 9568 WH



SOUL

aluminium, szkło / aluminium, glass /
алюминий, стекло

9555 ● GR 9556 ○ WH

① 1xGU10, max 35W
IP 44




SOUL

aluminium, szkło / aluminium, glass /
алюминий, стекло

9557 ● GR 9558 ○ WH

① 1xGU10, max 35W
IP 44



SOUL

aluminium, szkło / aluminium, glass /
алюминий, стекло

9560 ● GR

① 2xGU10, max 35W
IP 44



SOUL 9556 WH



SOUL 9560 GR





MONTERREY LED 9507 BL



TEPIC LED

aluminium / aluminium / алюминиевый

9508 ● BL



MONTERREY LED

aluminium / aluminium / алюминиевый

9507 ● BL

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI)	SAFETY TYPE	INPUT	POWER FACTOR	INGRES PROTECTION	LIFETIME
9508	9W LED	3000K	395 lm	31°	80	⊕	~220-240V, 50 Hz	0,85	IP 54	10 000 h
9507	9W LED	3000K	410 lm	39°	80	⊕	~220-240V, 50 Hz	0,85	IP 54	10 000 h

MEKONG 4418 GR




MEKONG

aluminium, szkło / aluminium, glass /
аллюминий, стекло

4418 ● GR

1xE27, max 18W

IP 42



MISTRAL

aluminium, PC / aluminium, PC /
аллюминий, PC

4390 ● GR

1xE27, max 23W

IP 44



MISTRAL 4390 GR



MEKONG 4420 GR


MEKONG

aluminium, szkło / aluminium, glass /
аллюминий, стекло

4420 ● GR

2xE27, max 18W

IP 42



MISTRAL

aluminium, PC / aluminium, PC /
аллюминий, PC

3393 ● GR

1xE27, max 23W

IP 44



MISTRAL 3393 GR



MEKONG 4698 GR




MEKONG

aluminium, szkło / aluminium, glass /
аллюминий, стекло

4698 ● GR

1xE27, max 18W

IP 42



MISTRAL

aluminium, PC / aluminium, PC /
аллюминий, PC

3394 ● GR

1xE27, max 23W



IP 44



LHOTSE LED 4447 GR




LHOTSE LED 4448 GR



POLE LED


Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ₂)	SAFETY TYPE	INPUT	POWER FACTOR	INGRES PROTECTION	LIFETIME
4447	3x3W LED	3000K	169 lm	72°	80	⊕	~220-240V, 50 Hz	0,79	IP 54	10 000 h
4448	3x3W LED	3000K	169 lm	72°	80	⊕	~220-240V, 50 Hz	0,79	IP 54	10 000 h
9185	12x2W LED	3000K	950 lm	54°	81	⊕	~220-240V, 50 Hz	0,94	IP 54	30 000 h





PATHWAY FOUNDATION KIT

stal ocynkowana / galvanized steel / оцинкованная сталь




PATHWAY LED

aluminium, stal lakierowana / aluminium, painted steel /
алюминий, лакированная сталь

9420 ⚡ BL



PATHWAY LED 9425 BL




PATHWAY LED

aluminium, stal lakierowana / aluminium, painted steel /
алюминий, лакированная сталь

9252 ⚡ BL



PATHWAY LED 9420 BL



PATHWAY LED

aluminium, stal lakierowana / aluminium, painted steel /
алюминий, лакированная сталь

9125 ⚡ BL

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9420, 9252	24W LED	3000K	2200 lm	100°	80	~220-240V, 50Hz	⊕	0,9	IP 44	30 000 h
9125	36W LED	3000K	3600 lm	100°	80	~220-240V, 50Hz	⊕	0,9	IP 44	30 000 h

SPIKE LED 9098 BL



SPIKE LED
aluminium / aluminium / аллюминий
9098 ● BL




SPIKE LED
aluminium / aluminium / аллюминий
9100 ● BL



SPIKE LED 9101 BL



THIKA LED 9120 BL




THIKA LED

aluminium, szkło / aluminium, glass / аллюминий, стекло
9120 ● BL



THIKA LED 9121 BL




THIKA LED

aluminium, szkło / aluminium, glass / аллюминий, стекло
9121 ● BL



THIKA LED 9118 BL




THIKA LED

aluminium, szkło / aluminium, glass / аллюминий, стекло
9118 ● BL

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9101	3W LED	3000K	115 lm	35°	80	~220-240V, 50Hz	⊕	0,55	IP 54	10 000 h
9100	3W LED	3000K	115 lm	35°	80	~220-240V, 50Hz	⊕	0,55	IP 54	10 000 h
9098	3W LED	3000K	115 lm	35°	80	~220-240V, 50Hz	⊕	0,55	IP 54	10 000 h

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9121	10W LED	3000K	996 lm	110°	80	~220-240V, 50Hz	⊕	0,9	IP 54	20 000 h
9120	15W LED	3000K	1035 lm	110°	80	~220-240V, 50Hz	⊕	0,9	IP 54	20 000 h
9118	9W LED	3000K	520 lm	39°	80	~220-240V, 50Hz	⊕	0,5	IP 54	20 000 h

RIO 4424 BL



RIO SENSOR 7017 BL



RIO

aluminium, PC / aluminium, PC / аллюминий, PC

4423 BL

1xE27, max 40W

IP 54

RIO

aluminium, PC / aluminium, PC / аллюминий, PC

4424 BL

2xE27, max 40W

IP 54

RIO SENSOR

aluminium, PC / aluminium, PC / аллюминий, PC

7017 BL

1xE27, max 40W

IP 54



6m



RIO SENSOR

aluminium, PC / aluminium, PC / аллюминий, PC

9097 BL


1xE27, max 40W

IP 54

RIO SENSOR 9097 BL



SIERRA 4422 BL



SIERRA


aluminium, PC / aluminium, PC / аллюминий, PC

4422 BL

2xE27, max 40W

IP 54

SIERRA 4421 BL



SIERRA

aluminium, PC / aluminium, PC / аллюминий, PC

4421 BL

1xE27, max 40W

IP 54



OIR 9158 BL




SIROCCO 3396 GR



NORIN 4446 GR



HORN 4906 BR



OIR



SIROCCO



NORIN



HORN



NEGRO 4426 GY




NEGRO



NEGRO



TORRENS





ROCK 3406 GR



FOG 3403 GR




ROCK 3405 GR



FOG 3402 GR



ROCK 3407 GR



FOG 3404 GR






LENS 9113 WH



EDESA LED S 9110 BL

LENS 9112 BL




LENS LED

aluminium / aluminium / аллюминий
9112 ● BL 9113 ○ WH




EDESA LED M 9108 WH



EDESA LED S

aluminium / aluminium / аллюминий
9110 ● BL 9111 ○ WH




EDESA LED M

aluminium / aluminium / аллюминий
9107 ● BL 9108 ○ WH

Item No.	POWER	COLOUR TEMP	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9107, 9108	6W LED	3000K	370 lm	68°	80	~220-240V, 50Hz	⊕	0.55	IP 54	10 000 h
9110, 9111	3W LED	3000K	250 lm	52°	80	~220-240V, 50Hz	⊕	0.55	IP 54	10 000 h
9112, 9113	2x2W LED	3000K	110 lm	10°	80	~220-240V, 50Hz	⊕	0.55	IP 54	10 000 h



DONUT LED 9116 BL




DONUT LED

aluminium / aluminium / аллюминий

9116 ● BL



PATRAS LED 9115 BL




PATRAS LED

aluminium / aluminium / аллюминий

9115 ● BL



DONUT LED 9117 BL




DONUT LED

aluminium / aluminium / аллюминий

9117 ● BL



ARGOS LED 9114 WH




ARGOS LED

aluminium / aluminium / аллюминий

9114 ○ WH

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9116	6W LED	3000K	271 lm	110°	80	~200-240V, 50Hz	⊕	0,5	IP 54	20 000 h
9117	2x6W LED	3000K	636 lm	110°	80	~200-240V, 50Hz	⊕	0,5	IP 54	20 000 h

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9115	4x1W LED	3000K	255 lm	38°	80	~220-240V, 50Hz	⊕	0,55	IP 54	10 000 h
9114	2x2W LED	3000K	280 lm	47°	80	~220-240V, 50Hz	⊕	0,55	IP 54	10 000 h




NICO

aluminium, szkło / aluminium, glass /
алюминий, стекло

9517 ● GR

2xGU10, max 10W
IP 54




NICO

aluminium, szkło / aluminium, glass /
алюминий, стекло

9518 ● GR

1xGU10, max 10W
IP 54




ARRIS

aluminium, szkło / aluminium, glass /
алюминий, стекло

9515 ○ SI

2xGU10, max 10W
IP 54




ARRIS

aluminium, szkło / aluminium, glass /
алюминий, стекло

9516 ○ SI


1xGU10, max 10W
IP 54



HANOI LED

aluminium / aluminium / алюминиевый


9512 ○ WH



HAVANA LED

aluminium / aluminium / алюминиевый

9511 ○ WH



LIMA LED

aluminium / aluminium / алюминиевый

9510 ○ WH

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI \geq)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9512	6W LED	3000K	335 lm	92°	80	⊕	~220-240V, 50Hz	0,55	IP 54	10 000 h
9511	9W LED	3000K	430 lm	106°	80	⊕	~220-240V, 50Hz	0,55	IP 54	10 000 h
9510	6W LED	3000K	360 lm	97°	80	⊕	~220-240V, 50Hz	0,55	IP 54	10 000 h



PRIMM 9551 GR



PRIMM

aluminium, szkło / aluminium, glass / аллюминий, стекло

9551 ● GR

1xGU10, max 10W

IP 54



FALON 9552 GR



FALON

aluminium, szkło / aluminium, glass / аллюминий, стекло

9552 ● GR

1xGU10, max 10W

IP 54



LAMAR 9553 GR



LAMAR

aluminium, szkło / aluminium, glass / аллюминий, стекло


9553 ● GR

2xGU10, max 10W

IP 54



ASSOS 9124 BL



ASSOS


aluminium, szkło / aluminium, glass / аллюминий, стекло

9124 ● BL

💡 2xGU10, max 10W

IP 54

DISC LED 6910 BL




DISC LED

aluminium, PC / aluminium, PC / аллюминий, PC

6910 ● BL



ASSOS 9123 BL



ASSOS


aluminium, szkło / aluminium, glass / аллюминий, стекло

9123 ● BL

💡 1xGU10, max 10W

IP 54

UNIT LED 9122 BL




UNIT LED

aluminium / aluminium / аллюминий

9122 ● BL



BRICK 3408 GR






BRICK

aluminium, szkło / aluminium, glass / аллюминий, стекло

3408 ● GR


💡 1xE27, max 60W
IP 65

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
6910	4x1W LED	3000K	350 lm	67°	80	~220-240V, 50Hz	⊕	0,46	IP 44	10 000 h
9122	2x5W LED	3000K	727 lm	110°	80	~220-240V, 50Hz	⊕	0,89	IP 54	20 000 h



Item No.	POWER	COLOUR TEMP	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	INGRESS PROTECTION
4444	4x1W LED CREE	3000K	321 lm	16°	80	~200-240V, 50Hz	⊕	0.89	IP 54	10 000 h
6775	36x0.2W LED CREE	3000K	242 lm	120°	80	~220-240V, 50Hz	⊕	0.54	IP 54	8 000 h
6776	1x6W LED CREE	3000K	242 lm	120°	80	~220-240V, 50Hz	⊕	0.54	IP 54	8 000 h



Item No.	POWER	COLOUR TEMP	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
4441	2x3W LED CREE	3000K	62 lm	83°	80	~200-240V, 50Hz	⊕	0.91	IP 54	10 000 h
4442	2x3W LED CREE	3000K	122 lm	65°	80	~200-240V, 50Hz	⊕	0.91	IP 54	10 000 h



FLAT LED

aluminium, PC dyfuzor / aluminium, PC diffuser /
алюминий, PC диффузор

9422 ● GR




ZOA LED

aluminium, szkło / aluminium, glass / аллюминий, стекло

9421 ● GR


ITEM NO	POWER	COLOUR TEMP	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9422	12W LED	3000K	350 lm	110°	81	⊕	~220-240V, 50Hz	0.9	IP 54	20 000 h
9421	10W LED	3000K	795 lm	110°	81	⊕	~220-240V, 50Hz	0.55	IP 54	20 000 h



PUEBLA LED

aluminium, PC / aluminium, PC / алюминий, PC

9513 ⬤ GR




MERIDA LED


aluminium, PC / aluminium, PC / алюминий, PC

9514 ⬤ GR

ITEM NO	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI ≥)	SAFETY TYPE	INPUT	POWER FACTOR	INGRESS PROTECTION	LIFETIME
9513	12W LED	3000K	538 lm	110°	80	⊕	~220-240V, 50Hz	0,93	IP 54	20 000 h
9514	12W LED	3000K	538 lm	110°	80	⊕	~220-240V, 50Hz	0,93	IP 54	20 000 h



HEXA 9564 WH



HEXA


aluminium, szkło / aluminium, glass / алюминий, стекло

9564 ○ WH 9565 ⬤ GR

1xGU10, max 35W
IP 44



QUARTZ SENSOR 7016 BL




QUARTZ

aluminium, PC / aluminium, PC / аллюминий, PC

3411 ● GR

① 1xE27, max 60W

IP 21



QUARTZ SENSOR

aluminium, PC / aluminium, PC / аллюминий, PC

7016 ● BL

① 1xE27, max 60W


IP 21



BUSH 3401 GR



INDUS 4440 GR



INDUS

aluminium, szkło / aluminium, glass / аллюминий, стекло

4440 ● GR

① 2xE27, max 15W

IP 44



BUSH

aluminium, szkło / aluminium, glass / аллюминий, стекло


3401 ● GR

① 1xGU10, max 35W

IP 65



BASALT 3412 GR



BASALT

aluminium, PC / aluminium, PC / аллюминий, PC


3412 GR 4966 SI

1xE14, max 60W

IP 44




STEP LED 6907 GR




STEP LED

aluminium / aluminium / аллюминий

6907 GR 6908 WH



ASSAM 4453 GR



ASSAM

aluminium, szkło / aluminium, glass / аллюминий, стекло


4453 GR

1xE27, max 18W

IP 65



OIA LED 9103 WH




OIA LED

aluminium / aluminium / аллюминий

9102 BL 9103 WH



INA 4907 GR




INA

aluminium, szkło / aluminium, glass / аллюминий, стекло

4907 GR

1xE27, max 18W

IP 65




OIA LED 9102 BL

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	LIFETIME
6908, 6907	1x3W LED	3000K	310 lm	92°	80	~220-240V, 50Hz	<input checked="" type="radio"/>	0,57	IP 44	10 000 h
9102, 9103	1W LED	3000K	45 lm	49°	80	~220-240V, 50Hz	<input checked="" type="radio"/>	0,55	IP 20	10 000 h



PICCO LED S 9106 SI



PICCO LED S

aluminium / aluminium / аллюминий


9106 SI



PAOLI 9554 SI




PICCO LED M 9105 SI



PICCO LED M

aluminium / aluminium / аллюминий

9105 SI




PAOLI


aluminium, szkło / aluminium, glass /
аллюминий, стекло

9554 SI

1xGU10, max 10W
IP 67



PICCO LED L 9104 SI



PICCO LED L

aluminium / aluminium / аллюминий

9104 SI



MON 4454 SI



MON


aluminium, szkło / aluminium, glass /
аллюминий, стекло

4454 SI

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	INGRESS PROTECTION	INGRESS PROTECTION
9106	1x1W LED	3000K	47 lm	42°	80	~220-240V, 50Hz	⊕	0.55	IP 67	10 000 h
9105	1x1W LED	3000K	52 lm	51°	80	~220-240V, 50Hz	⊕	0.55	IP 67	10 000 h
9104	1x3W LED	3000K	130 lm	48°	80	~220-240V, 50Hz	⊕	0.55	IP 67	10 000 h
4454	1x1W LED CREE	3000K	68 lm	28°	80	~200-240V, 50Hz	⊕	0.42	IP 67	10 000 h



PROVENCE 9094 BL



PROVENCE

aluminium, szkło / aluminium, glass / аллюминий, стекло


9094 ● BL

1xE27, max 23W

IP 44



MARINA 9096 BL



MARINA


aluminium, szkło / aluminium, glass / аллюминий, стекло

9096 ● BL

1xE27, max 23W

IP 44


TYBR 4684 BR/G



AMUR 4692 BR/CO



AMUR 4693 BR/CO



AMUR

aluminium, szkło / aluminium, glass /
аллюминий, стекло

4692 BR/CO

1xE27, max 60W

IP 23




AMUR

aluminium, szkło / aluminium, glass /
аллюминий, стекло

4693 BR/CO

1xE27, max 60W

IP 23



AMUR

aluminium, szkło / aluminium, glass /
аллюминий, стекло

4694 BR/CO

1xE27, max 60W

IP 44



TYBR 4685 BR/G




TYBR

aluminium, szkło / aluminium, glass /
аллюминий, стекло

4686 BR/G

1xE27, max 60W

IP 44



TYBR

aluminium, szkło / aluminium, glass /
аллюминий, стекло

4685 BR/G

1xE27, max 60W

IP 44



TAY

aluminium, szkło / aluminium, glass / алюминий, стекло


5292 ● BL

1xE27, max 60W

IP 23




TAY 5292 BL



TAY 5292 BL



SPEY 5290 BL




TAY

aluminium, szkło / aluminium, glass / алюминий, стекло

5294 ● BL

1xE27, max 60W

IP 23




TAY

aluminium, szkło / aluminium, glass / алюминий, стекло

5293 ● BL

1xE27, max 60W

IP 23



SPEY

aluminium, szkło / aluminium, glass / алюминий, стекло

5290 ● BL

1xE27, max 60W

IP 23



SPEY

aluminium, szkło / aluminium, glass / алюминий, стекло

5291 ● BL

1xE27, max 60W

IP 23



SPEY 5291 BL

HORSE 4901 BR/G



LANTERN 6911 BL/CO



LANTERN

aluminium, szkło / aluminium, glass / аллюминий, стекло

6911 BL/CO

1xE27, max 60W


IP 23



HORSE 4900 BR/G



DON 4687 BR



DON

aluminium, szkło / aluminium, glass / аллюминий, стекло

4687 BR

1xE27, max 60W

IP 44



HORSE

żywica organiczna, szkło / polyresin, glass /
органическая смола, стекло

4900 BR/G

1xE27, max 60W

IP 44



HORSE

żywica organiczna, szkło / polyresin, glass /
органическая смола, стекло

4902 BR/G

1xE27, max 60W

IP 44



HORSE


żywica organiczna, szkło / polyresin, glass /
органическая смола, стекло

4901 BR/G

1xE27, max 60W

IP 44

accessories



REFLECTOR GU10, ES111 LED COB, 15W

tworzywo sztuczne / aluminium / plastic, aluminium / пластик, алюминий

9831 WH - 4000K




REFLECTOR GU10, R50, LED 7W

tworzywo sztuczne / plastic / пластик

9180 WH - 3000K

9178 WH - 4000K




REFLECTOR LED, ES111 LENS, 9W

tworzywo sztuczne / plastic / пластик

9343 BL - 3000K 9345 WH - 3000K


9213 BL - 4000K 9214 WH - 4000K



GLASS BALL BULB E27, LED 8W

szkło / glass / стекло

9177 WH




REFLECTOR LED, ES111 DIFFUSER, 9W

tworzywo sztuczne / plastic / пластик

9342 BL - 3000K 9344 WH - 3000K

9211 BL - 4000K 9212 WH - 4000K



G9 BULB LED 7W

ceramika, PC / ceramic housing, PC / PC

9197 WH




REFLECTOR GU10, ES111, LED COB, 12W

tworzywo sztuczne, aluminium / plastic, aluminium / пластик, алюминий

9181 CH - 3000K

9182 CH - 4000K




G9 BULB LED LENS 3W

ceramika, PC / ceramic housing, PC / PC

9173 WH

Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	LIFETIME
9343, 9345	9W	3000K	810 lm	30°	80	~220-240V, 50Hz	<input type="checkbox"/>	> 0,5	25 000 h
9213, 9214	9W	4000K	800 lm	30°	80	~220-240V, 50Hz	<input type="checkbox"/>	> 0,5	25 000 h
9342, 9344	9W	3000K	810 lm	120°	80	~220-240V, 50Hz	<input type="checkbox"/>	> 0,5	25 000 h
9211, 9212	9W	4000K	700 lm	120°	80	~220-240V, 50Hz	<input type="checkbox"/>	> 0,5	25 000 h
9831	15W	4000K	1100 lm	36°	80	~220-240V, 50Hz	<input type="checkbox"/>	> 0,5	25 000 h


Item No.	POWER	COLOUR TEMP.	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	SAFETY TYPE	POWER FACTOR	LIFETIME
9180	7W LED	3000K	500 lm	36°	80	~220-240V, 50Hz	<input type="checkbox"/>	0,5	25 000 h
9178	7W LED	4000K	500 lm	36°	80	~220-240V, 50Hz	<input type="checkbox"/>	0,5	25 000 h
9181	12W LED	3000K	560 lm	24°	80	~220-240V, 50Hz	<input type="checkbox"/>	0,5	25 000 h
9182	12W LED	4000K	560 lm	24°	80	~220-240V, 50Hz	<input type="checkbox"/>	0,5	25 000 h
9177	8W LED	3000K	800 lm	360°	80	~220-240V, 50Hz	<input type="checkbox"/>	0,5	25 000 h
9197	7W LED	3000K	700 lm	360°	80	~220-240V, 50Hz	<input type="checkbox"/>	0,5	25 000 h
9173	3W LED	3000K	280 lm	120°	80	~220-240V, 50Hz	<input type="checkbox"/>	0,5	25 000 h



LED TUBE T8 11W

szkło / glass / стекло

9253 WH



LED TUBE T8 16W

szkło / glass / стекло

9254 WH




LED TUBE T8 22W

szkło / glass / стекло

9255 WH


Item No.	POWER	COLOUR TEMP.	LEDS	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	POWER FACTOR	LIFETIME
9253	11W LED	3000K	SMD2835	950-1000 lm	200°	80	~230V, 50Hz	>0,9	25 000 h
9254	16W LED	3000K	SMD2835	1400-1500 lm	200°	80	~230V, 50Hz	>0,9	25 000 h
9255	22W LED	3000K	SMD2835	2000-2100 lm	200°	80	~230V, 50Hz	>0,9	25 000 h



IP68 WATERPROOF CABLE CONNECTOR

tworzywo sztuczne / plastic / пластик


8845 BL



IP68 „Y” WATERPROOF CABLE CONNECTOR

tworzywo sztuczne / plastic / пластик

8846 BL



MICROWAVE SENSOR

tworzywo sztuczne / plastic / пластик

8821 WH

reach: 3-10 m (radii)
time setting: 8 sec to 12 min
light control: 2-2000 LUX
power supply: 230V, 50 Hz



DUPLEX


PC, aluminium / PC, aluminium / PC, алюминий

9341 WH

1xE27 / 2xE27, max 40W



Item No.	POWER	COLOUR TEMP	LUMINOUS FLUX	BEAM ANGLE	COLOUR RENDERING INDEX (CRI >)	INPUT	REPLACEMENT	SWITCH CYCLES ON/OFF	LIFETIME
9793	4W LED	2200K	360 lm	360°	80	~230V, 50Hz	4W LED=35W	x 15 000	15 000 h
9796	4W LED	2200K	360 lm	360°	80	~230V, 50Hz	4W LED=35W	x 15 000	15 000 h
9795	4W LED	2200K	360 lm	360°	80	~230V, 50Hz	4W LED=35W	x 15 000	15 000 h
9794	4W LED	2200K	360 lm	360°	80	~2230V, 50Hz	4W LED=35W	x 15 000	15 000 h
9797	4W LED	2200K	360 lm	360°	80	~230V, 50Hz	4W LED=35W	x 15 000	15 000 h




DECORATIVE BULB

szkło / glass / стекло

5021

E14, 40W




VINTAGE LED BULB

szkło / glass / стекло

9793

E14



VINTAGE LED BULB

szkło / glass / стекло

9795

E27



VINTAGE LED BULB

szkło / glass / стекло

9796

E27



VINTAGE LED BULB

szkło / glass / стекло

9794

E27



VINTAGE LED BULB

szkło / glass / стекло

9797

E27

ALFABETYCZNY SPIS TREŚCI / ALPHABETICAL INDEX

A

BIG BOY	247
BIO	180
BIOWAY	181
BIT M	287
BIT S	287
BOAT	145
BOLD	123
BOWL L	97
BOWL M	97
BOX ES111	293
BOX LED	290
BRAZOS	389
BRICK	438
BRYCE L	66
BRYCE M	66
BRYCE S	66
BUBBLE	100
BULLET	44
BUSH	447

C

CABLE BLACK/COOPER	104
CAGE	22
CAMERON	140
CAMILLA	20
CANALINA CLASSIC	351
CANALINA ZEBRA	351
CARSON	291
CAYO	386
CEILING COB	301
CEILING LED	298
CELTIC	390
CLASSIC	346
COBA	188
COLVILLE	278
COMIC BOOK	365
CONNECTOR IP68 „Y” WATERPROOF	465
CONNECTOR IP68 WATERPROOF	465
CONO CLASSIC	349
CONTRASTAMPO	348
CORA	318
CORSICA	215
COSMO S.	248
CRAFT	73
CRANE	198
CRATE	32

B

BALI	387
BALL	102
BALTIC	391
BARON	312
BASALT	448
BASSA LED	393
BERGEN	232

CROCO	139
CROSS	271
CUBE	238
CUBOID	272
CUMULUS CUBE L	401
CUMULUS CUBE M	401
CUMULUS L	403
CUMULUS M	403
CUMULUS S	403
CUMULUS XL	404
CYCLON	74

F

EYE SUPER B	57
EYE SUPER C	58
EYE TONE	285

D

DAKAR	338
DECORATIVE BULB	467
DEGAS LED M	241
DEGAS LED S	241
DIAMOND	99
DISC LED	439
DON	458
DONUT LED	432
DOT	297
DOVER	178
DOWNLIGHT ES111	293
DOWNLIGHT LED	299
DOWNLIGHT M	286
DOWNLIGHT S	286
DRAS LED	441
DUPLEX	465

E

EDESA LED M	431
EDESA LED S	431
EDITH	162
EGG L	9
EGG M	9
EGG XL	8
EOL	300
EYE FIT	277
EYE FLEX	54
EYE FLEX S	54
EYE L	48
EYE M	48
EYE MOD	296
EYE S	49
EYE SPOT	274
EYE SUPER	58
EYE SUPER A	57

G

G9 BULB LED 7W	463
G9 BULB LED LENS 3W	463
GALAXY	408
GAP	282
GARDA	397
GARRET	84
GAUDI LED M	242
GAUDI LED S	242
GEOMETRIC	117
GESSE LED	236
GIPSY ŁUK L	127
GIPSY ŁUK S	127
GIPSY MOON S	127
GIPSY PROSTOKĄT L	126
GIPSY PROSTOKĄT M	126
GIPSY PROSTOKĄT S	126
GITARRA	373
GLASS BALL BULB E27, LED 8W	463
GLOBE	204
GOYA LED	242
GROOVE	283

GSTAR	19
GUITAR.....	373
GYPSUM.....	118
H	
H LED	223
HAGA	232
HALL LED.....	231
HANOI LED.....	435
HARMONY.....	76
HAVANA LED.....	435
HAWK.....	169
HEART	362
HELIOS.....	300
HEMISPHERE CEILING	95
HEMISPHERE CRACKS L	90
HEMISPHERE CRACKS S	90
HEMISPHERE HIT L	96
HEMISPHERE HIT S	96
HEMISPHERE L	92
HEMISPHERE RUST L	90
HEMISPHERE RUST S	90
HEMISPHERE S	93
HEXA.....	445
HIGH-BAY	81
HIRO.....	349
HONEY.....	366
HORN.....	426
HORSE.....	459
HOTEL	160
HOTEL LED	161
HOTEL PLUS.....	163
I	
IBIZA SPHERE	212
IKА.....	182
IKА A.....	182
IKА C.....	182
IKА D.....	182
IMBRIA.....	60
INA.....	448
INDUS.....	446
INDUSTRIAL L	79
INDUSTRIAL M	79
INDUSTRIAL S	78
IRIS LED 7W	280
K	
KAGERA LED L.....	383
KAGERA LED M.....	383
KAREN	20
KASAI	243
KASAI SENSOR.....	243
KATERINA.....	216
KEAL GOLD S	239
KENDO	356
KHUMBU	441
KORYNT	308
KYOTO	354
KYOTO SHINE	355
L	
LAGUNA.....	132
LAMAR	437
LANTERN	458
LASER	46
LAVA L	115
LAVA S	115
LED TUBE T8 11W	464
LED TUBE T8 16W	464
LED TUBE T8 22W	464
LENS LED	430
LHOTSE LED	418
LIA LED	236
LIMA LED	435
LIRA	324
LOFT	86
LUKSOR L	13
LUKSOR PLUS L	14
LUKSOR PLUS S	14
LUKSOR S	13
LUX MAT	345
M	
MAKEUP LED	385
MALAKKA LED	393
MALMO	233
MALWI	376
MANUFACTURE	42
MARGARET	326
MARINA	453
MEKNES	23
MEKONG	416
MERIDA LED	444

MERSEY	23
MICROWAVE SENSOR	465
MIKI	316
MILL	35
MILTON	390
MINIMAL	174
MIRROR LED	382
MIST	131
MISTRAL	417
MOD	294
MOD PLUS	295
MODENA	214
MON	451
MONACO	196
MONET LED M	241
MONET LED S	241
MONTERREY LED	415
MOSS	159
MUNO LED	440
MUSE L	129
MUSE M	129
N	
NAGANO	357
NARWIK	233
NEGRO	427
NEO M	185
NEO S	185
NESS	22
NICO	434
NORIN	426
NUAGE	211
NUAGE	209
NUAGE L	210
NUAGE M	210
NUAGE S	210
O	
OFFICE LED	230
OHIO	391
OIA LED	449
OIR	426
OLIMPIA	310
OSAKA SQUARE	352
OSLO	190
OSLO LED	191
OVAL	283
P	
PAG	282
PANTOGRAPH	72
PAOLI	451
PATHWAY FOUNDATION KIT	420
PATHWAY LED	421
PATRAS LED	433
PEAK LED	441
PERM	69
PERTH	23
PETRA	103
PICCO LED L	450
PICCO LED M	450
PICCO LED S	450
PICO	15
PILE	34
PIREUS	304
PLANE	371
PLANT	98
PŁOMYK	334
POCATELLO	250
POINT L	289
POINT M	289
POINT PLEXI L	288
POINT PLEXI M	288
POINT S	289
POLARIS	202
POLE LED	419
POLY	65
POLY L	65
POLY M	64
POLY S	64
PRASLIN	374
PRIMM	437
PROFILE BIT	258
PROFILE BIT PLUS	261
PROFILE BUBBLE	258
PROFILE DEAD END CAP	265
PROFILE EYE	259
PROFILE EYE FLEX	260
PROFILE EYE SPOT	261
PROFILE EYE SUPER A	260
PROFILE EYE SUPER C	260
PROFILE FLEX	260
PROFILE IRIS LED 12W	254
PROFILE IRIS LED 20W	255
PROFILE IRIS LED 30W	255
PROFILE IRIS LED 7W	254
PROFILE L-CONNECTOR	265

PROFILE POWER END CAP265	ROLLER177
PROFILE POWER SUPPLY KIT265	ROSETTE344
PROFILE RECESSED266		
PROFILE RECESSED DEAD END CAP267	S	
PROFILE RECESSED FIXING SET267	SALVA A206
PROFILE RECESSED L-CONNECTOR267	SALVA C206
PROFILE RECESSED POWER END CAP267	SALVA E206
PROFILE RECESSED STRAIGHT CONNECTOR267	SALVA G207
PROFILE RECESSED T-CONNECTOR266	SALVA H207
PROFILE RECESSED TRACK 1 METER266	SANTI LED236
PROFILE RECESSED TRACK 2 METER266	SCORPIO219
PROFILE RECESSED X-CONNECTOR267	SEMI LED440
PROFILE SHOW LED 12W256	SET284
PROFILE STORE LED 12W257	SHOP LED281
PROFILE STORE LED 5W257	SHY122
PROFILE STORE LED 7W257	SIERRA425
PROFILE SUSPENSION KIT265	SIGNPOST364
PROFILE T-CONNECTOR265	SILICONE105
PROFILE TRACK 1 METER264	SILVERADO330
PROFILE TRACK 2 METER264	SIMPLE106
PROFILE TRACK LIGHTS SYSTEM264	SIROCCO426
PROFILE VESPA261	SIS386
PROFILE WORKSHOP258	SOFT LED 90x20227
PROFILE X-CONNECTOR265	SOFT LED 90x6227
PROVENCE452	SOFT LED 120x6227
PUEBLA LED444	SOFT LED 120x6228
PUZZLE363	SOFT LED 60x20229
		SOFT LED 60x6229
		SOFT LED 60x60228
		SOFT LED 90x20228
Q LED224	SOFT LED 90x6229
QUARTZ446	SOLID124
QUARTZ SENSOR446	SOUL413
QUEBECK63	SPARTA384
		SPEY457
		SPIDER108
		SPIKE LED422
REFLECTOR GU10, ES111 LED COB, 15W462	STALACTITE45
REFLECTOR GU10, ES111, LED COB, 12W462	STAR409
REFLECTOR GU10, R50, LED 7W463	STEP LED449
REFLECTOR LED, ES111 LENS 9W462	STICKS25
REFLECTOR LED, ES111 DIFFUSER 9W462	STONE GRAY120
RETTO A154	STONE TRAVERTINE120
RETTO B154	STRAIGHT LED CEILING L220
RETTO C155	STRAIGHT LED CEILING M220
RIO424	STRAIGHT LED CEILING S220
RIO SENSOR424	STRAIGHT LED WALL L222
ROCK428	STRAIGHT LED WALL M222
ROD30	STRAIGHT LED WALL S222

Q

R

S

STRAIGHT WALL XS222	VOLCANO S115
STUDENT251		
SWIVEL164	W	

T

TAHOE396	WAVE L11
TAHOE SENSOR396	WAVE S11
TAMPA247	WEZEN176
TAY456	WHEEL172
TECHNO70	WING LED234
TEPIC LED415	WIOLETTA340
TESA327	WOOD BOY193
TESALLI213	WOOD DIAMOND175
THIKA LED423	WORKS82
TORINO192	WORKSHOP40
TORRENS427		
TOSCA M184	Z	
TOSCA S184	ZELDA170
TOSCANA215	ZEM LED440
TOY-STAR360	ZOA LED443
TRAIN372		
TUBE235		
TUGELA243		
TULUM105		
TURDA134		
TWIG36		
TWIST332		
TYBR455		

U

UFO218
UMBRELLA19
UNIT LED439

V

VAN GOGH LED L380
VAN GOGH LED M381
VAN GOGH LED S381
VELVET350
VER239
VESPA273
VETRO199
VICTORIA320
VINTAGE LED BULB467
VIPER168
VIVIANE144
VOLCANO L115

INDEKS LAMP / PROGRESSIVE CODE INDEX

INDEX	STRONA/PAGE	INDEX	STRONA/PAGE	INDEX	STRONA/PAGE	INDEX	STRONA/PAGE	INDEX	STRONA/PAGE	INDEX	STRONA/PAGE
002/01	251	1353	340	2998	320	3408	438	3755	397	4423	424
002/00	251	1509	316	3006	219	3411	446	3765	354	4424	424
050/00	218	1510	317	3007	219	3412	448	3908	347	4425	427
050/01	218	1511	317	3008	219	3413	354	3910	347	4426	427
202	336	1512	316	3118	396	3414	354	3912	347	4431	427
203	336	1513	317	3122	396	3415	354	4013	215	4440	446
204	336	1845	317	3240	396	3457	151	4014	214	4441	441
205	337	2205	349	3242	396	3458	150	4025	215	4441	441
206	336	2206	126	3243	396	3460	150	4064	372	4442	441
208	337	2207	126	3244	396	3464	151	4065	372	4443	441
401	324	2208	126	3250	396	3465	150	4134	341	4444	440
402	324	2267	345	3251	396	3466	150	4136	341	4446	426
403	325	2272	345	3346	390	3471	146	4137	315	4447	418
404	325	2274	345	3347	390	3473	147	4138	315	4448	418
405	325	2280	348	3350	391	3483	318	4140	313	4453	448
406	324	2281	348	3361	306	3484	319	4168	182	4454	451
408	324	2282	348	3362	307	3485	318	4171	182	4465	156
409	325	2283	348	3363	307	3486	319	4173	182	4466	157
481	334	2410	127	3364	307	3524	323	4174	182	4524	215
483	334	2411	127	3365	307	3525	323	4223	373	4525	349
484	335	2468	350	3367	309	3526	323	4290	357	4558	328
485	334	2469	350	3368	308	3527	322	4291	357	4561	328
491	335	2470	350	3370	309	3528	323	4292	357	4562	328
493	335	2763	333	3372	308	3564	391	4301	356	4563	329
976	381	2764	333	3373	308	3571	348	4302	356	4607	20
1051	327	2765	333	3374	309	3596	212	4303	356	4608	20
1052	327	2766	333	3375	304	3644	338	4326	373	4610	20
1055	327	2767	332	3376	304	3645	338	4353	310	4611	20
1129	346	2768	314	3380	304	3646	338	4354	310	4614	20
1130	346	2770	313	3382	248	3648	338	4355	311	4615	20
1131	346	2771	312	3393	417	3650	339	4356	310	4648	213
1135	346	2772	312	3394	417	3656	367	4357	310	4650	213
1136	346	2902	352	3396	426	3657	366	4386	391	4651	213
1157	351	2903	352	3401	447	3660	366	4390	417	4652	213
1337	351	2904	352	3402	429	3661	367	4397	306	4653	213
1338	351	2985	239	3403	429	3662	366	4398	304	4654	213
1339	351	2994	321	3404	429	3728	157	4418	416	4684	455
1350	340	2995	321	3405	428	3730	156	4420	416	4685	455
1351	340	2996	321	3406	428	3750	397	4421	425	4686	455
1352	340	2997	320	3407	428	3752	397	4422	425	4687	458

INDEX	STRONA/PAGE																						
6138	274	6427	290	6551	171	6771	395	6855	115	6973	106	8825	261	8874	19	8923	46	8977	177	9033	173	9085	148
6140	274	6442	85	6552	164	6772	144	6856	118	6974	106	8826	297	8875	64	8924	46	8978	160	9034	172	9086	150
6141	274	6443	84	6553	164	6773	144	6857	119	6975	106	8827	243	8876	64	8925	285	8980	160	9035	172	9087	146
6142	100	6444	85	6558	164	6774	144	6858	118	6976	404	8828	243	8877	64	8926	285	8981	161	9036	173	9088	150
6143	101	6445	85	6560	164	6775	440	6868	76	6977	404	8830	396	8878	64	8928	285	8982	161	9037	176	9090	148
6144	100	6447	58	6583	102	6776	440	6870	77	6978	404	8831	396	8880	65	8930	285	8988	300	9038	176	9091	146
6145	101	6488	57	6584	102	6777	96	6871	77	7014	120	8832	394	8881	65	8931	285	8990	300	9040	176	9094	452
6227	251	6490	57	6585	102	6778	96	6878	192	7015	120	8833	394	8882	65	8932	285	8991	300	9041	176	9096	453
6267	26	6491	59	6586	102	6785	110	6880	181	7016	446	8834	267	8883	65	8934	54	8992	300	9042	189	9097	424
6268	26	6492	59	6587	102	6786	108	6883	181	7017	424	8835	267	8884	65	8935	54	8993	280	9043	189	9098	422
6270	26	6493	58	6588	102	6787	110	6893	369	7021	210	8836	267	8885	65	8936	296	8994	280	9044	189	9100	422
6301	247	6494	58	6590	272	6788	110	6894	368	7022	210	8837	267	8886	74	8937	296	8995	254	9045	32	9101	422
6308	145	6495	57	6598	102	6790	108	6895	369	7023	210	8838	273	8887	74	8938	296	8996	254	9046	32	9102	449
6310	145	6496	57	6600	102	6791	110	6896	368	7024	209	8840	273	8888	74	8940	296	8997	254	9047	32	9103	449
6311	145	6497	59	6601	102	6792	110	6897	369	7025	209	8841	273	8890	74	8942	131	8998	254	9048	184	9104	450
6326	376	6498	59	6602	102	6794	110	6898	368	7026	209	8842	273	8891	75	8943	131	9000	254	9050	184	9105	450
6327	376	6500	58	6603	102	6800	161	6900	369	7027	209	8843	169	8892	75	8944	131	9001	254	9054	45	9106	450
6328	326	6501	58	6604	102	6812	149	6901	368	8794	197	8844	169	8893	75	8945	134	9002	254	9055	45	9107	431
6330	326	6502	57	6605	40	6815	149	6902	371	8795	420	8845	465	8894	75	8946	135	9003	254	9056	202	9108	431
6331	162	6503	57	6606	40	6816	149	6903	371	8796	46	8846	465	8895	284	8947	135	9004	255	9057	202	9110	431
6332	162	6504	59	6607	275	6817	148	6904	371	8797	46	8847	13	8896	284	8948	139	9005	255	9058	202	9111	431
6333	180	6505	59	6608	275	6818	149	6907	449	8798	46	8848	14	8897	284	8950	136	9006	255	9060	202	9112	430
6334	180	6506	58	6610	275	6820	155	6908	449	8800	48	8850	13	8898	284	8951	133	9007	255	9061	44	9113	430
6335	40	6508	82	6611	275	6822	299	6910	439	8801	99	8851	13	8900	284	8952	134	9008	255	9062	362	9114	433
6336	40	6510	82	6612	82	6823	299	6911	458	8802	136	8852	14	8901	284	8953	135	9009	255	9063	362	9115	433
6337	40	6511	82	6613	82	6824	257	6912	236	8805	267	8853	13	8902	284	8954	132	9010	255	9064	362	9116	432
6338	180	6512	168	6615	367	6825	257	6913	236	8806	272	8854	19	8903	284	8955	136	9011	255	9065	364	9117	432
6340	180	6513	168	6623	145	6826	257	6927	183	8807	272	8855	11	8904	225	8956	139	9012	266	9066	364	9118	423
6344	99	6522	272	6624	145	6836	52	6928	82	8808	272	8856	11	8905	225	8957	132	9013	266	9067	54	9120	423
6345	222	6523	272	6630	58	6837	52	6930	92	8810	272	8857	11	8906	224	8958	134	9014	266	9068	54	9121	423
6350	222	6524	272	6631	58	6838	52	6931	92	8811	278	8858	11	8907	224	8960	135	9015	266	9070	54	9122	439
6354	222	6525	288	6632	58	6840	53	6932	95	8812	278	8860	11	8908	223	8961	139	9018	261	9071	163	9123	438
6367	90	6526	288	6640	168	6841	53	6933	95	8813	279	8861	11	8910	223	8962	133	9020	261	9072	163	9124	438
6368	90	6527	288	6641	168	6842	55	6934	95	8814	278	8862	15	8911	49	8965	401	9021	9	9073	163	9125	421
6370	90	6528	288	6724	394	6844	22	6940	22	8815	279	8863	15	8912	49	8966	401	9022	9				

KODY KOLORÓW / COLOR CODES

○ WH - WHITE	● NT - NATURAL	● PI - LIGHT PINK
● BL - BLACK	● G - GOLD	● P - PINK
● TA - TAUPE	● CO - COOPER	● B - BLUE
● GR - GRAPHITE	● CH - CHROM	● GN - GREEN
● GY - GRAY	● NI - NICKEL	● R - RED
● SI - SILVER	● INOX - STAINLESS STEEL	● AN GY - ANTIQUE GRAY
● CE - COFFEE	● TR - TRANSPARENT	● BR - BROWN
● CN - CONCRETE	● OAK	● AN BR - ANTIQUE BROWN
● CHT - CHOCOLATE	● SMOKED OAK	● EC - ECRU
● BS - BRASS	● WE - WENGE	● TU - TURQUOISE

Nowodvorski L I G H T I N G

Nowodworski sp.j.
ul. Bojemskiego 11
42-202 Częstochowa
POLAND

tel.: +48 34 344 91 10 / 11
fax: +48 34 344 91 12
e-mail: nowodvorski@nowodvorski.com
www.nowodvorski.com

Design & production:

GRAFFITI
CREATIVE PEOPLE

REKLAMA & MEDIA
www.graffiti.com.pl


LUSTROGRAD
ОПТОВЫЕ ПРОДАЖИ СВЕТИЛЬНИКОВ

